SPORTS AUTHORITY OF INDIA

Netaji Subhas Eastern Centre, Salt Lake City, Sector III, Kolkata – 700106

Website: http://sportsauthorityofindia.nic.in/ and http://eprocure.gov.in/eprocure/app E-mail: rckolkata-sai@nic.in, saieccal@rediffmail.com

Open Tender Enquiry/REQUEST FOR TENDER (RFP)

SAI-NSEC KOLKATA, STC AGARTALA, STC CUTTACK, STC HAZARIBAGH, STC JALPAIGURI, STC PATNA, STC RANCHI, & STC SUNDERGRAH

On E- Tender Basis

DISCLAIMER

This RFP is being issued by Sports Authority of India (SAI) for Procurement of Sports Equipment for SAI-NSEC KOLKATA, STC AGARTALA, STC CUTTACK, STC HAZARIBAGH, STC JALPAIGURI, STC PATNA, STC RANCHI, & STC SUNDERGRAH on such terms and conditions and technical specifications as set out in this RFP document.

It is hereby clarified that this RFP is not an Agreement and is not an offer or invitation by SAI to any party hereunder. The purpose of this RFP is to provide the bidder (s) with information to assist in the formulation of their proposal/submission. This RFP document does not purport to contain all the information bidders may require. This RFP document may not be appropriate for all persons and it is not possible for SAI to consider particular needs of each bidder. Each bidder should conduct its own due diligence, investigation and analysis, and should check the accuracy, reliability and completeness of the information in this RFP document and obtain independent advice from appropriate sources prior to participating in the bid. SAI and their advisor make no representation or warranty and shall incur no liability financial or otherwise under any law, statue, rules or regulations or otherwise as to the accuracy, reliability or completeness of the RFP document.

SAI in their absolute discretion, but without being under any obligation to do so may update, amend or supplement the information in this RFP document.

.....

INDEX

Section	Topic Page No.	
	PART-1 BIDDING PROCEDURE	
Section I	 Invitation for Bid (IFB) 	4-5
Section II	- Instructions to Bidders (ITB)	
Section III	- (A) Qualification Criteria	
	(B) Performance Statement	
Section IV	Bidding Forms:	
	- (A) Bid Submission Form	29
	- (B) Form of Power of Attorney	
	- (C) Price Schedules	
	- (D) Bid Securing declaration form	
	- (E) Manufacturer's Authorization Form	
	- (F) National Electronic Fund Transfer (NEFT) Form	34
	- (G) Letter of Authorization from bidder	35
	- (H) Disclosure of conflict of interest	36
	- (I) Disclosure of Code of Integrity	
	- (J) Affidavit/Undertaking	
PART-2 –S	UPPLY REQUIREMENTS	
Section V	- Schedule of Requirements	39
	- Technical Specifications	
PART-3 –C	CONTRACT	
Section VII	- (A) General Conditions of Contract (GCC)	74-89
Section VIII	- Contract Forms	
	(A) Contract Agreement	90
	(B) Bank Guarantee Form for Performance Security	94
	(C) Inspection & Acceptance Certificate (IAC)	96
	(D) Check List	97
	(E) Consignee List	99

PART-1 BIDDING PROCEDURE

SPORTS AUTHORITY OF INDIA

Netaji Subhas Eastern Centre, Salt Lake City, Sector III, Kolkata – 700106

Website: http://sportsauthorityofindia.nic.in/ and http://eprocure.gov.in/eprocure/app E-mail: rckolkata-sai@nic.in, saieccal@rediffmail.com

SECTION-I

Notice Inviting Tender (NIT) For Open Tender Enquiry

Sports Authority of India under Ministry of Youth Affairs and Sports, Govt. of India invites **On-line bids** from eligible bidders, in single stage two bid systems for procurement of the following equipment/items as per the specifications:

	Procurement of Sports Equipa	nent
S. No.	Name of Equipment/Items	Item wise Amount of Bid Security in Rs.
1	Procurement of Sports Equipment for SAI NCOE	
	Kolkata, STC AGARTALA, STC CUTTACK, STC	EMD has been replaced with Bid
	HAZARIBAGH, STC JALPAIGURI, STC PATNA,	Securing Declaration as per
	STC RANCHI, & STC SUNDERGARH	Ministry of Finance, Department
	(as per Section V & VI of Tender document)	of Expenditure O.M. dated 12th
		November, 2020

All bidders are required to upload along with the technical bid, a duly signed and sealed copy of Bid Securing Declaration as per Section IV (D).

The prospective bidders who have not registered can register with E-procurement system of NIC by paying necessary registration charges.

SCHEDULE OF BIDDING PROCESS WITH KEY DETAILS

Uploading/Publication of Tender Documents	06.07.21
Downloading of Bid Documents	07.07.21
Pre bid meeting	13.7.21
	12:00 Noon
	Zoom Meeting ID: 812
	3044 6562
	Passcode: 12345
Last Date & Time of Submission of Bid	27.07.21
Bid Validity	180 days
Opening Date & Time of Technical Bids	28.07.21

To be intimated

- 1. Bidders may download the Bidding Documents from the web site www.sportsauthorityofindia.nic.in & CPP Portal of Govt. of India i.e. http://eprocure.gov.in/eprocure/app Bidders shall ensure that their Bids, complete in all respect are duly uploaded online before the closing date and time as indicated in the critical date sheet above on CPP Portal http://eprocure.gov.in/eprocure/app.
- 2. Bids shall be submitted online only at CPPP website: http://eprocure.gov.in/eprocure/app. Bidders are advised to follow the instructions provided in the 'Instructions to the Bidder for e-submission of the bids online through the Central Public Procurement Portal for e-Procurement at http://eprocure.gov.in/eprocure/app.
- 3. Bidders shall not tamper/modify the tender form including downloaded price bid template in any manner. In case, the same is found to be tempered/ modified in any manner, tender will out-rightly be rejected.
- 4. Intending bidders are advised to visit again CPP Portal website www.eprocure.gov.in and SAI website http://sportsauthorityofindia.nic.in before submission of tender for any corrigendum / addendum/ amendment.

(Vineet Kumar)

Regional Director (In-Charge), Sports Authority of India, Netaji Subhas Eastern Centre, Salt Lake City, Sector III, Kolkata – 700106

SECTION II

INSTRUCTIONS TO BIDDERS (ITB)

CONTENTS

SI. No.	Торіс	Page No.
	Section II- A	
	(a)PREAMBLE	
1	Definitions and Abbreviations	8
2	Introduction	9
3	Language of Bid	9
4	Eligible goods and related services	9
5	Tendering Expenses	10
6	Local Conditions	10
	(b)PRE BID MEETING	
7	Procedure for Pre-Bid Meeting	10
	(c) BIDDING DOCUMENTS	
8	Contents of Bidding Documents	10
9	Amendments to Bidding Documents	11
10	Modification/Withdrawal of Bids	11
11	Clarification of Bidding Documents	11
12	Bid Format	11
	(d) PREPARATION OF BIDS	
13	Documents Comprising the Bid	11
14	Technical Bids	11-13
15	Financial Bid	13-14
16	Bid Currency	14
17	Bid Price	14-15
18	Indian Agent	15
19	Firm Price	15
20	Alternative Bids	15
21	Documents Established Bidder's Eligibility and Qualification	15
22	Documents establish good's conformity to TE	15-16
23	Bid Document Security/Earnest Money Deposit	16
24	Bid Validity	16
25	Purchaser's right to accept any bid and to reject any or all bid	16
26	Signing of bids	16-17
	(e) SUBMISSION OF BIDS	
27	Instructions for on line submission of bid	17
	(f) BID OPENING	
28	Opening of Bids	17
	(g) SCRUTINY AND EVALUATION OF BIDS	
29	Basic Principle	17-18
30	Scrutiny of Tenders	18
31	Minor infirmity/irregularity/Non-conformity	18
32	Discrepancies in Prices	18-19

33	Qualification Criteria	19
34	Conversion of tender currencies to India Rupees	19
35	Comparison of Bids and Award Criteria	19
36	Contacting the Purchaser	19
	(h) AWARD OF CONTRACT	
37	The Purchaser's Right to accept any tender and to reject any or all tenders	19-20
38	Notification of Award	20
39	Issue of Contract	20
40	Annulment of Award	20
41	Termination of Contract	20
42	Disqualification	20
43	Non-receipt of Performance Security and Contract by the Purchaser	21
44	Corrupt or fraudulent practices	21
45	Conflict of Interest among bidders/agents	21-22
	Section- II-B	
	Instructions for online Bid Submission	23-25

SECTION – II (A) INSTRUCTIONS TO BIDDERS (ITB) (a) PREAMBLE

Definitions and Abbreviations

- i) The following definitions and abbreviations, which have been used in these documents shall have the meaning as indicated below:
- ii) Definitions:
 - a. "Purchaser" means SAI/the organization purchasing goods and services as incorporated in the Tender Enquiry documents i.e., Procurement of Sports Equipment for SAI-NSEC KOLKATA, STC AGARTALA, STC CUTTACK, STC HAZARIBAGH, STC JALPAIGURI, STC PATNA, STC RANCHI, & STC SUNDERGRAH.
 - b. "Tender" means bids/quotations/Tender received from a Firm/ Bidder.
 - c. "Bidder" means bidder/the individual, company or firm submitting bids/Quotations/Tender.
 - d. "Supplier" means the individuals, company or the firm supplying the goods and services as incorporated in the contract.
 - e. "Goods" means the articles, instruments, machinery, equipment etc., which the supplier is required to supply to the purchaser under the contract.
 - f. "Services" means services allied and incidental to the supply of goods, such as transportation, installation, commissioning, provision of technical assistance, training, after sales service, repair, maintenance service and other such obligations of the supplier covered under the contract.
 - g. "Earnest Money Deposit" (EMD) means Bid Security/monetary or financial guarantee to be furnished by a bidder along with its tender. (Not applicable as per Ministry of Finance, Department of Expenditure O.M. dated 12thNovember 2020)
 - h. "Contract" means the written agreement entered into between the purchaser and/or consignee and the supplier, together with all the documents mentioned therein and including all attachments, annexure etc., therein.
 - i. "Performance Security" means monetary or financial guarantee to be furnished by the successful bidder for due performance of the contract placed on it. Performance Security is also known as Security Deposit.
 - j. "Consignee" means person to whom the goods are required to be delivered to a person as an interim consignee for the purpose of person is the consignee, also known as ultimate consignee.
 - k. "Specification" means the document/standard/brand/model etc. that prescribes the requirement with which goods or service has to conform.
 - 1. "Inspection" means activities such as measuring, examining, testing, gauging one or more characteristics of the product or service and comparing the same with the specified requirement to determine conformity.
 - m. "Day" means calendar day.

iii) Abbreviation:-

- a. "TE Document" means Tender Enquiry Document
- b. "NIT" means Notice Inviting Tenders
- c. "ITB" means Instruction to Tenders
- d. "GCC" means General Conditions of Contract
- e. "SCC" means Special Conditions of Contract
- f. "NSIC" means National Small Industries Corporation
- g. "LC" means Letter of Credit
- h. "DP" means Delivery Period
- i. "BG" means Bank Guarantee
- j. "ED" means Excise Duty

- k. "CD" means Custom Duty
- 1. "RR" Railway Receipt
- m. "BL" means Bill of Lading
- n. "FOB" means Free on Board
- o. "FCA" means Free Carrier
- p. "FOR" means Free on Rail
- q. "CIF" means Cost, Insurance and Freight
- r. "CIP (Destinations)" means Carriage and Insurance paid up to named port of destination. Additionally the insurance (local transportation and storage) would be extended and borne by the Supplier from ware house to the consignee site for a period including 3 months beyond date of delivery.
- s. "DDP" means Delivery Duty Paid named place of destination (Consignee site)
- t. "INCOTERMS" means International Commercial Terms as on the date of Tender Opening
- u. "CAMC" means Comprehensive Annual Maintenance Contract (labour, spare parts, up gradation if required, repair, and preventive periodic, annual maintenance, etc.)
- v. "RT" means Re-Tender
- w. "GST" means Goods and Services Tax

1. Introduction

- i) This bid document is for procurement of items as mentioned in **Section –V** "Schedule of Requirements".
- ii) This Section (Section II) provides relevant information as well as instructions to assist the prospective bidders in preparation and submission of bids. It also includes the mode and procedure to be adopted by the Purchaser for receipt and opening of bids as well as scrutiny and evaluation of bids and subsequent placement of contract.
- iii) The Bidders shall also read the Special Condition of Contract (SCC) related to this purchase, as contained in **Section VII-B** of these documents and follow the same accordingly. Whenever there is a conflict between the ITB/GCC and the SCC, the provisions contained in the SCC shall prevail over those in the ITB/GCC.
- iv) Before formulating the bid and submitting the same to the Purchaser, the bidder should carefully read and examine all the terms and conditions, instructions, specifications etc. contained in the bid document. Failure to provide and/or comply with the required information, instructions etc. incorporated in this bid document, may result in rejection of the bid.

2. Language of Bid

The bid submitted by the bidder and all subsequent correspondence and documents relating to the bid, exchanged between the bidder and SAI, shall be written in English or Hindi language. However, the language of any printed literature furnished by the bidder in connection with its bid may be written in any other language provided the same is accompanied by an English translation and for purpose of interpretation of the bid, the English translation shall prevail.

3. Eligible Goods and related services

All goods and related services to be supplied under the contract shall have their origin in India. The term "origin" used in this clause means the place where the goods are mined, grown, produced, or manufactured or from where the related services are arranged and supplied.

In accordance with Clause 31 of the General Conditions of Contract (GCC), only Class I Local Supplier and Class II Local Supplier will be eligible to bid in this IFB.(As per 3 (b) of DPIIT order dated 16.09.2020).

4. Tendering Expenses

The Bidders shall bear all costs and expenditure incurred and/or to be incurred by it in connection with its tender including preparation, mailing and submission of its tender and for subsequent processing of the same. The purchaser will, in no case be responsible or liable for any such cost, expenditure etc. regardless of the conduct or outcome of the tendering process.

5. Local Conditions

It is imperative that each bidder fully acquaints himself with all the local conditions and factors, which would have any effect on the performance/completion of the contract in all respect. Bidders would themselves be responsible for compliance with Rules, Regulations, Laws and Acts in force from time to time in India. On such matters, the purchaser shall not entertain any request from the bidders.

(b) PRE BID MEETING THROUGH VIDEO CONFERENCE

- 7.1 A Pre-Bid conference will be held with the prospective Bidders for the purpose of holding technical & commercial discussions and providing clarifications by the Purchaser. In the Pre-Bid Conference, clarifications pertaining to technical, commercial and other issues regarding the items stipulated in the RFP may be required by the prospective bidders will be provided. The prospective bidders should on their own cost, attend the said conference on the date and venue.
- 7.2 Details of proposed/suggested variations/ deviations/ additions from the Bid specification/conditions, if any, should be clearly indicated while sending queries before Pre-Bid Conference. Any verbal suggestion/ proposal of variations/ deviations/ additions in the RFP document made during the Pre Bid Conference should also be given in writing to the Purchaser latest by 48 hours on next working day of the pre bid conference.
- **7.3** The purchaser may clarify on variations/ deviations, alternative proposals, which ensure equal or higher quality/ performance to the Technical Specifications during Pre-Bid Conference. However, the decision of the purchaser in this regard will be final.
- **7.4** After incorporation the amendments acceptable to the Purchaser, the RFP Document shall be frozen as per the details provided in RFP, through issuance of an Addendum (s) which can be downloaded from the e-procurement portal and website of SAI. The Bidder shall submit its Bid along with Bid documents including Addendum if any issued duly signed and stamped.
- **7.5** Non-attendance at the Pre- Bid Conference will not be a cause for disqualification of a Bidder. However, the terms and conditions of the addendum (s) will be legally binding upon all bidders irrespective of their attendance at the Pre-Bid Conference.
- **7.6** No further suggestions for deviations/variations/ additions will be entertained after the Pre-Bid Conference.

(c) BIDDING DOCUMENTS

8. Content of Bidding Documents

In addition to Section I – "Invitation for Bid" (IFB), the Bid Document includes several Sections up to Section VIII. These Sections are:

Section II	Instructions to Bidders (ITB)
Section II (B)	Instructions for Online Submission of
	Bids.
Section III	Qualification Criteria & Performance
	Statement
Section IV	Bidding Forms
Section V	Schedule of Requirements

Section VI	Technical Specifications
Section VII (A)	General Conditions of Contract
Section VII (B)	Special Condition of Contract
Section VIII	Contract Forms

9. Amendment(s) to Bid Document

- i) At any time prior to the deadline for submission of bid, the Purchaser may, for any reason whether at its own initiative or in response to a clarification required by a prospective bidder, modify the bid document by issuing suitable amendment(s) to it.
- ii) Such an amendment to the bid document will be uploaded on SAI website: www.Sports authority of India and Central Public Procurement (CPP) Portal of Government of India i.e. www.http://eprocure.gov.in/eprocure/apponly.
- iii) Prospective bidders are advised in their own interest to visit website of CPP Portal for any amendment etc. before submitting their bids.
- iv) In order to afford prospective bidders reasonable time to take into account the amendments in preparing their bids, SAI may, at its discretion, suitably extend the dead line for submission of bids.

10. Modifications/withdrawal of bids

(i) The bidder, after submitting the bid, is permitted to submit alterations/modifications to the bid, so long such alterations/ modifications are received duly sealed and marked like original bid, up-to the date and time of submission of bid. Any amendment/modification submitted after the prescribed date and time of receipt of bids shall not to be considered.

11. Clarification of Bid Document

- (i) A bidder requiring any clarification or elucidation on any issue in respect of the bid document may take up the same with the Purchaser in writing. The Purchaser may respond in writing to such request provided the same is received (by the Purchaser) not later than 10 (ten) days prior to the prescribed original date of submission of bid.
- (ii) Any clarification issued by Purchaser in response to query (ies) raised by the prospective bidders shall form an integral part of bid document and it may amount to an amendment of the relevant clause(s) of the bid document.

12. Bid format

The bidders are to furnish their bids as per the prescribed format at Section IV (C) and also as per the instructions incorporated in the bid document.

(d) PREPARATION OF BIDS

13. Documents comprising the bid

The bid prepared by the Bidder shall comprise the components detailed in Clause 14 & 15 of ITB (Technical and Financial Bid). The Bids not conforming to the requirements as stated in the said clauses shall be summarily rejected. SAI's decision in this regard shall be final, conclusive and binding on all the Bidder(s).

14. Technical Bid:

The Bidder shall submit the scanned copy of following documents along with PDF file while submitting the bid documents: -

- (i) **Bid Security**: Bid Securing declaration as per Section IV (D) and bid submission form as per- form at **Section IV** (A).
- (ii) Authorization Certificate issued by OEM in favor of the bidder, if the bidder is not the Manufacturer of the goods to be supplied. (Either of the two can participate in the Bidding Process)
- (iii)Self-attested ID proof, address proof, PAN Card and a recent passport size colored photograph of authorized representative.
- (iv)Bidder/Agent who quotes for items manufactured by OEM shall furnish scanned copy of Manufacturer's Authorization Form as per **Section IV(E)**.
- (v) Registration Certificate of Partnership, Company, duly registered copy of Partnership Deed/MOA of the Company (as per law of the country origin).
- (vi) Certificate of Incorporation/ Registration Certificate of the firm / Company/Agency in the country of origin (as per law of the country origin).
- (vii) Documents mentioned in the qualification criteria as per Section III (A).
- (viii) "Performance Statement" as per perform in **Section III-(B)** along with relevant copies of orders and end users' satisfaction certificate/installation reports.
- (ix) National Electronic Fund Transfer (NEFT Form) as per **Section IV- (F)** for payment in Indian Rupee.
- (x) Certificate of Chartered Accountant showing annual turnover for the last three financial years ending 31st March 2021. Copies of Balance Sheet, Profit and Loss Account statement etc. need not be enclosed.
- (xi) Income Tax returns filed for the last three financial years.
- (xii) Goods & Services Tax Registration Certificate. (as per law of the country origin)
- (xiii) Valid PAN, TIN (Tax Payer Identification Number)/TAN (as per law of the country origin)
- (xiv) Documents and relevant details to establish that the goods and the allied services to be supplied by the bidder conform to be requirement of TE Documents. In case, the configuration/specifications offered by the bidder are found to be inferior to the configurations/specifications prescribed in the nomenclature Section VI, then the tender of such bidders shall be rejected out rightly.
- (xv) Bidder shall furnish details of its quality control system and organization certifying that they have the capacity to ensure adequate quality control at all stage of the manufacturing process. If the bidder is not the manufacturer, the said information is to be obtained from the OEM.
- (xvi) The bidder should not have been black-listed by Central/ State Governments/ PSUs at any point of time. There should not be any criminal proceedings/conviction against the bidder at any point of time any and any other information considered necessary but not included above.

- (xvii) Scanned copy of Certificate/Undertaking indicating that the rates quoted for supply of said Items/Items by the firm are not higher than the rate of the item supplied by the firm in any other Government Organization/Institutions/PSU etc.
- (xviii) Catalogue containing detailed technical specification.
- (xix) As per 9 (a) of the DPIIT order dated 04.06.2020, the Class I & II local supplier are required to indicate percentage of local content and provide self-certification that the item offered meets the local content requirement for Class I/II local supplier as the case may be. They shall also give details of locations at which the local value addition is made.

Note:

- i) The bidder will have to declare the details of the manufacturer and county of origin along with the bid.
- ii) The bidding companies /firms /agencies are required to attest (self-attestation) the scanned copies of documents, along with the bid, signed on each page with seal, to establish the bidders' eligibility and qualifications failing which their bid shall be summarily rejected and will not be considered. The bidders are responsible for what they attest and claim; if, later on, it is found that whatever has been attested by the bidder is not true/ correct, the company/ firm / agency of the bidder will render itself liable for punitive action including debarment for purpose of procurement of any item(s), in addition to attracting penal provisions of the agreement. The original copies shall be produced by the Bidder as and when required by the Purchaser.
- iii) The bidders shall execute necessary instrument and documents required by SAI/purchaser in relation to the bidding documents and shall adhere to all notification/amendments as may be issued by the purchaser from time to time. All costs (including taxes, stamp duties and registration charges if any shall be borne by the bidders)
- iv) The Technical bid shall not include any financial information. Such a bid shall be summarily rejected.
- **15. Financial Bid: -** This should be uploaded online in the prescribed XLS format as per BOQ available in CPP Portal.
 - (i) Financial proposal should contain the 'Price Schedule' in the XLS format prescribed in. All prices should be in India Rupees.
 - (ii) This condition is deleted as not applicable in this case.
 - (iii)All the bidders are required to quote prices on DDP (Delivered Duty Paid) to destination at consignee's site. They shall furnish breakup of the prices as per price schedule given in RFP bids not containing the breakup of prices all liable to be rejected.
 - (iv)The price for the equipment shall include a complete breakup showing the basic price, excise duty, other levies, GST, packing charges, forwarding charges, freight and insurance charges and other charges if any shall also be given. Bids not containing the breakup of prices all liable to be rejected. Government levies, duty, taxes on the complete equipment as applicable on the date of opening of price bid will be considered for evaluation. In case there is variation in the statutory duties/taxes during the currency of the contract, the same will be payable at actual as applicable on the date of invoicing of equipment provided the equipment are delivered as per contracted delivery schedule.

- (v) The bidders should quote their lowest possible prices. The Bidders shall be required to certify / give an undertaking to the effect that the rates quoted are minimum/reasonable and they have not quoted/charged lower rates from any other Government/State/ PSU Departments. The undertaking be certified and stamped by their Chartered Accountant. In case the contractor offers to supply the equipment conforming to same specification to any other state or central government or PSU at rates lower than the rates accepted against the present contract/ such lower rates shall also be made applicable to all the equipment supplied/ to be supplied against the present contract subsequent to the said date of offer of supply at the lower rates by the contractor.
- (vi)The terms DDP shall mean as defined in delivery schedule.
- (vii) The price quoted for the equipment shall be firm and not subject to any upward variation except for the variation in statutory levies and duties separately quoted by the bidder in its bids.
- (viii) Bidder shall quote only one price for each item. If more than one price is quoted, the lowest unit rate quoted by the bidder will be considered for evaluation.
- (ix) The authorized signatory of the bidder must sign the bid, duly stamped at appropriate places with initial on all the remaining pages of the bid. A person signing (manually or digitally) the tender form or any documents forming part of the contract on behalf of another shall be deemed to warrantee that he has authority to bind such other persons and if, on enquiry, it appears that the persons so signing had no authority to do so, the purchaser may, without prejudice to other civil and criminal remedies, cancel the contract and hold the signatory liable for all cost and damages.
- (x) No condition shall be attached to the Financial Bid. Conditional bids shall be summarily rejected without any explanation.
- (xi) The bid of a bidder, who does not fulfill any of the above requirements and /or gives evasive information /reply against any such requirement, shall be liable to be ignored and rejected.

Note: Bidders are requested to upload the "Technical Bid' and 'Financial Bid' separately having the above-mentioned documents online.

16. Bid currency

- (i) All the bidders should quote only in Indian Rupees
- (ii) Tenders, where prices are quoted in any other way shall be treated as non-responsive and rejected.

17. Bid Price

- (i) The Bidder shall indicate on the Price Schedule provided under Section IV (C) all the specified components of prices shown therein. All the columns shown in the price schedule should be duly filled up as required. If any column does not apply to a Bidder, same should be clarified as "NA" (means Not Applicable) by the Bidder.
- (ii) The quoted prices for goods offered for domestic goods shall be quoted in the Price Schedule given under BOQ.
- (iii) Duties and Taxes:

- a) The bidders are required to indicate the duties and taxes payable by them in their Price Schedule. For the supplies made as per the original delivery schedule the statutory levies as applicable on the date of supply shall be paid/reimbursed to the Bidder/contractor at actual.
- b) For the supplies made beyond the original delivery schedule, the reimbursement of statutory levies shall be governed by the provisions of the contract. In no case, the Bidder/contractor shall be entitled to any increase in duties and levies imposed after expiry of original delivery period.
- c) However, if a local body still insists upon payment of such local duties and taxes, the same should be paid by the supplier to the local body to avoid delay in supplies and possible demurrage charges and obtain a receipt for the same. The supplier should forward the receipt obtained for such payment to the Purchaser to enable the Purchaser to reimburse the supplier and take other necessary action in the matter. However, none of charges mentioned above shall be reimbursed if delivery is beyond the time schedule.

(iv)Customs Duty:

Deleted being N/A

(v) The need for indication of all such price components by the Bidders, as required in this clause is for the purpose of comparison of the Bids by the Purchaser and will no way restrict the purchaser's right to award the contract on the selected Bidder on any of the terms offered.

18. Indian Agent

Deleted N/A **19. Firm Price**

The prices quoted by the bidder shall remain firm and fixed during the currency of the contract. As regards, taxes and duties, if any chargeable on the items, clause 16 of this Section will be applicable.

20. Alternative Bids are not allowed.

21. Documents establishing bidder's eligibility and qualifications

- (i) Pursuant to ITB clauses 13, the bidder shall furnish, of its bid, relevant details and documents establishing to perform the contract.
- (ii) The documentary evidence needed to establish the bidder's qualifications:
- (iii)In case the bidder offers to supply items, which are manufactured by some other firm, the bidder should be duly authorized by the manufacturer to quote for and supply the goods to the Purchaser. The bidder shall submit the manufacturer's authorization letter to this effect as per the standard form provided under Section IV-E of this document.

22. Documents establishing good's Conformity to TE Documents.

a. The bidders shall provide in its tender the required as well as the relevant documents like technical data, literature, drawings etc. to establish that the goods and services offered in the tender fully conform to the goods and services specified by the purchaser in the TE documents. For this purpose the bidders shall also provide a

clause-by-clause commentary on the technical specifications and other technical details incorporated by the purchaser in the TE documents to establish technical responsiveness of the goods and services offered in its tender.

- b. In case there is any variation and/or deviation between the goods & services prescribed by the purchaser and that offered by the bidders, the bidder shall list out the same in a chart form without ambiguity and provide the same along with its tender.
- c. If a bidder furnishes wrong and/or misguiding data, statement(s) etc. about technical acceptability of the goods and services offered by it, its tender will be liable to be ignored and rejected in addition to other remedies available to the purchaser in this regard.

23. Bid Security/Earnest Money Deposit (EMD)

Bid Security/Earnest Money Deposit (EMD) has been replaced with Bid Securing Declaration as per Ministry of Finance, Department of Expenditure O.M. dated 12th November 2020. However, all bidders are required to upload along with the technical bid, a duly signed and sealed copy of Bid Securing declaration as per Section IV (D).

24. Bid Validity

- (i) The bid shall remain valid for acceptance for a period of **180 days** after the date of bid opening, prescribed in the bid document. Any bid valid for a shorter period shall be treated as unresponsive and rejected.
- (ii) In exceptional circumstances, Purchaser may request the bidders' consent to extend the validity of their bids up to a specified period. The bidders agree to extend the bid validity period. However, they will not be permitted to modify their original bids during the extended bid validity period.
- (iii)In case, the day up to which the bids are to remain valid falls on a holiday or on a day declared as holiday or closed day for the Purchaser, the bid validity shall automatically be extended up to the next working day.

25. Purchaser's right to accept any bid and to reject any or all bids.

The Purchaser reserves the right to cancel the bidding process and reject all bids at any time prior to award of contract, without incurring any liability, whatsoever to the affected bidder or bidders.

26. Signing of bids

- (i) The bidders shall submit their bids as per the instruction contained in ITB.
- (ii) The tender shall either by typed or written in legible/ indelible ink and the same shall be signed by the bidder or by a person (s) who has been duly authorized to bind the bidder to the contract. The letter of authorization shall be by a written power of attorney/board resolution, which shall also be furnished along with the bid.
- (iii)The tender shall be duly signed at the appropriate places as indicated in the TE documents and all other pages of the tender including printed literature, of any shall be initialed by the same person(s) signing the tender. The tender shall not contain any erasure or overwriting, except as necessary to correct any error made by the bidder and, if there is any such correction; the same shall be initialed by the person(s) signing the tender.

(e) SUBMISSION OF BIDS

27. Submission of bids

- (i) Bids should be submitted On-line as per the instructions given for On-line submission under Section II (B).
- (ii) Bids must be received by the Purchaser not later than the date and time prescribed in the bid document.
- (iii)Purchaser, at his discretion, may extend the deadline for submission of bids by amending the bid document in accordance with clause 9 of **ITB.** In that case, all rights and obligations of the Purchaser and the bidders would automatically stand extended.
- (iv)Submission of more than one bid by the same bidder shall entail him for disqualification from participating in the bid process. OEM or its Agent / Authorized Dealer shall submit the Bid.

(f) BID OPENING

28. Opening of bids

- (i) The Purchaser will open the bids at the specified date, time and place as indicated in the IFB in **Section-I.** If due to administrative reasons the venue / date/ time of bid opening are changed, it will be uploaded on CPP Portal and on the SAI's website.
- (ii)In case the specified date of bid opening falls on a holiday or is subsequently declared a holiday or closed day for the Purchaser, the bids will be opened at the appointed time and place on the next working day.
- (iii)Authorized representatives of the bidders, who have submitted bids on time may attend the bid opening provided they bring with them letters of authority from the corresponding bidders. Letter of authority for attending the bid opening meeting should be in the format placed at **Section IV** (G).
- (iv) The bid opening will be conducted through video conference. The id will be shared through CPP Portal. Two bid system as mentioned in Para 13 above will be as follows:
 - a) **Technical Bids** will be opened in the first instance, at the prescribed date and time as indicated in **Section –I (IFB).** These bids shall be scrutinized and evaluated by the Purchaser with reference to parameters prescribed in the Bid Document. During the Technical bid opening, the bid opening official(s) will read the salient features of the bids like brief description of the items offered, delivery period, Bid Security and any other special features of the bids, as deemed fit by them. Thereafter, in the second stage, the Financial Bids of only the technically accepted bids / offers (as decided in the first stage) shall be opened for further scrutiny and evaluation on a date notified after the evaluation of the Technical Bid. The prices, special discount if any offered etc., as deemed fit by bid opening official(s) will also be read out.

(g) SCRUTINY AND EVALUATION OF BIDS

29. Basic Principle

Bids will be evaluated on the basis of the terms & conditions already incorporated in the TE document, based on which tenders have been received and the terms, conditions etc.

mentioned by the bidders in their tenders. No new condition will be brought in while scrutinizing and evaluating the tenders.

30. Scrutiny of Tenders

- (i) The Purchaser will examine the Tenders to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed stamped and whether the Tenders are generally in order.
- (ii) Purchaser will determine the responsiveness of each Tender to the TE Document without recourse to extrinsic evidence.
- (iii)The tenders will be scrutinized to determine whether they are complete and meet the essential and important requirements, conditions etc. as prescribed in the TE document. The tenders, which do not meet the basic requirements, are liable to be treated as non responsive and will be summarily ignored.
- (iv) The following are some of the important aspects, for which a tender shall be declared non responsive and will be summarily ignored;
 - a) Qualification Criteria not enclosed
 - b) Tender is unsigned.
 - c) Tender validity is shorter than the required period
 - d) Deleted.
 - e) Bidder has quoted for goods manufactured by other manufacturer(s) without the required Manufacturer's Authorization letter.
 - f) Bidder has not agreed to give the required performance security.
 - g) Goods offered are not meeting the tender enquiry specification.
 - h) Bidder has not agreed to other essential condition(s) specially incorporated in the tender enquiry like terms of payment, liquidated damages clause, warranty clause, dispute resolution mechanism applicable law.
 - i) Poor/unsatisfactory past performance.
 - j) Bidder has not quoted for the entire quantity and all the items as specified in the List of Requirements in the quoted schedule/ group.
 - k) Bidder has not complied with the requirement of Clauses of ITB.
 - 1) Any other conditions as deem fit.
 - m) Bid by Foreign Companies. (Only Indian companies are allowed to BID) or Non-Submission of required declaration regarding Class I / Class II Local Supplier/Declaration as per New GFR Clause, 144 (ix).

Note: These are only indicative criteria, the Purchaser may add or import other terms of this Tender as important criteria for evaluation of the Bid.

31. Minor infirmity/irregularity/Non-conformity

If during the preliminary examination, the purchaser finds any minor infirmity and/ or irregularity and/ or non-conformity in a tender, the purchaser will convey its observation on such 'minor' issues to the bidder by speed post/ mail etc. asking the bidder to response by a specified date. If the bidder does not reply by the specified date or gives evasive reply without clarifying the point at issue in clear terms, that tender will be liable to be ignored.

Determination of any infirmity as minor is the sole discretion of the Purchaser.

32. Discrepancies in Prices

a) If, in the price structure quoted by a bidder, there is discrepancy between the unit price and the total price (which is obtained by multiplying the unit price by the quantity), the unit price shall prevail and the total price corrected accordingly.

- b) If there is an error in a total price, which has been worked out through addition and/or subtraction of subtotals, the subtotals shall prevail and the total corrected, and
- c) If there is a discrepancy between the amount expressed in words and figures, the amount in words shall prevail, subject to sub clause 31 of ITB.
- d) If, as per the judgment of the purchaser, there is any such arithmetical discrepancy in a tender, the same will be suitably conveyed to the bidder by registered/speed post. If the bidder does not agree to the observation of the purchaser, the tender is liable to be ignored.

33. Qualification Criteria

Bids of the Bidders, who do not meet the required Qualification Criteria prescribed in Clause 14 of Section II A read with Section III (A), will be treated as non - responsive and will not be considered further.

34. Conversion of tender currencies to Indian Rupees

Deleted N/A

35. Comparison of Bids and Award Criteria

- (i) The comparison of the techno commercially responsive Bids for ranking purpose shall be carried out on Delivery on DDP basis at Consignee Site basis, inclusive of applicable taxes, duties, incidental services. The CAMC prices, if any will also be added for comparison/ranking purpose for evaluation.
- (ii) The Contract shall be awarded to the responsive Bidder(s) who is lowest in each Group and who meets the laid down Qualification Criteria in the Bid documents.
- (iii)The Purchaser reserves the right to give the price preference/ purchase preference as per the instruction in vogue while evaluating, comparing and ranking the responsive Bids. The Bidders claiming the same should enclose the concerned Notification of Govt. of India along with other relevant documents so as to establish their claim for such preferences.

36. Contacting the Purchaser

- (i) From the time of submission of tender to the time of awarding the contract, if a BIDDER needs to contact the purchaser for any reason relating to this tender enquiry and / or its tender, it should do so only in writing.
- (ii) In case a bidder attempts to influence the purchaser in the purchaser's decision on scrutiny, comparison & evaluation of tenders and awarding the contract, the tender of the bidder shall be liable for rejection in addition to appropriate administrative/legal actions being taken against that bidder, as deemed fit by the purchaser.

(h) AWARD OF CONTRACT

37. The Purchaser's Right to accept any tender and to reject any or all tenders

The purchaser reserves the right to accept in part or in full any tender or reject any or more tender(s) without assigning any reason or to cancel the tendering process and reject all tenders at any time prior to award of contract, without incurring any liability, whatsoever to the affected tenderer or tenderers.

38. Notification of Award

- (i) The bidder whose bid has been accepted will be notified of the award by the Purchaser prior to the expiry of the bid validity period.
- (ii) Before expiry of the bid validity period, the Purchaser will notify the successful bidder in writing, by speed post or email that its bid for items, which have been selected by the Purchaser, has been accepted; also briefly indicating there-in, that the essential details like description, quantity of the items, and delivery period, and prices have been accepted. The successful bidder must furnish to the Purchaser the required Performance Security within 30 days from the date of dispatch of this notification. SAI reserves the right to impose penalty @ 0.05% of contract value per day for further period of 07 days, failing which the Bid Security will be forfeited and the award will be cancelled. Relevant details about the Performance Security have been provided under GCC Clause 5 under **Section VII** (A).
- (iii) The Letter of Award (LoA) will state the sum that the Purchaser will pay to the successful bidder in consideration of the items to be supplied by him.
- (iv) The details of award of work and name of the successful bidder shall be mentioned on the CPPP and also in the notice board/bulletin/website of SAI.
- (v) Notification of Award shall constitute the conclusion of the Contract.

39. Issue of Contract

- (i) Promptly after notification of award, the Purchaser will mail the Contract Agreement as per **Section VIII** (A), duly completed to the successful bidder by speed post/mail.
- (ii) The successful bidder shall return the contract in duplicate duly typed on stamp paper and duly signed and dated, to the Purchaser by speed post/mail within **seven** days from the date of issue of the contract.
- (iii) The purchaser reserves the right to issue the Notification of Award consignee wise.

40. Annulment of Award

Failure of the successful bidder to comply with the requirement of signing an agreement with the Purchaser and furnishing Performance Security as per clause 5 of **Section VII** (A) shall constitute sufficient ground for annulment of the award and forfeiture of bid security.

41. Termination of Contract

The SAI reserves the right to terminate the contract without assigning any reason. Before termination of contract, SAI will notify the service bidder giving a notice of 30 days.

42. Disqualification

Purchaser reserves the right to disqualify the bidder for a suitable period who fails to supply the items in time. Further, the bidder(s) whose items do not perform satisfactorily in accordance with the specifications may also be disqualified for a suitable period by the Purchaser. Misrepresentation of facts if found at any stage during the contract period including warranty clause will also attract disqualification. Time and quality of equipment/items is the essence of the Agreement.

43. Non-receipt of Performance Security and Contract by the Purchaser

Failure of the successful Bidder in providing Performance Security and / or returning contract copy duly signed in terms of ITB shall make the Bidder liable for forfeiture of its bid security and, also, for further actions by the Purchaser against it as per the clause 21 of GCC – Termination of default in Section-VII (A) and other administrative actions as deemed fit by the purchaser.

44. Corrupt or fraudulent practices

- (i) It is required by all concerned namely the Consignee/Bidder/Supplier to observe the highest and utmost standard of ethics during the procurement and execution of such contracts. In pursuance of this policy, the Purchaser:
 - a) Will reject a proposal for award if it determines in its sole discretion that the bidder recommended for award has engaged in corrupt or fraudulent or collusion or coercive practices in competing for the contract in question;
 - b) Will declare a firm ineligible or blacklist for a stated period of time, to be awarded a contract by the Purchaser if it at any time determines that the firm has engaged in corrupt or fraudulent or collusion or coercive practices in competing for, or in executing the contract
 - c) The Purchaser reserves the right not to conclude the contract and in case contract has been issued, terminate the same, if found to be obtained by any misrepresentation, concealment and suppression of material facts by the bidder. In addition, Bid Security/ Performance Security (as the case may be) deposited by the bibber shall be forfeited and legal as well as administrative action for such misrepresentation, concealment and suppression of material facts shall be initiated.

45. Conflict of Interest among bidders/agents

- (i) A bidder shall not have conflict of interest with others bidders. Such conflict of interest can lead to anti-competitive practices to the detriment of purchaser's interests. The bidder found to have a conflict of interest shall be disqualified. A bidder may be considered to have a conflict of interest with one or more parties in this bidding process if;
 - a) they have controlling partner (s) in common; or
 - b) they receive or have received any direct or indirect subsidy/financial stake from any of them; or
 - c) they have the same legal representative/agent for purposes of this bid; or
 - d) they have relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder; or
 - e) bidder/s participate in more than one bid in this bidding process. Participation by a bidder in more than one Bid will result in the disqualification of all bids in which the parties are involved. However, this does not limit the inclusion of the components/ sub-assemblies from one bidding manufacturer in more than one bid.
- f) a bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specification of the contract that is the subject of the bid;
- g) in case of a holding company having more than one independently manufacturing units, or more than one unit having common business ownership/management, only

one unit should quote. Similar restrictions would apply to closely related sister companies. Bidders must proactively declare such sister/common business/management units in same/similar line of business.

SECTION-II (B) Instructions for Online Bid Submission

The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal. More information useful for submitting online bids on the CPP Portal may be obtained at: https://eprocure.gov.in//eprocure/app.

A. REGISTRATION

- (i) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: eprocure.gov.in//eprocure/app) by clicking on the link "Online bidder Enrolment" on the CPP Portal which is free of charge.
- (ii) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- (iii)Bidders are advised to register their valid e-mail address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- (iv)Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify/TCS/nCode/eMudhra etc.), with their profile.
- (v) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
- (vi)Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

B. SEARCHING FOR TENDER DOCUMENTS

- (i) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- (ii) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- (iii)The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the helpdesk.

C. PREPARATION OF BIDS

- (i) Bidder should take into account corrigendum published on the tender document before submitting their bids.
- (ii) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Bidders to specifically take note of the fact about the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- (iii)Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- (iv)To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided by the bidders. Bidders can use "My Space" or "Other Important Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

D. SUBMISSION OF BIDS

- (i) Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- (ii) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- (iii)Bidder has to select the payment option as "offline" to pay the tender fee / EMD as applicable and enter details of the instrument.
- (iv)Bid Security/Earnest Money Deposit (EMD) has been replaced with Bid Securing Declaration is exempted as per Ministry of Finance, Department of Expenditure O.M. dated 12th November 2020. However, all bidders are required to upload along with the technical bid, a duly signed and sealed copy of Bid Securing declaration as per Section IV (D).
- (v) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- (vi)All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/bid openers'

- public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- (vii) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- (viii) Upon the successful and timely submission of bids (i.e. after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful bid submission message & a bid summary will be displayed with bid no. and the date & time of submission of the bid with all other relevant details.
- (ix)The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass for any bid opening meetings.

E. ASSISTANCE TO BIDDERS

- (i) Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contract person indicated in the tender.
- (ii) Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The Contract number for the helpdesk is 1800 3072 2232. Foreign bidder can get help at +91-7878007972, +91-7878007973. Any query by any other mode will be inadmissible.

SECTION III (A) QUALIFICATION CRITERIA

Bid	Reference	No.										
-----	-----------	-----	--	--	--	--	--	--	--	--	--	--

- (a) The Bidder must be a Manufacturer or its authorized agent.
- (b) The bidder must satisfy the following eligibilty criteria –

Sl. No.	Descriptions	Document Required
1	The Bidder must be a company/firm/sole proprietor registered in India	Enclose copy of certificate of incorporation/registration issued by relevant authority in India
2.	Bidder should have an Average Annual Turnover of Rs. 45 Lakhs in the last 3 audited Financial Years ending March 2021.	Statutory Auditors certificate. Balance Sheet and Profit and Loss Account for the last three financial years or a certificate from Charted Accountant must be submitted.
3.	The bidder should be solvent.	Furnish Solvency Certificate of value Rs.45 Lakhs from any nationalized /Commercial bank.
4	The Original Equipment Manufacturer shall upload a self declaration on their letter head as PDF file along with Technical Bids, confirming that they are regularly manufacturing, supplying of similar equipment/items.	Furnish requisite document like purchase orders / satisfactory installation certificates
5	The Manufacturer should have supplied and installed (functioning satisfactorily) in last three years from the date of Tender Opening, similar Sports equipment meeting major parameters of technical specification. of not less than Rs. 45 Lakhs (will be updated as 40% of final total estimated value).	The requisite order (s) along with satisfactory completion certificate issued by relevant authority.
6	The bidder should not have been debarred/blacklisted by any state/central government/PSUs/Government Recognized Academies/Federation/Stadia/Training Centre	Enclose blacklisting declaration in the format given in Section IV(J)
7	The bidder should have a valid GST No. or should have registered under GST.	Enclose copy of GST registration certificate
8	Registration of TIN/TAN/VAT, if applicable	Attach documentary proof
9	Latest Income Tax Returns filed for the last three financial years (2018-19 & 2019-20 & 2020-21)	Attach documentary proof
10	PAN No.	Copy to be enclose
11	The bidder enclosed the Affidavit as per Section IV(J) of the TE Document	Attach documentary proof

12 Any other document mentioned in the tender document Attach documentary proof

Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from Previous experience and turnover. Traders/resellers/distributors/authorized agents will not be considered for availing benefits under PP Policy 2012 for MSEs as per MSE guidelines issued by MoMSME.

However, this does not exempt any bidder/ firm/manufacturer from fulfilling the quality requirements.

- (c) In support of the above, the bidder shall furnish relevant documents, performance statement as per Pro-forma in Section III (B).
- (d) In case technical specification and rates being equal, preference will be given to such firms having relevant ISO or other equivalent certification for quality assurance. In case parameters come on equal footings, successful bidder will be the one, having highest turnover.

SECTION– III (B) PROFORMA FOR PERFORMANCE STATEMENT

(For the period of last three years)

Bid Reference No.	
Date and Time of opening	:
Name and address of the Bidder	:
Name and address of the manufacturer	:

Order	Order	Description	Value	Date of		Remarks	Have the goods														
placed by	number	and quantity	of	completion of		completion of		completion of		completion of		completion of		completion of		completion of		completion of		indicating	been functioning
(full address	and date	of ordered	order	supply/Co	ntract	reasons for	satisfactorily														
of		goods	(Rs.)	As per	Actual	delay if any	(Attach														
Purchaser)				Contract			documentary														
							proof)**														
1	2	3	4	5	6	7	8														

We hereby certify that if at any time, information furnished by us is proved to be false or incorrect; we are liable for any action as deemed fit by the purchaser in addition to forfeiture of the earnest money.

Signature and seal of the Bidder

** The documentary proof will be certificate from the consignee/end user with crossreference of order no. and date in the certificate along with a notarized certification authenticating the correctness of the information furnished.

SECTION – IV (A) BID SUBMISSION FORM

Date

To Regional Director (In-Charge), Sports Authority of India, Netaji Subhas Eastern Centre, Salt Lake City, Sector III, Kolkata – 700106

Ref:. Your Bidding Document No. _____

Sir,		
on,		

We, the undersigned have gone through the above mentioned Bidding Document, including amendment/corrigendum no. ______, dated ______ (if any), the receipt of which is hereby confirmed. We now offer to supply and deliver______ (Description of goods and services) to the purchasers named in the schedule in conformity with your above referred document at the rates as shown in the price schedule(s), attached herewith and made part of this Bid.

- 2. We further confirm that, if our Bid is accepted, we shall provide you with a performance security of required amount in an acceptable form in terms of GCC clause 05 of Section-VII (A) for due performance of the Contract.
- 3. We agree to keep our Bid valid for acceptance for 180days or for subsequently extended period, if any, agreed to by us. We also accordingly confirm to abide by this Bid up to the aforesaid period and this Bid may be accepted any time before the expiry of the aforesaid period.
- 4. We further confirm that, upon conclusion of formal Contract on us, the supply orders placed on us by the designated Purchaser against the Contract shall constitute a binding contract between us and the Purchaser.
- 5. We confirm that the rates offered by the OEM or its authorized agent are same in respect of the items stipulated in the contract document.
- 6. We undertake that we have not supplied the required items at a price lower than the price quoted for these items by us.
- 7. We fully agree to abide by all terms and conditions of General Conditions of Contract/Special Condition of Contract as per Section-VII.
- 8. We further understand that you are not bound to accept the lowest or any Bid you may receive against your above-referred Bid Reference.
- 9. We confirm that we do not stand deregistered/banned/blacklisted by any Govt. Authorities.
- 10. We confirm that we fully agree to the terms and conditions specified in above mentioned Bidding Document, including amendment/ corrigendum if any

	[Signature with date, name and designation]
Duly authorized to sign Bid for and on beh	alf of Messrs

[Name & address of the manufacturers]

SECTION - IV

(B) Form for Power of Attorney/Board resolution

Know all men by these	presents, we, /vide board resolution dated,
(name	of the firm and address of the registered office) do
hereby irrevocably constitute,	nominate, appoint and authorize Mr./Ms.
	and presently residing at, who is
[presently employed with us and ho	lding the position of], as our true and
lawful attorney (hereinafter referred	d to as the "Attorney") to do in our name and on our
behalf, all such acts, deeds and thi	ngs as are necessary or required in connection with or
incidental to submission of our bid	for the (Name of Mandate) including but not limited to
signing and submission of all applica	ations, bids and other documents and writings, participate
in bidder's and other conferences an	nd providing information/responses to Sports Authority of
India(hereinafter referred to as "Pur	rchaser"), representing us in all matters before Purchaser,
signing and execution of all contrac	ts including the Agreement and undertakings consequent
to acceptance of our bid, and gener	rally dealing with Purchaser in all matters in connection
with or relating to or arising out of o	our bid for the said Tender and /or till the entering into the
Contract with Purchaser.	
AND we hereby agree to ratify	and confirm and do hereby all acts, deeds and things
lawfully done or caused to be done	e by our said Attorney on our behalf pursuant to and in
exercise of the powers conferred by	this Power of Attorney and that all acts, deeds and things
done by our said Attorney in exercise	e of the powers hereby conferred shall and shall always be
deemed to have been done by us.	
IN WITNESS WHEREOF W	VE,THE ABOVE NAMED
PRINCIPALS HAVE EXECUTED	THIS POWER OF ATTORNEY ON THISDAY OF
20**	
For	
(Signature)	
(Name, Title, and Address) Witnesse	es:
1.	
2.	
Accepted (Notarized)	
(Signature)	(Name, Title and Address of the Attorney)
(DIGITATO)	(1 taile, 11th and 1 tagless of the 1 thorney)

Section IV (C) PRICE SCHEDULE (BOQ)

AS PER BOQ UPLOADED IN THE CPP PORTAL

SECTION - IV

(D) BID SECURING DECLARATION FORM

Date:	Tender No
То	
Regional Directo	or (In-Charge),
Sports Authority	
Netaji Subhas Ea	
Salt Lake City, S	
Kolkata – 70010	5
	hat, according to your conditions, bids must be supported by a Bid
Securing Declaration	
•	We may be disqualified from bidding for any contract with you for a
•	from the date of notification if I am /We are in a breach of any obligation
under the bid condi	
	nodifies/amends the submitted bid against this tender, impairs or
derogates fr	om the tender, during the period of bid validity specified in this tender.
or	
b) having been of bid validi	notified of the acceptance of our Bid by the purchaser during the period ty
(i)	fail or refuse to execute the contract, or
(ii)	fail or refuse to furnish the Performance Security, in accordance with the terms of this tender document.
I/We understand th	is Bid Securing Declaration shall cease to be valid if I am/we are not the
successful Bidder o	r upon
(i) the receipt of	of your notification of the name of the successful Bidder and submission
	red Performance Security, in accordance with the terms of this tender
docume	•
(ii) thirty days	after the expiration of the validity of my/our Bid.
	ert signature of person whose name and capacity are shown)
•	(insert legal capacity of person signing the Bid Securing Declaration)
- •	day of (insert date of signing)
Corporate Seal (wh	ere appropriate)

SECTION –IV (E) MANUFACTURER'S AUTHORISATION FORM

To Regional Director (In-Charge), Sports Authority of India, Netaji Subhas Eastern Centre, Salt Lake City, Sector III, Kolkata – 700106

Sir,							
	Reference your RFP/IFB No						
We, _			who	are	proven	and	reputable
manufac	turers/(Name of the Manufacturer)	of .					(name and
descripti	ion of the goods offered	in	the	Bid)	having	facto	ries/offices
at	,			hereby	•		authorize
Messrs_	(na	me	and add	dress of	the agent) to su	bmit a Bid,
process	the same further and enter into a Co	ontra	act with	you a	gainst you	ır requ	irement as
containe	d in the above referred Bidding I	Oocı	uments	for su	pply of	the ab	ove goods
manufac	tured by us during the currency of the C	Cont	ract.				
						Y OUT	s faithfully,
	for and on hal		_				lesignation]
	for and on bel	1411	or wiess	STS			
			[Nai	me & a	ddress of t	he man	ufacturers]
Note:	This letter of authorization should firm/distributor/stockist and should be the manufacturer/distributor/stockist.	e si			•		

SECTION – IV (F) NEFT MANDATE FORM

(I) TIEL I	
From: M/s.	Date:
To	
Regional Director (In-Charge), Sports Authority of India,	
Netaji Subhas Eastern Centre,	
Salt Lake City, Sector III,	
Kolkata – 700106	
Sub: NEFT PAYMENTS	
We refer to the NEFT being set up by S.	AI. For remittance of our payments using RBI's
NEFT scheme, our payments may be made	through the above scheme to our under noted
account.	
NATIONAL ELECTRONIC F	UNDS TRANSFER MANDATAE FORM
Name of City	
Bank Code No.	
Bank 's name	
Branch Address	
Branch Telephone / Fax no.	
Supplier's Account No.	
Type of Account	
IFSC code for NEFT	
IFSC code for RTGS	
Supplier's name as per Account	
Telephone no. of supplier	
Supplier's E-mail ID	
1.1	
	[Signature with date, name and designation]
For and on	behalf of Messrs
	[Name & address of the bidder]
Confirmed by Bank	
Enclosed a copy of Crossed Cheque	
**	

SECTION – IV

(G) LETTER OF AUTHORISATION FOR ATTENDING BID OPENING MEETING

Tender No)				
Subject :	Authorization for attending bid opening on (date) in the tender of				
_	-	•	tend the bid opening for the tender mentioned ler of preference given below.		
Order of P	reference	Name	Specimen Signature		
1. 2.					
Alternate I	Representativ	e			
			Signatures of bidder		
			Or		
		Officer authorized to	sign the bid documents on behalf of the bidder.		
Note:					
1.	where it is	restricted to one, fi	Il be permitted to attend bid opening. In case rst preference will be allowed. Alternate when regular representative are not able to		

2. Permission for entry to the hall where bids are opened may be refused in case authorization as prescribed above is not furnished.

SECTION IV

(H) DISCLOSURE OF CONFLICT OF INTEREST

It is hereby disclosed that we have not any conflict of interest with other bidders in terms of conditions stipulated in clause No.46 of Section II- A of Tender Document. If this disclosure is found wrong later on, we are liable for punitive action as per terms of the agreement.

(Authorized Signatory)
Stamp

SECTION IV (I) DISCLOSURE OF CODE OF INTEGRITY

It	is	hereby	disclosed	that	we	 shall	not	act	in
contraventi	ion	of the co	odes as und	er:-					

- 1. Prohibition of:
 - a) Making offer either directly or indirectly in exchange for an unfair advantage in the procurement process or to otherwise influence the procurement process.
 - b) Any omission, or misrepresentation that may mislead or attempt to mislead or attempt to mislead so that financial or other benefit may be obtained, or an obligation avoided.
 - c) Any collusion bid rigging or anti-competitive behaviour that may impair the transparency, fairness and the progress of the procurement process.
 - d) Improper use of information provided by the procuring entity to the bidder with an intent to gain unfair advantage in the procurement process or for personal gain.
 - e) Any financial or business transactions between the bidder and any official of the procuring entity related to tender or execution process of contract, which can affect the decision of the procuring entity directly or indirectly.
 - f) Any coercion or any threat to impair or harm, directly or indirectly, any party or its property to influence the procurement process.
 - g) Obstruction of any investigation or auditing of a procurement process.
 - h) Making false declaration or providing false information for participation in a tender process or to secure a contract.
- 2. It is also disclosed that no previous transgressions have been made in respect of the provisions of Sub Clause (i) of Rule 175 of GFR with any entity in any country during the last three year or of being debarred by any other procuring entity.

(Authorized Signatory)
Stamp

SECTION IV

(J) AFFIDAVIT/UNDERTAKING

I/ We have read and understood the instructions and the terms and conditions contained in the document. I/We accordingly accept all terms and conditions of the tender enquiry document including the essential conditions specially incorporated in the tender enquiry like terms of terms of payment, liquidated damages clause, warranty clause, dispute resolution mechanism applicable law. I/ We confirm that we do not stand deregistered/debarred/banned/blacklisted by any Govt. Authorities. I/ We do hereby declare that the information furnished/ uploaded is correct to the best of my/our knowledge and belief. I/We hereby certify that the prices offered by us in this tender is not higher than the prices we had offered to any other Govt. of India Organization(s)/PSU(s) during the last one year and shall provide the justification for reasonableness of our offered price whenever asked during evaluation of our submitted bid. I/ We also hereby certify that if at any time, information furnished by us is proved to be false or incorrect; I/ We are liable for any action as deemed fit by the purchaser in addition to forfeiture of the earnest money.

Date: (Signature of the bidder)

NAME & ADDRESS OF THE

BIDDER

NOTE: To be submitted on non-judicial stamp paper of Rs. 10/- duly certified by Public Notary

PART-2

<u>SUPPLY REQUIREMENTS – SCHEDULE OF REQUIREMENTS</u> SAL-NSEC KOLKATA

SN	Item Name	Quantity Required
1	Hockey Ball Carry cart	1
2	Lacrosse sticks	2
3	Green Band	35
4	Yellow Band	35
5	Red Band	35
6	Black Band	35
7	Teeth Guard	60
8	Hockey Goal Post (1 pair)	1
9	Small Goal Post (1pair)	1
10	Tactics board	2
11	Agility Ladder	4
12	Agility Hurdles	5
13	Agility Hurdles	10
14	Agility Hurdles	5
15	Hurdles for training	50
16	High jump mat	1
17	Bosu Balance trainer	4
18	40+3 star ball for multi open ball practice	3000
19	Carbon fiber table tennis ball catch net	20
20	Plastic basket	10
21	Kettlebell	10 each
22	Table tennis floor mat	13
23	Table tennis table arena	9
24	Table tennis table cover	8
25	Table tennis ball trolley	16
26	Ball picker (Table Tennis)	21

SAI-STC AGARTALA

SN	Item Name	Quantity Required
1	Agility Ladder	2
2	Agility Ladder	2
3	Hurdles for competition	25
4	Hurdles for training	25
5	Take off board	4
6	Weight jacket	10
7	Weight jacket	10
8	Weight jacket	10
9	Training marker	60
10	Lane Ropes	10
11	Flipper Full Mixed	38
12	Flippers Breaststroke	10

13	Mini Trampoline	1
14	Mini Parallel Bar	1

SAI-STC CUTTACK

SN	Item Name	Quantity Required
1	Agility Ladder	12
2	Agility Hurdles	15
3	Agility Hurdles	15
4	Agility Hurdles	15
5	Take off board	4
6	Training marker	20
7	Discus 2.5 kg	3
8	Drag running equipment	5
9	Hammer with wire	5 each
10	Hammer with wire	5 each
11	High jump mat	1
12	Iron shoe (Pair)	2
13	Iron shoe (Pair)	2
14	Iron shoe (Pair)	2
15	Iron shoe	2
15	(Pair)	2
16	Iron shoe	2
10	(Pair)	2
17	Javelin	7
18	Javelin	7
19	Javelin	4
20	Javelin	4
21	Relay baton	5
22	Starting block	10
23	Weight training belt	26
24	High jump cross bar	5
25	Spring board	2
26	Javelin stand	1
27	Agility stick	10

SAI-STC HAZARIBAGH

SN	Item Name	Quantity Required
1	Goalkeeper Kit high rebound	2
2	Goalkeeper Kit high rebound	2
3	Hockey Balls Carry cart	2
4	Lacrosse sticks	2
5	Green Band	20
6	Yellow Band	20
7	Red Band	20
8	Black Band	20
9	Teeth Guard	60

11 Small Goal Post (1pair) 2 12 Tatcics board 2 13 Shin Guard 50 14 Face Mask (For Hockey Player) 4 15 Face Mask (For Hockey Player) 4 16 Hand Protective Gloves 60 17 Rebound Board 2 18 Agility Hurdles 20 19 Agility Hurdles 20 20 Plyometric Box 3 21 Plyometric Box 3 22 Plyometric Box 3 23 Plyometric Box 3 24 Hurdles for competition 50 25 Hurdles for competition 50 25 Hurdles for training 20 26 Take off board 10 27 Training marker 50 28 Discus 2.5 kg 3 29 Drag running equipment 2 30 High jump mat 1 1 Iron shoe (pair) <	10	Hockey Goal Post (1 pair)	2
13 Shin Guard 50 14 Face Mask (For Hockey Player) 4 15 Face Mask (For Hockey Player) 4 16 Hand Protective Gloves 60 17 Rebound Board 2 18 Agility Hurdles 20 19 Agility Hurdles 20 20 Plyometric Box 3 21 Plyometric Box 3 22 Plyometric Box 3 23 Plyometric Box 3 24 Hurdles for competition 50 25 Hurdles for competition 50 25 Hurdles for training 20 26 Take off board 10 27 Training marker 50 28 Discus 2.5 kg 3 29 Drag running equipment 2 30 High jump mat 1 31 Iron shoe (pair) 2 32 Iron shoe (pair) 2 33 Iron shoe (pair)	11	Small Goal Post (1pair)	2
14 Face Mask (For Hockey Player) 4 15 Face Mask (For Hockey Player) 4 16 Hand Protective Gloves 60 17 Rebound Board 2 18 Agility Hurdles 20 19 Agility Hurdles 20 20 Plyometric Box 3 21 Plyometric Box 3 22 Plyometric Box 3 23 Plyometric Box 3 24 Hurdles for competition 50 25 Hurdles for competition 50 26 Take off board 10 27 Training marker 50 28 Discus 2.5 kg 3 29 Drag running equipment 2 30 High jump mat 1 31 Iron shoe (pair) 2 32 Iron shoe (pair) 2 33 Iron shoe (pair) 2 34 Iron shoe (pair) 2 35 Iron shoe (pair)	12	Tactics board	2
15 Face Mask (For Hockey Player) 4 16 Hand Protective Gloves 60 17 Rebound Board 2 18 Agility Hurdles 20 19 Agility Hurdles 20 20 Plyometric Box 3 21 Plyometric Box 3 22 Plyometric Box 3 23 Plyometric Box 3 24 Hurdles for competition 50 25 Hurdles for training 20 26 Take off board 10 27 Training marker 50 28 Discus 2.5 kg 3 29 Drag running equipment 2 30 High jump mat 1 31 Iron shoe (pair) 2 32 Iron shoe (pair) 2 33 Iron shoe (pair) 2 34 Iron shoe (pair) 2 35 Iron shoe (pair) 2 36 Javelin 5	13	Shin Guard	50
16 Hand Protective Gloves 60 17 Rebound Board 2 18 Agility Hurdles 20 19 Agility Hurdles 20 20 Plyometric Box 3 21 Plyometric Box 3 22 Plyometric Box 3 23 Plyometric Box 3 24 Hurdles for competition 50 25 Hurdles for training 20 26 Take off board 10 27 Training marker 50 28 Discus 2.5 kg 3 29 Drag running equipment 2 30 High jump mat 1 31 Iron shoe (pair) 2 32 Iron shoe (pair) 2 33 Iron shoe (pair) 2 34 Iron shoe (pair) 2 35 Iron shoe (pair) 2 36 Javelin 5 37 Javelin 5 38	14	Face Mask (For Hockey Player)	4
17 Rebound Board 2 18 Agility Hurdles 20 19 Agility Hurdles 20 20 Plyometric Box 3 21 Plyometric Box 3 22 Plyometric Box 3 23 Plyometric Box 3 24 Hurdles for competition 50 25 Hurdles for training 20 26 Take off board 10 27 Training marker 50 28 Discus 2.5 kg 3 29 Drag running equipment 2 30 High jump mat 1 31 Iron shoe (pair) 2 32 Iron shoe (pair) 2 33 Iron shoe (pair) 2 34 Iron shoe (pair) 2 35 Iron shoe (pair) 2 36 Javelin 5 37 Javelin 5 38 Javelin 5 39 Relay	15	Face Mask (For Hockey Player)	4
18 Agility Hurdles 20 19 Agility Hurdles 20 20 Plyometric Box 3 21 Plyometric Box 3 22 Plyometric Box 3 23 Plyometric Box 3 24 Hurdles for competition 50 25 Hurdles for training 20 26 Take off board 10 27 Training marker 50 28 Discus 2.5 kg 3 29 Drag running equipment 2 30 High jump mat 1 31 Iron shoe (pair) 2 32 Iron shoe (pair) 2 33 Iron shoe (pair) 2 34 Iron shoe (pair) 2 35 Iron shoe (pair) 2 36 Javelin 5 37 Javelin 5 38 Javelin 5 39 Relay baton 2 40 Startin	16	Hand Protective Gloves	60
19 Agility Hurdles 20 20 Plyometric Box 3 21 Plyometric Box 3 22 Plyometric Box 3 23 Plyometric Box 3 24 Hurdles for competition 50 25 Hurdles for training 20 26 Take off board 10 27 Training marker 50 28 Discus 2.5 kg 3 29 Drag running equipment 2 30 High jump mat 1 31 Iron shoe (pair) 2 32 Iron shoe (pair) 2 33 Iron shoe (pair) 2 34 Iron shoe (pair) 2 35 Iron shoe (pair) 2 36 Javelin 5 37 Javelin 5 38 Javelin 5 39 Relay baton 2 40 Starting block 10 41 Weight t	17	Rebound Board	2
20 Plyometric Box 3 21 Plyometric Box 3 22 Plyometric Box 3 23 Plyometric Box 3 24 Hurdles for competition 50 25 Hurdles for training 20 26 Take off board 10 27 Training marker 50 28 Discus 2.5 kg 3 29 Drag running equipment 2 30 High jump mat 1 31 Iron shoe (pair) 2 32 Iron shoe (pair) 2 33 Iron shoe (pair) 2 34 Iron shoe (pair) 2 35 Iron shoe (pair) 2 36 Javelin 5 37 Javelin 5 38 Javelin 5 39 Relay baton 2 40 Starting block 10 41 Weight training belt 5 42 Body	18	Agility Hurdles	20
21 Plyometric Box 3 22 Plyometric Box 3 23 Plyometric Box 3 24 Hurdles for competition 50 25 Hurdles for training 20 26 Take off board 10 27 Training marker 50 28 Discus 2.5 kg 3 29 Drag running equipment 2 30 High jump mat 1 31 Iron shoe (pair) 2 32 Iron shoe (pair) 2 33 Iron shoe (pair) 2 34 Iron shoe (pair) 2 35 Iron shoe (pair) 2 36 Javelin 5 37 Javelin 5 38 Javelin 5 39 Relay baton 2 40 Starting block 10 41 Weight training belt 5 42 Body flexibility tester: sit and reach box 1 43 High jump cross bar 6 44 High jump upr	19	Agility Hurdles	20
22 Plyometric Box 3 23 Plyometric Box 3 24 Hurdles for competition 50 25 Hurdles for training 20 26 Take off board 10 27 Training marker 50 28 Discus 2.5 kg 3 29 Drag running equipment 2 30 High jump mat 1 31 Iron shoe (pair) 2 32 Iron shoe (pair) 2 33 Iron shoe (pair) 2 34 Iron shoe (pair) 2 35 Iron shoe (pair) 2 36 Javelin 5 37 Javelin 5 38 Javelin 5 39 Relay baton 2 40 Starting block 10 41 Weight training belt 5 42 Body flexibility tester: sit and reach box 1 43 High jump upright set 3 44 High jump upright set 3 45 Iron	20	Plyometric Box	3
23 Plyometric Box 3 24 Hurdles for competition 50 25 Hurdles for training 20 26 Take off board 10 27 Training marker 50 28 Discus 2.5 kg 3 29 Drag running equipment 2 30 High jump mat 1 31 Iron shoe (pair) 2 32 Iron shoe (pair) 2 33 Iron shoe (pair) 2 34 Iron shoe (pair) 2 35 Iron shoe (pair) 2 36 Javelin 5 37 Javelin 5 38 Javelin 5 39 Relay baton 2 40 Starting block 10 41 Weight training belt 5 42 Body flexibility tester: sit and reach box 1 43 High jump upright set 3 45 Iron roller 1.5 tonne 2	21	Plyometric Box	3
24 Hurdles for competition 50 25 Hurdles for training 20 26 Take off board 10 27 Training marker 50 28 Discus 2.5 kg 3 29 Drag running equipment 2 30 High jump mat 1 31 Iron shoe (pair) 2 32 Iron shoe (pair) 2 33 Iron shoe (pair) 2 34 Iron shoe (pair) 2 35 Iron shoe (pair) 2 36 Javelin 5 37 Javelin 5 38 Javelin 5 39 Relay baton 2 40 Starting block 10 41 Weight training belt 5 42 Body flexibility tester: sit and reach box 1 43 High jump cross bar 6 44 High jump upright set 3 45 Iron roller 1.5 tonne 2 46 Plastic dome 60 47	22	Plyometric Box	3
25 Hurdles for training 20 26 Take off board 10 27 Training marker 50 28 Discus 2.5 kg 3 29 Drag running equipment 2 30 High jump mat 1 31 Iron shoe (pair) 2 32 Iron shoe (pair) 2 33 Iron shoe (pair) 2 34 Iron shoe (pair) 2 35 Iron shoe (pair) 2 36 Javelin 5 37 Javelin 5 38 Javelin 5 39 Relay baton 2 40 Starting block 10 41 Weight training belt 5 42 Body flexibility tester: sit and reach box 1 43 High jump cross bar 6 44 High jump upright set 3 45 Iron roller 1.5 tonne 2 46 Plastic dome 60 47 Spring board 1	23	Plyometric Box	3
26 Take off board 10 27 Training marker 50 28 Discus 2.5 kg 3 29 Drag running equipment 2 30 High jump mat 1 31 Iron shoe (pair) 2 32 Iron shoe (pair) 2 33 Iron shoe (pair) 2 34 Iron shoe (pair) 2 35 Iron shoe (pair) 2 36 Javelin 5 37 Javelin 5 38 Javelin 5 39 Relay baton 2 40 Starting block 10 41 Weight training belt 5 42 Body flexibility tester: sit and reach box 1 43 High jump cross bar 6 44 High jump upright set 3 45 Iron roller 1.5 tonne 2 46 Plastic dome 60 47 Spring board 1	24	Hurdles for competition	50
27 Training marker 50 28 Discus 2.5 kg 3 29 Drag running equipment 2 30 High jump mat 1 31 Iron shoe (pair) 2 32 Iron shoe(pair) 2 33 Iron shoe (pair) 2 34 Iron shoe (pair) 2 35 Iron shoe (pair) 2 36 Javelin 5 37 Javelin 5 38 Javelin 5 39 Relay baton 2 40 Starting block 10 41 Weight training belt 5 42 Body flexibility tester: sit and reach box 1 43 High jump cross bar 6 44 High jump upright set 3 45 Iron roller 1.5 tonne 2 46 Plastic dome 60 47 Spring board 1	25	Hurdles for training	20
28 Discus 2.5 kg 3 29 Drag running equipment 2 30 High jump mat 1 31 Iron shoe (pair) 2 32 Iron shoe (pair) 2 33 Iron shoe (pair) 2 34 Iron shoe (pair) 2 35 Iron shoe (pair) 2 36 Javelin 5 37 Javelin 5 38 Javelin 5 39 Relay baton 2 40 Starting block 10 41 Weight training belt 5 42 Body flexibility tester: sit and reach box 1 43 High jump cross bar 6 44 High jump upright set 3 45 Iron roller 1.5 tonne 2 46 Plastic dome 60 47 Spring board 1	26	Take off board	10
29 Drag running equipment 2 30 High jump mat 1 31 Iron shoe (pair) 2 32 Iron shoe (pair) 2 34 Iron shoe (pair) 2 35 Iron shoe (pair) 2 36 Javelin 5 37 Javelin 5 38 Javelin 5 39 Relay baton 2 40 Starting block 10 41 Weight training belt 5 42 Body flexibility tester: sit and reach box 1 43 High jump cross bar 6 44 High jump upright set 3 45 Iron roller 1.5 tonne 2 46 Plastic dome 60 47 Spring board 1	27	Training marker	50
30 High jump mat 1 31 Iron shoe (pair) 2 32 Iron shoe (pair) 2 33 Iron shoe (pair) 2 34 Iron shoe (pair) 2 35 Iron shoe (pair) 2 36 Javelin 5 37 Javelin 5 38 Javelin 5 39 Relay baton 2 40 Starting block 10 41 Weight training belt 5 42 Body flexibility tester: sit and reach box 1 43 High jump cross bar 6 44 High jump upright set 3 45 Iron roller 1.5 tonne 2 46 Plastic dome 60 47 Spring board 1	28	Discus 2.5 kg	3
31 Iron shoe (pair) 2 32 Iron shoe (pair) 2 33 Iron shoe (pair) 2 34 Iron shoe (pair) 2 35 Iron shoe (pair) 2 36 Javelin 5 37 Javelin 5 38 Javelin 5 39 Relay baton 2 40 Starting block 10 41 Weight training belt 5 42 Body flexibility tester: sit and reach box 1 43 High jump cross bar 6 44 High jump upright set 3 45 Iron roller 1.5 tonne 2 46 Plastic dome 60 47 Spring board 1	29	Drag running equipment	2
32 Iron shoe(pair) 2 33 Iron shoe (pair) 2 34 Iron shoe (pair) 2 35 Iron shoe (pair) 2 36 Javelin 5 37 Javelin 5 38 Javelin 5 39 Relay baton 2 40 Starting block 10 41 Weight training belt 5 42 Body flexibility tester: sit and reach box 1 43 High jump cross bar 6 44 High jump upright set 3 45 Iron roller 1.5 tonne 2 46 Plastic dome 60 47 Spring board 1	30	High jump mat	1
33 Iron shoe (pair) 2 34 Iron shoe (pair) 2 35 Iron shoe (pair) 2 36 Javelin 5 37 Javelin 5 38 Javelin 5 39 Relay baton 2 40 Starting block 10 41 Weight training belt 5 42 Body flexibility tester: sit and reach box 1 43 High jump cross bar 6 44 High jump upright set 3 45 Iron roller 1.5 tonne 2 46 Plastic dome 60 47 Spring board 1	31	Iron shoe (pair)	2
34 Iron shoe (pair) 2 35 Iron shoe (pair) 2 36 Javelin 5 37 Javelin 5 38 Javelin 5 39 Relay baton 2 40 Starting block 10 41 Weight training belt 5 42 Body flexibility tester: sit and reach box 1 43 High jump cross bar 6 44 High jump upright set 3 45 Iron roller 1.5 tonne 2 46 Plastic dome 60 47 Spring board 1	32	Iron shoe(pair)	2
35 Iron shoe (pair) 2 36 Javelin 5 37 Javelin 5 38 Javelin 5 39 Relay baton 2 40 Starting block 10 41 Weight training belt 5 42 Body flexibility tester: sit and reach box 1 43 High jump cross bar 6 44 High jump upright set 3 45 Iron roller 1.5 tonne 2 46 Plastic dome 60 47 Spring board 1	33	Iron shoe (pair)	2
36 Javelin 5 37 Javelin 5 38 Javelin 5 39 Relay baton 2 40 Starting block 10 41 Weight training belt 5 42 Body flexibility tester: sit and reach box 1 43 High jump cross bar 6 44 High jump upright set 3 45 Iron roller 1.5 tonne 2 46 Plastic dome 60 47 Spring board 1	34	Iron shoe (pair)	2
37 Javelin 5 38 Javelin 5 39 Relay baton 2 40 Starting block 10 41 Weight training belt 5 42 Body flexibility tester: sit and reach box 1 43 High jump cross bar 6 44 High jump upright set 3 45 Iron roller 1.5 tonne 2 46 Plastic dome 60 47 Spring board 1	35	Iron shoe (pair)	2
38 Javelin 5 39 Relay baton 2 40 Starting block 10 41 Weight training belt 5 42 Body flexibility tester: sit and reach box 1 43 High jump cross bar 6 44 High jump upright set 3 45 Iron roller 1.5 tonne 2 46 Plastic dome 60 47 Spring board 1	36	Javelin	5
39 Relay baton 2 40 Starting block 10 41 Weight training belt 5 42 Body flexibility tester: sit and reach box 1 43 High jump cross bar 6 44 High jump upright set 3 45 Iron roller 1.5 tonne 2 46 Plastic dome 60 47 Spring board 1	37	Javelin	5
40 Starting block 10 41 Weight training belt 5 42 Body flexibility tester: sit and reach box 1 43 High jump cross bar 6 44 High jump upright set 3 45 Iron roller 1.5 tonne 2 46 Plastic dome 60 47 Spring board 1	38	Javelin	5
41Weight training belt542Body flexibility tester: sit and reach box143High jump cross bar644High jump upright set345Iron roller 1.5 tonne246Plastic dome6047Spring board1	39	Relay baton	2
42 Body flexibility tester: sit and reach box 1 43 High jump cross bar 6 44 High jump upright set 3 45 Iron roller 1.5 tonne 2 46 Plastic dome 60 47 Spring board 1	40	Starting block	10
43 High jump cross bar 6 44 High jump upright set 3 45 Iron roller 1.5 tonne 2 46 Plastic dome 60 47 Spring board 1	41	Weight training belt	5
44 High jump upright set 3 45 Iron roller 1.5 tonne 2 46 Plastic dome 60 47 Spring board 1	42	Body flexibility tester: sit and reach box	1
45 Iron roller 1.5 tonne 2 46 Plastic dome 60 47 Spring board 1	43	High jump cross bar	6
46 Plastic dome 60 47 Spring board 1	44	High jump upright set	3
47 Spring board 1	45	Iron roller 1.5 tonne	2
	46	Plastic dome	60
48 Javelin stand 1	47	Spring board	1
	48	Javelin stand	1

SAI-STC JALPAIGURI

SN	Item Name	Quantity Required
1	Agility Ladder	3
2	Agility Ladder	2
3	Hurdles for competition	30
4	Take off board	8

5	Weight jacket	3
6	Weight jacket	4
7	Weight jacket	3
8	Drag running equipment	2
9	Javelin	6
10	Javelin	6
11	Javelin	6
12	Javelin	6
13	Javelin	10
14	Javelin	5
15	Relay baton	3
16	Weight training belt	20
17	Body flexibility tester: sit and reach box	4
18	High jump cross bar	12
19	High jump upright set	1
20	Javelin stand	2
21	Agility ring	20
22	Agility pole	20
23	Agility stick	24

SAI-STC PATNA

SN	Item Name	Quantity Required
1	Agility Ladder	5
2	Agility Hurdles	20
3	Hurdles for competition	25

SAI-STC RANCHI

SN	Item Name	Quantity Required
1	Goalkeeper Kit high rebound	2
2	Goalkeeper Kit high rebound	2
3	Hockey Ball Carry cart	2
4	Lacrosse sticks	2
5	Green Band	20
6	Yellow Band	20
7	Red Band	20
8	Black Band	20
9	Teeth Guard	60
10	Small Goal Post (1pair)	2
11	Tactics board	2
12	Shin Guard	50
13	Face Mask (For Hockey Player)	4
14	Face Mask (For Hockey Player)	4
15	Hand Protective Gloves	50
16	Rebound Board	4
17	Agility Ladder	10
18	Agility Hurdles	24

19	Agility Hurdles	24
20	Plyometric Box	2
21	Plyometric Box	2
22	Plyometric Box	2
23	Plyometric Box	2
24	Hurdles for training	20
25	Take off board	2
26	Weight jacket	3
27	Weight jacket	3
28	Training marker	100
29	High jump mat	1
30	Iron shoe (Pair)	2
31	Iron shoe (Pair)	2
32	Iron shoe	2
	(Pair)	
33	Iron shoe	2
	(Pair)	
34	Iron shoe	2
	(Pair)	
35	Relay baton	2
36	Starting block	4
37	Body flexibility tester: sit and reach box	1
38	High jump cross bar	6
39	High jump upright set	1
40	Spring board	1
41	Bench press stand	1
42	Bosu Balance trainer	10
43	Agility ring	2
44	Agility pole	20

SAI-STC Sundergarh

SN	Item Name	Quantity Required
1	Goalkeeper Kit high rebound	5
2	Hockey Ball Carry cart	2
3	Lacrosse sticks	2
4	Green Band	20
5	Yellow Band	20
6	Red Band	20
7	Black Band	20
8	Teeth Guard	60
9	Hockey Goal Post (1 pair)	1
10	Small Goal Post (1pair)	1
11	Tactics board	2
12	Shin Guard	60
13	Face Mask (Player)	8
14	Hand Protective Gloves	60

15	Rebound Board 4	
16	Agility Ladder 10	
17	Agility Hurdles	12
18	Agility Hurdles	12
19	Agility Hurdles	12
20	Plyometric Box	2
21	Plyometric Box	2
22	Plyometric Box	2
23	Plyometric Box	2
24	Training marker	50
25	High jump mat	1
26	Iron shoe (pair)	1
27	Iron shoe (pair)	1
28	Iron shoe	1
20	(pair)	1
29	Iron shoe	1
	(pair)	1
30	Iron shoe	1
30	(pair)	1

Part II: Required Delivery Schedule:

Required Delivery Schedule: Stores are required within <u>90 days</u> from date of signing of the contract. However, the Bidders may quote their earliest delivery period from the date of signing of Contract. Time is essence of the Contract. The Supplier is requested to deliver goods within the Delivery Period and the date of delivery at Consignee site will be considered as actual date of delivery for all purposes.

Part III: Required Terms of Delivery:

Free Delivery at Consignee Site.

Part-IV: Consignee Details:

• As per SECTION – VIII (E)

SECTION - VI TECHNICAL SPECIFICATIONS SAI-NSEC KOLKATA

65:		SAI-NSEC KOLKATA
SN	Item Name	Specifications
1	Hockey Ball	It Should have 500 ball carrying capacity
	Carry cart	Metal Frame Steel / Iron
2	Lacrosse	Should have Long handle, Netted Sac at the bottom
	sticks	Material- Synthetic
3	Green Band	Elastic / Rubber Band
	Green Band	Level of resistance: 15kg
4	Yellow Band	Elastic / Rubber Band
4	Tellow Ballu	Level of resistance: 25kg
5	Pod Pand	Elastic / Rubber Band
5	Red Band	Level of resistance: 45kg
_	Dia ali Davad	Elastic / Rubber Band
6	Black Band	Level of resistance: 60kg
	Table Caral	As per FIH Guidelines
7	Teeth Guard	Material- Mouldable
		Should be Made of Aluminium to increase ease of portability of the goal post.
		-75MM X 50MM Aluminium profile Uprights and crossbars.
		- The front profile should feature the inbuilt net slots system the meeting FIH
		requirements. It Should hold the net tightly and neatly in place without the
		requirement of the net clips.
		-There Should be 38mm diameter Anodized Tubes at back with net hanging
		freely as per FIH requirements.
		- Solid 38mm Wheels made of highly durable plastic Should be strongly welded at back of the Goal Post for easy portability.
		- Backboard should be made of thick aluminium check red anodized sheet
		and all inside faces are padded with thick rubber granules coating allowing
		noise reduction.
	Hockey Goal	- Should have a Foldable design that reduces the transportation and storage
8	Post (1 pair)	cost.
	rost (1 pail)	- All major joints should be strongly welded for superior strength and added
		safety.
		- Should have 5mm thick Braided Polypropylene Net. As per FIH guidelines
		As per l'ill guideilles
		The Goal post and cross-bar should be white, rectangular in cross section,
		50mm wide and between 50mm and 75mm deep.
		The distance between the inner edges of the goal-posts should be 3.66
		meters and the distance from the lower edge of the cross-bar to the ground
		should be 2.14 meters.
		Side-boards and backboard should be a minimum of 0.90 metres deep at the
		cross-bar and a minimum of 1.20 metres deep at ground-level.
		- Should be 4feet in height, 6feet width, depth 3feet and Board height 1 feet - Cross bars and Uprights should be made of Aluminium 75mm x 50mm.
9	Small Goal Post (1pair)	-Back board and side board should be made of wood
		-Thickness of board should be 45mm.
		-Should be made of Solid 38mm Wheels, highly durable plastic strongly
	l .	

welded at back of the Goal Post for easy portability. -Fibre board, -Fength. 16 inches -Tall: 12 inches -Dry Erase Board -Front side Full Hockey Ground -Back side Half Ground Strap Material-PVC, Polypropylene Number of Rungs-12, 5 Meter Agility Hurdles Agility Hurdles Agility Hurdles Agility Hurdles Agility Hurdles Material-PVC Height-6 inch Width-45cm Material-PVC Height-12 inch Width-45cm Material-PVC Height-18 inch Width-45cm Agility Hurdles Agility Hurdles Agility Hurdles Agility Hurdles Material-PVC Height-18 inch Width-45cm • Should be Simple and have light frame made of tube profiles bent at a 90 degree angle. • Should be easy to store • Should be Powder painted, permanent counterweights and aluminium telescope tubes • Should have Spring-loaded button system of height adjustment. • Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm • Weight- 3 to 6 kg Dimensions: 6.0m x 4m x 71cm Handles and straps: Handles : 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.			wolded at back of the Coal Bost for easy portability
-Length- 16 inches -Tall- 12 inches -Dry Erase Board -Front side Full Hockey Ground -Back side Half Ground Strap Material- PVC, Polypropylene Number of Rungs- 12, 5 Meter Agility Hurdles Agility Height- 12 inch Width- 45cm Agility Haterial- PVC Height- 12 inch Height- 12 inch Width- 45cm Agility Haterial- PVC Height- 12 inch High Jump Agility Haterial- PVC Height- 12 inch High Jump Agility Haterial- PVC Height- 12 inch High Jump Agility Haterial- PVC Height- 12 inch Haterial- PV			
Tactics board -Tall-12 inches -Dry Erase Board -Front side Full Hockey Ground -Back side Half Ground Strap Material- PVC, Polypropylene Number of Rungs-12, 5 Meter Agility Hurdles Material- PVC Height- 6 inch Width- 45cm Material- PVC Height- 12 inch Width- 45cm Material- PVC Height- 12 inch Width- 45cm Material- PVC Height- 18 inch Width- 45cm Material- PVC Height- 18 inch Width- 45cm Material- PVC Height- 18 inch Width- 45cm **Nould be Simple and have light frame made of tube profiles bent at a 90 degree angle. **Should be easy to store** **Should be easy to store** **Should be Powder painted, permanent counterweights and aluminium telescope tubes **Should have Spring-loaded button system of height adjustment. **Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm **Weight- 3 to 6 kg Dimensions: 6.0m x 4m x 71cm Handles and straps: Handles: 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. **Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyseter thread, with at least 5 stitches to the inch and no more than 6 stitches **FoampolyuConstruction**: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.			·
-Dry Erase Board -Front side Full Hockey Ground -Back side Half Ground Strap Material- PVC, Polypropylene Number of Rungs- 12, 5 Meter Agility Hurdles Agility Hurdles Agility Hurdles Agility Hurdles Material- PVC Height- 6 inch Width- 45cm Material- PVC Height- 12 inch Width- 45cm Material- PVC Height- 18 inch Width- 45cm **Should be Simple and have light frame made of tube profiles bent at a 90 degree angle. **Should be Powder painted, permanent counterweights and aluminium telescope tubes **Should be Powder painted, permanent counterweights and aluminium telescope tubes **Should be Powder painted, permanent counterweights and aluminium telescope tubes **Should be Powder painted, permanent counterweights and aluminium telescope tubes **Should be Powder painted, permanent counterweights and aluminium telescope tubes **Should be Powder painted, permanent counterweights and aluminium telescope tubes **Should be Powder painted, permanent counterweights and aluminium telescope tubes **Should be Powder painted, permanent counterweights and aluminium telescope tubes **Should be Powder painted, permanent counterweights and aluminium telescope tubes **Should be Powder painted, permanent counterweights and aluminium telescope tubes **Should be Powder painted, permanent counterweights and aluminium telescope tubes **Should be Powder painted, permanent counterweights and aluminium telescope tubes **Should be Powder painted, permanent counterweights and aluminium telescope tubes **Should be asy to store **Should be Powder painted, permanent counterweights and aluminium telescope tubes **Should be Powder painted, permanent counterweights and aluminium telescope tubes **Should be asy to store **Should be Powder painted, permanent counterweights and aluminium telescope tubes **Should be Simple and have light frame made of tube profiles bent at a 90 degree angle. **Should be Simple and have light frame made of tube profiles bent at a 90 degree angle. **Should be Simple and have light frame made of tube profiles bent a			
-Front side Full Hockey Ground -Back side Half Ground Strap Material- PVC, Polypropylene Number of Rungs- 12, 5 Meter Material- PVC Height- 6 inch Width- 45cm Material- PVC Height- 12 inch Width- 45cm Material- PVC Height- 12 inch Width- 45cm Material- PVC Height- 12 inch Width- 45cm Material- PVC Height- 18 inch Width- 45cm Material- PVC Height- 18 inch Width- 45cm **Nould be Simple and have light frame made of tube profiles bent at a 90 degree angle. **Should be Powder painted, permanent counterweights and aluminium telescope tubes **Should be Powder painted, permanent counterweights and aluminium telescope tubes **Should have Spring-loaded button system of height adjustment. **Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm **Weight- 3 to 6 kg **Dimensions: 6.0m x 4m x 71cm **Handles and straps: Handles: 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. **Seams and hems:** Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches **FoampolyuConstruction**: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.	10		
-Back side Half Ground Strap Material- PVC, Polypropylene Number of Rungs- 12, 5 Meter Agility Hurdles Agility Hurdles Agility Hurdles Agility Hurdles Agility Hurdles Material- PVC Height- 12 inch Width- 45cm Material- PVC Height- 12 inch Width- 45cm Material- PVC Height- 18 inch Width- 45cm Agility Hurdles Agility H		board	·
Agility Ladder Agility Hurdles Material- PVC Height- 12 inch Width- 45cm Material- PVC Height- 18 inch Width- 45cm Material- PVC Height- 18 inch Width- 45cm Material- PVC Height- 18 inch Width- 45cm **Nould be Simple and have light frame made of tube profiles bent at a 90 degree angle. **Should be easy to store **Should be Powder painted, permanent counterweights and aluminium telescope tubes **Should have Spring-loaded button system of height adjustment. **Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm **Weight- 3 to 6 kg Dimensions: 6.0m x 4m x 71cm Handles and straps: Handles: 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. **Seams and hems:** Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.			·
Agility Hurdles Should be Simple and have light frame made of tube profiles bent at a 90 degree angle. Should be easy to store Should be Powder painted, permanent counterweights and aluminium telescope tubes Should have Spring-loaded button system of height adjustment. Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm Weight- 3 to 6 kg Dimensions: 6.0m x 4m x 71cm Handles and straps: Handles: 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.			-Back side Half Ground
Agility Hurdles Should be Simple and have light frame made of tube profiles bent at a 90 degree angle. Should be Simple and have light frame made of tube profiles bent at a 90 degree angle. Should be Powder painted, permanent counterweights and aluminium telescope tubes Should have Spring-loaded button system of height adjustment. Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm Weight- 3 to 6 kg Dimensions: 6.0m x 4m x 71cm Handles and straps: Handles: 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.		Agility	Strap Material- PVC, Polypropylene
Agility Hurdles Should be Simple and have light frame made of tube profiles bent at a 90 degree angle. Should be Easy to store Should be Powder painted, permanent counterweights and aluminium telescope tubes Should have Spring-loaded button system of height adjustment. Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm Weight- 3 to 6 kg Dimensions: 6.0m x 4m x 71cm Handles and straps: Handles: 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.	11		Number of Rungs- 12,
Hurdles Agility Hurdles Agility Hurdles Material- PVC Height- 12 inch Width- 45cm Material- PVC Height- 12 inch Width- 45cm Material- PVC Height- 18 inch Width- 45cm • Should be Simple and have light frame made of tube profiles bent at a 90 degree angle. • Should be Powder painted, permanent counterweights and aluminium telescope tubes • Should be Powder painted, permanent counterweights and aluminium telescope tubes • Should have Spring-loaded button system of height adjustment. • Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm • Weight- 3 to 6 kg Dimensions: 6.0m x 4m x 71cm Handles and straps: Handles : 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.		Ladaci	5 Meter
Height- 6 inch Width- 45cm Material- PVC Height- 12 inch Width- 45cm Material- PVC Height- 18 inch Width- 45cm Agility Hurdles Should be Simple and have light frame made of tube profiles bent at a 90 degree angle. Should be Powder painted, permanent counterweights and aluminium telescope tubes Should have Spring-loaded button system of height adjustment. Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm Weight- 3 to 6 kg Dimensions: 6.0m x 4m x 71cm Handles and straps: Handles: 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.			Material- PVC
Agility Hurdles Agility Hurdles Agility Hurdles Material- PVC Height- 12 inch Width- 45cm Material- PVC Height- 18 inch Width- 45cm • Should be Simple and have light frame made of tube profiles bent at a 90 degree angle. • Should be Powder painted, permanent counterweights and aluminium telescope tubes • Should have Spring-loaded button system of height adjustment. • Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm • Weight- 3 to 6 kg Dimensions: 6.0m x 4m x 71cm Handles and straps: Handles: 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.	12	Hurdles	
Agility Hurdles Agility Hurdles Material-PVC Height- 12 inch Width- 45cm Material-PVC Height- 18 inch Width- 45cm • Should be Simple and have light frame made of tube profiles bent at a 90 degree angle. • Should be easy to store • Should be Powder painted, permanent counterweights and aluminium telescope tubes • Should have Spring-loaded button system of height adjustment. • Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm • Weight- 3 to 6 kg Dimensions: 6.0m x 4m x 71cm Handles and straps: Handles : 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.	12		
Hurdles Hurdles Agility Hurdles Agility Hurdles Should be Simple and have light frame made of tube profiles bent at a 90 degree angle. Should be Powder painted, permanent counterweights and aluminium telescope tubes Should have Spring-loaded button system of height adjustment. Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm Weight- 3 to 6 kg Dimensions: 6.0m x 4m x 71cm Handles and straps: Handles : 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.			Width- 45cm
Hurdles Agility Hurdles Material- PVC Height- 18 inch Width- 45cm Should be Simple and have light frame made of tube profiles bent at a 90 degree angle. Should be Powder painted, permanent counterweights and aluminium telescope tubes Should have Spring-loaded button system of height adjustment. Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm Weight- 3 to 6 kg Dimensions: 6.0m x 4m x 71cm Handles and straps: Handles: 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.		Agility	Material- DVC
Material- PVC Height- 18 inch Width- 45cm Should be Simple and have light frame made of tube profiles bent at a 90 degree angle. Should be easy to store Should be Powder painted, permanent counterweights and aluminium telescope tubes Should have Spring-loaded button system of height adjustment. Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm Weight- 3 to 6 kg Dimensions: 6.0m x 4m x 71cm Handles and straps: Handles: 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.	12	Hurdles	
Agility Hurdles Hurdles for training Hurdl	13		
14 Height- 18 inch Width- 45cm • Should be Simple and have light frame made of tube profiles bent at a 90 degree angle. • Should be Powder painted, permanent counterweights and aluminium telescope tubes • Should have Spring-loaded button system of height adjustment. • Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm • Weight- 3 to 6 kg Dimensions: 6.0m x 4m x 71cm Handles and straps: Handles : 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.			Width- 45th
Hurdles **Hurdles** **Hurdles** **Should be Simple and have light frame made of tube profiles bent at a 90 degree angle. **Should be easy to store** **Should be Powder painted, permanent counterweights and aluminium telescope tubes **Should have Spring-loaded button system of height adjustment. **Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm **Weight- 3 to 6 kg **Dimensions: 6.0m x 4m x 71cm **Handles and straps: Handles: 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. **Seams and hems:** Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches **FoampolyuConstruction:** honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.		A gility	Material- PVC
Should be Simple and have light frame made of tube profiles bent at a 90 degree angle. **Should be easy to store **Should be Powder painted, permanent counterweights and aluminium telescope tubes** **Should have Spring-loaded button system of height adjustment.* **Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm** **Weight- 3 to 6 kg** Dimensions: 6.0m x 4m x 71cm** Handles and straps: Handles : 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.	14		Height- 18 inch
degree angle. Should be easy to store Should be Powder painted, permanent counterweights and aluminium telescope tubes Should have Spring-loaded button system of height adjustment. Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm Weight- 3 to 6 kg Dimensions: 6.0m x 4m x 71cm Handles and straps: Handles: 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.		Hurales	Width- 45cm
Hurdles for training Should be Powder painted, permanent counterweights and aluminium telescope tubes Should have Spring-loaded button system of height adjustment. Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm Weight- 3 to 6 kg Dimensions: 6.0m x 4m x 71cm Handles and straps: Handles: 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.			Should be Simple and have light frame made of tube profiles bent at a 90
Hurdles for training Should be Powder painted, permanent counterweights and aluminium telescope tubes Should have Spring-loaded button system of height adjustment. Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm Weight- 3 to 6 kg Dimensions: 6.0m x 4m x 71cm Handles and straps: Handles: 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.			degree angle.
telescope tubes Should have Spring-loaded button system of height adjustment. Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm Weight- 3 to 6 kg Dimensions: 6.0m x 4m x 71cm Handles and straps: Handles: 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.			Should be easy to store
telescope tubes Should have Spring-loaded button system of height adjustment. Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm Weight- 3 to 6 kg Dimensions: 6.0m x 4m x 71cm Handles and straps: Handles: 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.			Should be Powder painted, permanent counterweights and aluminium
Should have Spring-loaded button system of height adjustment. Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm Weight- 3 to 6 kg Dimensions: 6.0m x 4m x 71cm Handles and straps: Handles: 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.	15		telescope tubes
Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm Weight- 3 to 6 kg Dimensions: 6.0m x 4m x 71cm Handles and straps: Handles: 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.		training	Should have Spring-loaded button system of height adjustment.
Dimensions: 6.0m x 4m x 71cm Handles and straps: Handles : 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.			
Dimensions: 6.0m x 4m x 71cm Handles and straps: Handles: 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.			
Dimensions: 6.0m x 4m x 71cm Handles and straps: Handles: 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.			Weight- 3 to 6 kg
vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.			
Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.			
Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.			vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap.
with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.			'
and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.			
High jump This mat High jump High jump This mat High jump High jump This mat High jump High jump			
High jump combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.			
16 mat Foam covered with weatherproof material, with a PVC cover.			
10 1110	4.0		,
Equipped with Spike resistant breather labile on both sides. Additional wear	16	mat	Equipped with Spike resistant breather fabric on both sides. Additional wear
and tear resistant layer on top.			
2 inch Foam Top Pad to hold entire pit securely in place. Provides safe			, , ,
comfortable landings. Prevents landing between the units.			
The mat should have a rain cover also and a fully aluminium bar frame. The			
aluminium bar frame raises the mat to make sure it is not exposed to water.			·
Compliant to IAAF Specifications			Compilant to IAAF Specifications

17	Bosu Balance trainer	 Latex-free, burst-resistant material 180 day limited warranty 6 rubberized feet Holds up to 136 kg (300 lbs.) Weight: 9 kg (13 lbs.) Diameter: 65 cm Height: 25.4 cm (10") when fully inflated
18	40+3 star ball for multi open ball practice	Plastic seam ball should be ITTF approved. 40+ 3 STAR BALL FOR MULTI BALL PRACTICE Should have seamless polyplastic material (GKI,DHS PREMIUM or equivalent)
19	Carbon fiber table tennis ball catch net	TABLE TENNIS BALL CATCH NET Should have Been made with metal brackets, carbon fibre frame, 100% polyster net Should be lightweight, durable, compatible with regulation size TT table. Dimensions: 66x18x28 inches (I X d X h) (Ipong, Butterfly, Joola or equivalent).
20	Plastic basket	PLASTIC BASKET (Should be of MEDIUM SIZE for table tennis ball storage)
21	Kettlebell	Should be of 2.5 KG AND 5KG (Kakss, Nivia, Strass or equivalent)
22	Table tennis floor mat	Should be 100% PVC, 4.5mm thickness with roll length of 20m and width 1.5m (costing to be given for 2000 Sq.ft. area). Shock absorption >25%, vertical deformation <3.5mm, sliding coefficient 80 to 110, ball bounce>90%, abrasion resistance <1000mg Impact resistance >8 and other technical specifications as for flooring mats used for international level competitions and as approved by ITTF. (STAG or equivalent)
23	Table tennis table arena	Should be of 100% polyster of size: 230cm x 70 cm. Height must be not more than 75 cm (Donic, Stag, GKI or Equivalent)
24	Table tennis table cover	Should be of Nylon material of size: 3m x 2m with Velcro (Stag,GKI,Metco or equivalent)
25	Table tennis ball trolley	The trolley should be with wheel and should be lightweight Size: 30x18x18 inches. (Stag, Joola or equivalent)
26	Ball picker (Table Tennis)	This Retractable pole should be made of aluminium alloy AND should be light weight Anti-corrosion Min 100 cm length,

Min	20 cm net head
(GK	,Stag or equivalent).

SAI-STC AGARTALA

SN	Item Name	Specifications
	A gility	Strap Material- PVC, Polypropylene
1	Agility	Number of Rungs- 12,
	Ladder	5 Meter
	Agility	
2	Ladder	Strap Material- PVC, Polypropylene
2		8 Meter
		•Should be Strong and made of 50 mm square steel tube, Galvanized version.
		Should be PVC coated counter weights adjusted to meet precise official Should be PVC coated counter weights adjusted to meet precise official
		pullover force at each of the 5 heights. Height Should be adjustable by easy snap locking system.
	Hurdles for	Special design makes it easy to stack in minimum space.
3	competition	aparamatan garangan sarah s
	Competition	- Adjustable heights: 68.6 cm, 76.2 cm, 83.8 cm, 91.4 cm, 99.1 cm, 106.7 cm
		- Spring back hurdle for both directions
		- Durable steel frame
		- Padded crossbar
		Adjustable height: 68.6 cm, 76.2 cm, 83.8 cm, 91.4 cm, 99.1 cm, 106.7 cm
		Should be Simple and have light frame made of tube profiles bent at a 90
		degree angle.
		Should be easy to store
	Hurdles for	Should be Powder painted, permanent counterweights and aluminium
4	training	telescope tubes
		Should have Spring-loaded button system of height adjustment.
		Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm,
		1067mm
		Weight- 3 to 6 kg The Take off heard for long and triple jump should have White glass wood.
	Take off board	The Take-off board for long and triple jump should have White gloss wood, fixed on an aluminium frame with levelling bolts for perfect alignment with
		the level of the track. It should be equipped with a red foul board for a good
		visibility by the athlete.
5		
		Should be Delivered with screw extractors for board ease of handling. IAAF-certified
		Dimensions: 122 x 30 x 10 cm
	Weight	2 40
6	jacket	2 KG
7	Weight	3 KG
	jacket	J NO
8	Weight	5 KG
	jacket	3.10
9	Training	Material -LDPE, Vinyl
	marker	Colour- Red, Blue ,Green ,Orange, Yellow Should be Made from strong visual
		Should be Made from strong vinyl

		Should be Light weight cones with square base for stability
		Discs should be made from top quality UV
		stabilized co-polymer Polypropylene
		2.Cable should be Stainless Steel with diameter of
		3.1mm and max force of 5Kn
		4. Lane ropes should come along with hooks
		used for binding the ropes to the pool,
		Long Clamp and Stainless Steel Hooks.
10	Lane Ropes	5. Anti Wave as in should not generate
10	Lane Ropes	waves.
		Diameter-0.15 Mtrs (150mm)
		Length-50 Meters
		Chould be As not FINIA Standards and Used for dividing langs in the swimming
		Should be As per FINA Standards and Used for dividing lanes in the swimming
		pools and control the waves which are formed during competition or
		practice.
		1. Should be Made of TPR, Soft Natural rubber/
		Silicone material.
		2. Should have Open heel for ankle flexibility.
		Dimensions:-
11	Flipper Full	S- 5-6 (32x15.5 Cms)
11	Mixed	M- 7-8 (33x16 Cms)
		L- 9-10 (34x16.5 Cms)
		XL- 10-11 (35x 17 Cms)
		Can be Used in training with these flippers strengthen ankles and calf
		muscles. Also helps develop a faster leg kick and improved control.
		Should be Made of TPR, Soft Natural rubber/ Silicone material. Should have Open heel for ankle flexibility.
	Flippers Breaststroke	Reinforces outward angling and rotation of feet.
		neimorces outward anging and rotation of feet.
		Dimensions:-
12		M- 7-8 (UK)
		L- 8-9 (UK)
		Breast Stroke Fins should be designed to instruct and reinforce the proper
		breast stroke kicking
		position. Should be Used in learning breaststroke whip kick teaching and
		learning process.
		-Dimensions: 120 x 98 cm (Lxw)
13		
	Mini Trampoline	-Reinforced push off bed in PVC (47 x 74 cm) with central cross marking,
		tightened by 34 springs
		- 3 cm thick peripheral protection pad
		- Integrated castors
		- Non-slip pads

		- Weight: 27 kg
14		-Two-piece stable basic frame of 200 cm -4 uprights with adapter for the basic frame - Special clamping device -4 low sliding tubes -uprights 160 cm
	Mini Parallel	-height adjustable in steps from 85 to 125 cm
		- Width-170 cm -Adjustability- Height adjustable from 85 to 125 cm, with 5 cm increments Length- 200 cm - Net weight (kg)- 58.00
		-Gross weight (kg)- 64

SAI-STC CUTTACK

SN	Item Name	Specifications
1	Agility Ladder	Strap Material- PVC, Polypropylene 8 Meter
2	Agility Hurdles	Material- PVC Height- 6 inch Width- 45cm
3	Agility Hurdles	Material- PVC Height- 12 inch Width- 45cm
4	Agility Hurdles	Material- PVC Height- 18 inch Width- 45cm
5	Take off board	The Take-off board for long and triple jump should have White gloss wood, fixed on an aluminium frame with levelling bolts for perfect alignment with the level of the track. It should be equipped with a red foul board for a good visibility by the athlete. Should be Delivered with screw extractors for board ease of handling. IAAF-certified Dimensions: 122 x 30 x 10 cm
6	Training marker	 Material -LDPE, Vinyl Colour- Red, Blue ,Green ,Orange, Yellow Should be Made from strong vinyl Should be Light weight cones with square base for stability
7	Discus 2.5 kg	 High spin discus should be specially designed and manufactured for the competition stage Rim Should be made of special alloy resistant to corrosion Should have Synthetic side plates with high fibreglass content The 80% rim weight should ensure a high level of spin. Certified by IAAF* (NELCO/ATE or Equivalent)

	Drag	Sports resistance umbrella
8	_	
8	running	• Size: 142 * 142 cm (about 56 inches)
	equipment	Adjustable waistline: about 50-110 cm
		Should be Cast iron precisely machine turned hammer for accurate weight
9	Hammer	and diameter.
	with wire	Should be Come with World Athletics approved Hammer Handles.
		3 Kg, 97 MM
		Should be Cast iron precisely machine turned hammer for accurate weight
10	Hammer	and diameter.
10	with wire	Should be Come with World Athletics approved Hammer Handles.
		4 Kg, 102 MM
11	High jump mat	Dimensions: 6.0m x 4m x 71cmll Handles and straps: Handles: 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover. Equipped with Spike resistant breather fabric on both sides. Additional wear and tear resistant layer on top. 2 inch Foam Top Pad to hold entire pit securely in place. Provides safe comfortable landings. Prevents landing between the units. The mat should have a rain cover also and a fully aluminium bar frame. The aluminium bar frame raises the mat to make sure it is not exposed to water. Compliant to IAAF Specifications
12	Iron shoe (Pair)	Size:5
13	Iron shoe (Pair)	Size: 6
	Iron shoe	
14	(Pair)	Size: 7
	Iron shoe	
15	(Pair)	Size: 8
	-	
16	Iron shoe	Size: 9
	(Pair)	
17	Javelin	Should be Made of hardened best quality dura aluminium. Designed and crafted for maximum throw distance. Javelin head should be made of high quality steel for extra durability. Conclusively, should be one of the best available javelins • Throw distance up to 50 m • Weight: 500g
		The body precision should be machined from multi-hardened aluminium alloy and designed for exceptional durability and stability, With steel tip and tight grip winding.

	1	
		The spears should be specially designed for advanced and ambitious launchers.
		Should be characterized by the centre of gravity drawn backwards.
		Characteristic features should be the excellent sailing characteristics with
		optimum power transmission values.
		IAAF certified*
		(ATE/CROWN OR EQUIVALENT)
		Should be Made of hardened best quality dura aluminium. Designed and crafted for maximum throw distance. Javelin head should be made of high quality steel for extra durability. Conclusively, should be one of the best available javelins Throw distance up to 50 m Weight up to 600g
18	Javelin	The body precision should be machined from multi-hardened aluminium alloy and designed for exceptional durability and stability, With steel tip and tight grip winding.
		The spears should be specially designed for advanced and ambitious launchers.
		Should be characterized by the centre of gravity drawn backwards. Characteristic features should be the excellent sailing characteristics with optimum power transmission values.
		IAAF certified*
		(ATE/CROWN OR EQUIVALENT)
		Should be Made of hardened best quality dura aluminium. Designed and crafted for maximum throw distance. Javelin head should be made of high quality steel for extra durability.
		Conclusively, should be one of the best available javelins
		 Throw distance up to 60 m Weight up to 700g
19	Javelin	The body precision should be machined from multi-hardened aluminium alloy and designed for exceptional durability and stability, With steel tip and tight grip winding.
		The spears should be specially designed for advanced and ambitious
		launchers. Should be characterized by the centre of gravity drawn backwards.
		Characteristic features should be the excellent sailing characteristics with optimum power transmission values.
		IAAF certified*
		(ATE/CROWN OR EQUIVALENT) Should be Made of hardened best quality dura aluminium. Designed and
		crafted for maximum throw distance. Javelin head should be made of high
		quality steel for extra durability.
		Conclusively, should be one of the best available javelins • Throw distance up to 70 m
	Javelin	Weight up to 800g
20		
		The body precision should be machined from multi-hardened aluminium alloy and designed for exceptional durability and stability, With steel tip and
		tight grip winding.
		The spears should be specially designed for advanced and ambitious
		launchers. Should be characterized by the centre of gravity drawn backwards
<u> </u>		Should be characterized by the centre of gravity drawn backwards.

	T	
		Characteristic features should be the excellent sailing characteristics with optimum power transmission values. IAAF certified* (ATE/CROWN OR EQUIVALENT)
		It should be a Set of 8, made of the finest aluminium alloy which conforms to the IAAF standards and rules. Should be ideal for senior athletes and should be extremely light, strong, and durable.
21	Relay baton	Should be a Set of 8 Anodized batons in multiple colours Should Meet IAAF standards and regulations. (Nelco or equivalent)
		Should be Super heavy duty block especially designed for top athletes. All Aluminium block with centre rail 100 mm wide x 900 mm long and slotted angles to firmly grip Pedals.
22	Starting block	Should be Adjustable at four different angles. All Pedals should be fitted with special thick rubber to take in spikes. It Should be a Suitable block for synthetic track and should Come with steel plates. Should be Flushed to centre rail.
		IAAF Certified*
		(NELCO/ ASICS or equivalent)
23	Weight training belt	Should be Easily adjustable
		Should be of top quality fibreglass.
24	High jump	which should ensures that they will not sag.
	cross bar	The High Jump Cross bar should be 4 metres in length and should be IAAF CERTIFIED* (Nelco or equivalent)
		Should be made of heavy duty steel frame and springs. Frame should be powder coated for durability
25	Spring board	Features: Aimed more at the lighter build (40 -75 Kg). With 5 springs. Weight = 23 Kg. Standardised 120 x 60 cm size board in curved multiply timber and carbon fibre covered in carpet. Height = 23 cm
26	Javelin stand	NELCO/STAG or equivalent
27	Agility stick	Material –PVC,Plastic (GISCO,NIVIA Or equivalent)

SAI-STC HAZARIBAGH

SN	Item Name	Specifications
1	Goalkeeper Kit high rebound	-It Should be As per FIH guidelines, -Helmet standard quality (Made of Fibre / Poly Carbonate Material) -Neck Guard -standard quality -Chest with Arm Guard Thickness- 30mm -Padded Shorts Thickness -25mm -Abdominal Guard- standard

	T	
		-Leg guard Thickness- MUST INCLUDE:
		Hockey Leg Guard
		Hockey Kicker
		Hockey Chest Cum Arm Guard
		Hockey Gloves
		Hockey Helmet
		Hockey Neck Guard
		Hockey Abdominal Guard
		Hockey Padded Shorts
		Hockey Over T-Shirts
		Hockey Over Nicker
		Hockey Goalie Stick Composite
		Hockey Trolley Kit Bag With Wheel
		Hockey Kicker Strap Professional
		Size: Small
		-It Should be As per FIH guidelines,
		-Helmet standard quality (Made of Fibre / Poly Carbonate Material)
		-Neck Guard -standard quality
		-Chest with Arm Guard Thickness- 30mm
		-Padded Shorts Thickness -25mm
		-Abdominal Guard- standard
		-Leg guard Thickness-
		MUST INCLUDE:
		Hockey Leg Guard
	Goalkeeper	Hockey Kicker
2	Kit high	Hockey Chest Cum Arm Guard
	rebound	Hockey Gloves
		Hockey Helmet
		Hockey Neck Guard
		Hockey Abdominal Guard
		Hockey Padded Shorts
		Hockey Over Nielser
		Hockey Over Nicker
		Hockey Goalie Stick Composite Hockey Trolley Kit Bag With Wheel
		Hockey Kicker Strap Professional
		Size: Medium
	Hockey Balls	It Should have 500 ball carrying capacity
3	Carry cart	Metal Frame Steel / Iron
_	Lacrosse	Should have Long handle, Netted Sac at the bottom
4	sticks	Material- Synthetic
	Cross Bond	Elastic / Rubber Band
5	Green Band	Level of resistance: 15kg
6	Yellow Band	Elastic / Rubber Band
U	Yellow Band	Level of resistance: 25kg
7	Red Band	Elastic / Rubber Band
		Level of resistance: 45kg
8	Black Band	Elastic / Rubber Band
		Level of resistance: 60kg
9	Teeth Guard	As per FIH Guidelines Material- Mouldable
		iviateriai- iviouluable

10	Hockey Goal Post (1 pair)	Should be Made of Aluminium to increase ease of portability of the goal post. -75MM X 50MM Aluminium profile Uprights and crossbars. - The front profile should feature the inbuilt net slots system the meeting FIH requirements. It Should hold the net tightly and neatly in place without the requirement of the net clips. - There Should be 38mm diameter Anodized Tubes at back with net hanging freely as per FIH requirements. - Solid 38mm Wheels made of highly durable plastic Should be strongly welded at back of the Goal Post for easy portability. - Backboard should be made of thick aluminium check red anodized sheet and all inside faces are padded with thick rubber granules coating allowing noise reduction. - Should have a Foldable design that reduces the transportation and storage cost. - All major joints should be strongly welded for superior strength and added safety. - Should have 5mm thick Braided Polypropylene Net. As per FIH guidelines The Goal post and cross-bar should be white, rectangular in cross section, 50mm wide and between 50mm and 75mm deep. The distance between the inner edges of the goal-posts should be 3.66 meters and the distance from the lower edge of the cross-bar to the ground should be 2.14 meters. Side-boards and backboard should be a minimum of 0.90 metres deep at the cross-bar and a minimum of 1.20 metres deep at ground-level.
11	Small Goal Post (1pair)	- Should be in 4feet height, 6feet width, depth 3feet and Board height 1 feet -Cross bars and Uprights should be made of Aluminium 75mm x 50mmBack board and side board should be made of wood -Thickness of board should be 45mmShould be made of Solid 38mm Wheels, highly durable plastic strongly welded at back of the Goal Post for easy portability.
12	Tactics board	-Fibre board, -Length- 16 inches -Tall- 12 inches -Dry Erase Board -Front side Full Hockey Ground -Back side Half Ground Type- Hockey shin guard
13	Shin Guard	Material- Hard Plastic / Washable and Velcro strap shell with a protective Foam
14	Face Mask (For Hockey Player)	Material- Poly Carbonate Grill- No Straps- Yes Colour- Transparent Size: Small
15	Face Mask (For Hockey Player)	Material- Poly Carbonate Grill- No Straps- Yes Colour- Transparent Size: Medium

vor
ver
ury
ury
ury
ury
d version.
fficial
by easy
06.7 cm
.7 cm

25	Hurdles for training	 Should be Simple and have light frame made of tube profiles bent at a 90 degree angle. Should be easy to store Should be Powder painted, permanent counterweights and aluminium telescope tubes Should have Spring-loaded button system of height adjustment. Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm Weight- 3 to 6 kg
26	Take off board	The Take-off board for long and triple jump should have white gloss wood, fixed on an aluminium frame with levelling bolts for perfect alignment with the level of the track. It should be equipped with a red foul board for a good visibility by the athlete. Should be Delivered with screw extractors for board ease of handling. IAAF-certified Dimensions: 122 x 30 x 10 cm
27	Training marker	 Material -LDPE, Vinyl Colour- Red, Blue ,Green ,Orange, Yellow Should be Made from strong vinyl Should be Light weight cones with square base for stability
28	Discus 2.5 kg	 High spin discus should be specially designed and manufactured for the competition stage Rim Should be made of special alloy resistant to corrosion Should have Synthetic side plates with high fibreglass content The 80% rim weight should ensure a high level of spin. IAAF Certified*
	_	(NELCO/ATE or Equivalent)
	Drag	Sports resistance umbrella
29	running 	• Size: 142 * 142 cm (about 56 inches)
	equipment	Adjustable waistline: about 50-110 cm
30	High jump mat	Dimensions: 6.0m x 4m x 71cmll Handles and straps: Handles: 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover. Equipped with Spike resistant breather fabric on both sides. Additional wear and tear resistant layer on top. 2 inch Foam Top Pad to hold entire pit securely in place. Provides safe comfortable landings. Prevents landing between the units. The mat should have a rain cover also and a fully aluminium bar frame. The aluminium bar frame raises the mat to make sure it is not exposed to water. Compliant to IAAF Specifications

nd
u
nd

		Throw distance up to 50 m
		Weight up to 800g
		The body precision should be machined from multi-hardened aluminium alloy and designed for exceptional durability and stability, With steel tip and tight grip winding. The spears should be specially designed for advanced and ambitious
		launchers. Should be characterized by the centre of gravity drawn backwards. Characteristic features should be the excellent sailing characteristics with optimum power transmission values.
		IAAF certified. (ATE/CROWN OR EQUIVALENT)
39	Relay baton	It should be a Set of 8, made of the finest aluminium alloy which conforms to the IAAF standards and rules. Should be ideal for senior athletes and should be extremely light, strong, and durable.
	new, sacon	Should be a Set of 8 Anodized batons in multiple colours Should Meet IAAF standards and regulations. (Nelco or equivalent)
	Starting	Should be Super heavy duty block especially designed for top athletes. All Aluminium block with centre rail 100 mm wide x 900 mm long and slotted angles to firmly grip Pedals.
40	Starting block	Should be Adjustable at four different angles. All Pedals should be fitted with special thick rubber to take in spikes. It Should be a Suitable block for synthetic track and should Come with steel plates. Should be Flushed to centre rail. IAAF Certified
		(NELCO/ ASICS or equivalent)
41	Weight training belt	Should be Easily adjustable
42	Body flexibility tester: sit and reach box	 This Sit n' Reach Trunk Flexibility Box should be used to perform sit and reach flexibility tests Standard box test scales should include: fitness, program, Cooper Institute/YMCA, AAHPERD Results should be read in inches and centimeters Should be Made of sturdy Powder-coated metal with a built-in foot plate and a maximum stretch indicator that keeps results visible until reset Start point should be easily modified per the individual. Sit and Reach Test Box Specifications Dimensions: 30" x 4" x 13" Weight: 7.25 kg (BASELINE STANDARD FLEXIBILITY TESTER or equivalent)
		Should be of top quality fibreglass.
43	High jump cross bar	which should ensures that they will not sag. The High Jump Cross bar should be 4 metres in length and should be IAAF CERTIFIED.(Nelco or equivalent)
44	High jump upright set	It should be Anodized uprights with built-in levelling system. The principal section should be fabricated out of o purpose designed Semi-Hollow extruded aluminium profile.

		(140mm x 59mm x 5.5mm thickness) Telescopic tube should be made out of 41 .5mm square aluminium profile of
		3mm thickness and copped with high quality plastic.
		Should be Zinc-Plated steel Crossbar peg holders.
		Should have Heavy duty powder coated steel base with wheels and levellers.
		Sleeve should be welded on base to provide stability to uprights.
		(Nelco/Stag or equivalent)
		Type- Manual
		Material -MS
		Capacity -1.5 Ton
		Colour -Yellow And Black
		Pitch Roller (MS) Manual
		Roller MS Sheet Thickness 15 mm to 18 mm
45	Iron roller	Net Weight : 900 Kg.
45	1.5 tonne	Gross Weight: 1500 Kg.(after filling oil/water)
		Rolling width of 36 inches.
		Extra small Iron Roller should be attached for better performance
		Roller handle should stand 1mt. above the ground level
		(easy to push and pull)
		Oil/Water Filling Cap
		•Should be Easy to drive with minimum effort
		Diameter- 25mm
	Plastic	Weight- Light weight
46	dome	Material- Plastic
	dome	Colour- Multicolour
		Should be Light weight plastic base which can be used in any surface
		Should be made of heavy duty steel frame and springs. Frame should be
		powder coated for durability
		Features :
47	Spring	Aimed more at the lighter build (40 -75 Kg).
	board	With 5 springs. Weight = 23 Kg.
		Standardised 120 x 60 cm size board in curved multiply timber and carbon
		fibre covered in carpet.
		Height = 23 cm
48	Javelin	NELCO/STAG or equivalent
٥٠	stand	TELEGISTAG OF EQUIVALENT

SAI-STC JALPAIGURI

SN	Item Name	Specifications
1	Agility Ladder	Strap Material- PVC, Polypropylene Number of Rungs- 12, 5 Meter
2	Agility Ladder	Strap Material- PVC, Polypropylene 8 Meter
3	Hurdles for competition	 Should be Strong and made of 50 mm square steel tube, Galvanized version. Should be PVC coated counter weights adjusted to meet precise official pullover force at each of the 5 heights. Height Should be adjustable by easy

	1	
		snap locking system. • Special design makes it easy to stack in minimum space.
		 - Adjustable heights: 68.6 cm, 76.2 cm, 83.8 cm, 91.4 cm, 99.1 cm, 106.7 cm - Spring back hurdle for both directions - Durable steel frame - Padded crossbar
		Adjustable height: 68.6 cm, 76.2 cm, 83.8 cm, 91.4 cm, 99.1 cm, 106.7 cm
4	Take off board	The Take-off board for long and triple jump should have White gloss wood, fixed on an aluminium frame with leveling bolts for perfect alignment with the level of the track. It should be equipped with a red foul board for a good visibility by the athlete. Should be Delivered with screw extractors for board ease of handling. IAAF-certified Dimensions: 122 x 30 x 10 cm
	Weight	
5	jacket	2 KG
6	Weight jacket	3 KG
7	Weight jacket	5 KG
8	Drag running equipment	 Sports resistance umbrella Size: 142 * 142 cm (about 56 inches) Adjustable waistline: about 50-110 cm
9	Javelin	Should be Made of hardened best quality dura aluminium. Designed and crafted for maximum throw distance. Javelin head should be made of high quality steel for extra durability. Conclusively, should be one of the best available javelins Throw distance up to 60 m Weight up to 600g The body precision should be machined from multi-hardened aluminium alloy and designed for exceptional durability and stability, With steel tip and tight grip winding. The spears should be specially designed for advanced and ambitious launchers. Should be characterized by the centre of gravity drawn backwards. Characteristic features should be the excellent sailing characteristics with optimum power transmission values. IAAF certified** (ATE/CROWN OR EQUIVALENT)
10	Javelin	Should be Made of hardened best quality dura aluminium. Designed and crafted for maximum throw distance. Javelin head should be made of high quality steel for extra durability. Conclusively, should be one of the best available javelins Throw distance up to 70 m Weight up to 600g The body precision should be machined from multi-hardened aluminium alloy and designed for exceptional durability and stability, With steel tip and tight grip winding.

		The spears should be specially designed for advanced and ambitious
		launchers.
		Should be characterized by the centre of gravity drawn backwards. Characteristic features should be the excellent sailing characteristics with optimum power transmission values. IAAF certified**
		(ATE/CROWN OR EQUIVALENT)
		Should be Made of hardened best quality dura aluminium. Designed and crafted for maximum throw distance. Javelin head should be made of high quality steel for extra durability. Conclusively, should be one of the best available javelins Throw distance up to 60 m Weight up to 700g
11	Javelin	The body precision should be machined from multi-hardened aluminium alloy and designed for exceptional durability and stability, With steel tip and tight grip winding.
		The spears should be specially designed for advanced and ambitious launchers.
		Should be characterized by the centre of gravity drawn backwards. Characteristic features should be the excellent sailing characteristics with optimum power transmission values. IAAF certified**
		(ATE/CROWN OR EQUIVALENT)
		Should be Made of hardened best quality dura aluminium. Designed and crafted for maximum throw distance. Javelin head should be made of high quality steel for extra durability. Conclusively, should be one of the best available javelins Throw distance up to 70 m Weight up to 700g
12	Javelin	The body precision should be machined from multi-hardened aluminium alloy and designed for exceptional durability and stability, With steel tip and tight grip winding. The spears should be specially designed for advanced and ambitious launchers. Should be characterized by the centre of gravity drawn backwards.
		Characteristic features should be the excellent sailing characteristics with optimum power transmission values. IAAF certified** (ATE/CROWN OR EQUIVALENT)
	Javelin	Should be Made of hardened best quality dura aluminium. Designed and crafted for maximum throw distance. Javelin head should be made of high quality steel for extra durability. Conclusively, should be one of the best available javelins Throw distance up to 70 m Weight up to 800g
13		The body precision should be machined from multi-hardened aluminium alloy and designed for exceptional durability and stability, With steel tip and tight grip winding. The spears should be specially designed for advanced and ambitious launchers.
		Should be characterized by the centre of gravity drawn backwards.

		Characteristic features should be the excellent sailing characteristics with optimum power transmission values.
		IAAF certified**
		(ATE/CROWN OR EQUIVALENT)
		Should be Made of hardened best quality dura aluminium. Designed and crafted for maximum throw distance. Javelin head should be made of high quality steel for extra durability. Conclusively, should be one of the best available javelins • Weight up to 1 kg (for training)
14	Javelin	The body precision should be machined from multi-hardened aluminium alloy and designed for exceptional durability and stability, With steel tip and tight grip winding. The spears should be specially designed for advanced and ambitious launchers.
		Should be characterized by the centre of gravity drawn backwards. Characteristic features should be the excellent sailing characteristics with optimum power transmission values. IAAF certified** (ATE/CROWN OR EQUIVALENT)
		It should be a Set of 8, made of the finest aluminium alloy which conforms to
15	Relay baton	the IAAF standards and rules. Should be ideal for senior athletes and should be extremely light, strong, and durable.
		Should be a Set of 8 Anodized batons in multiple colours Should Meet IAAF standards and regulations. (Nelco or equivalent)
16	Weight training belt	Should be Easily adjustable
17	Body flexibility tester: sit and reach box	 This Sit n' Reach Trunk Flexibility Box should be used to perform sit and reach flexibility tests Standard box test scales should include: fitness, program, Cooper Institute/YMCA, AAHPERD Results should be read in inches and centimeters Should be Made of sturdy Powder-coated metal with a built-in foot plate and a maximum stretch indicator that keeps results visible until reset Start point should be easily modified per the individual. Sit and Reach Test Box Specifications Dimensions: 30" x 4" x 13" Weight: 7.25 kg
		(BASELINE STANDARD FLEXIBILITY TESTER or equivalent)
18	High jump cross bar	Should be of top quality fibreglass. which should ensures that they will not sag. The High Jump Cross bar should be 4 metres in length and should be IAAF CERTIFIED** (Nelco or equivalent)
19	High jump upright set	It should be Anodized uprights with built-in levelling system. The principal section should be fabricated out of o purpose designed Semi-Hollow extruded aluminium profile. (140mm x 59mm x 5.5mm thickness)

		Telescopic tube should be made out of 41 .5mm square aluminium profile of 3mm thickness and copped with high quality plastic. Should be Zinc-Plated steel Crossbar peg holders. Should have Heavy duty powder coated steel base with wheels and levellers. Sleeve should be welded on base to provide stability to uprights. (Nelco/Stag or equivalent)
20	Javelin stand	NELCO/STAG or equivalent
21	Agility ring	These FLAT rings should be 19" (48 cm) in diameter and should be one-piece construction rings with no joints Different patterns could be created for improving body balancing and controlling. Should be available in assorted colours. Customized sets are also available on request.
22	Agility pole	 Strong PVC with powder coated metal spike and connector in middle. Different colour combinations and sizes 1.25dia x 68length. Colour-Any Material-PVC, Plastic Size -Standard Application-For Training Agility Slalom Poles - Basic Spiked
23	Agility stick	Material –PVC, Plastic (GISCO,NIVIA Or equivalent)

SAI-STC PATNA

SN	Item Name	Specifications
1	Agility Ladder	Strap Material- PVC, Polypropylene Number of Rungs- 12, 5 Meter
2	Agility Hurdles	Material- PVC Height- 12 inch Width- 45cm
3	Hurdles for competition	 Should be Strong and made of 50 mm square steel tube, Galvanized version. Should be PVC coated counter weights adjusted to meet precise official pullover force at each of the 5 heights. Height Should be adjustable by easy snap locking system. Special design makes it easy to stack in minimum space. Adjustable heights: 68.6 cm, 76.2 cm, 83.8 cm, 91.4 cm, 99.1 cm, 106.7 cm Spring back hurdle for both directions Durable steel frame Padded crossbar Adjustable height: 68.6 cm, 76.2 cm, 83.8 cm, 91.4 cm, 99.1 cm, 106.7 cm

SAI-STC RANCHI

SN	Item Name	Specifications
		-It Should be As per FIH guidelines,
		-Helmet standard quality (Made of Fibre / Poly Carbonate Material)
		-Neck Guard -standard quality
		-Chest with Arm Guard Thickness- 30mm
		-Padded Shorts Thickness -25mm
		-Abdominal Guard- standard
		-Leg guard Thickness
		MUST INCLUDE:
		Hockey Leg Guard
	Goalkeeper	Hockey Kicker
1	Kit high	Hockey Chest Cum Arm Guard
1	rebound	Hockey Gloves
	rebound	Hockey Helmet
		Hockey Neck Guard
		Hockey Abdominal Guard
		Hockey Padded Shorts
		Hockey Over T-Shirts
		Hockey Over Nicker
		Hockey Goalie Stick Composite
		Hockey Trolley Kit Bag With Wheel
		Hockey Kicker Strap Professional
		Size: Small
	Goalkeeper Kit high rebound	-It Should be As per FIH guidelines,
		-Helmet standard quality (Made of Fiber / Poly Carbonate Material)
		-Neck Guard -standard quality
		-Chest with Arm Guard Thickness- 30mm
		-Padded Shorts Thickness -25mm
		-Abdominal Guard- standard
		-Leg guard Thickness MUST INCLUDE:
		Hockey Leg Guard
		Hockey Kicker
		Hockey Chest Cum Arm Guard
2		Hockey Gloves
		Hockey Helmet
		Hockey Neck Guard
		Hockey Abdominal Guard
		Hockey Padded Shorts
		Hockey Over T-Shirts
		Hockey Over Nicker
		Hockey Goalie Stick Composite
		Hockey Trolley Kit Bag With Wheel
		Hockey Kicker Strap Professional
		Size: Medium
2	Hockey Ball	It Should have 500 ball carrying capacity
3	Carry cart	Metal Frame Steel / Iron
	Lacrosse	Should have Long handle, Netted Sac at the bottom
4	sticks	Material- Synthetic
5	Green Band	Elastic / Rubber Band

		Level of resistance: 15kg
		Elastic / Rubber Band
6	Yellow Band	Level of resistance: 25kg
		Elastic / Rubber Band
7	Red Band	
		Level of resistance: 45kg
8	Black Band	Elastic / Rubber Band
		Level of resistance: 60kg
9	Teeth Guard	As per FIH Guidelines
		Material- Mouldable
10	Small Goal Post (1pair)	 Should be in 4feet height, 6feet width, depth 3feet and Board height 1 feet Cross bars and Uprights should be made of Aluminium 75mm x 50mm. Back board and side board should be made of wood Thickness of board should be 45mm. Should be made of Solid 38mm Wheels, highly durable plastic strongly welded at back of the Goal Post for easy portability.
		-Fibre board,
		-Length- 16 inches
	Tactics	-Tall- 12 inches
11	board	-Dry Erase Board
		-Front side Full Hockey Ground
		-Back side Half Ground
		Type- Hockey shin guard
12	Shin Guard	Material- Hard Plastic / Washable and Velcro strap shell with a protective
		Foam
		Material- Poly Carbonate
	Face Mask	Grill- No
13	(For Hockey	Straps- Yes
	Player)	Colour- Transparent
		Size: Small
	5	Material- Poly Carbonate
	Face Mask	Grill- No
14	(For Hockey	Straps- Yes
	Player)	Colour- Transparent Size: Medium
	_	Type Hockey
	Hand	Material- Lycra
15	Protective	Three Fingered- Yes
	Gloves	For Left Hand
		Should be made of Aluminium Structure
	Rebound	Covered with polyurethane foam encased in a weatherproof PVC cover
16	Board	Width-200cm
		Height-35cm
	Agility	
	Ladder	Strap Material- PVC, Polypropylene
17		8 Meter
	Agility	Material- PVC
18	Hurdles	Height- 6 inch
	110.0.00	Width- 45cm

19	Agility Hurdles	Material- PVC Height- 12 inch Width- 45cm
20	Plyometric Box	Height- 15 cm Length- 61cm Width- 61cm Platform-Non slip rubber stoppers Maximum weight support- 100KG Should be With extra foam over the wooden material to prevent injury
21	Plyometric Box	Height- 30 cm Length- 61cm Width- 61cm Platform-Non slip rubber stoppers Maximum weight support- 100KG Should be With extra foam over the wooden material to prevent injury
22	Plyometric Box	Height- 45 cm Length- 61cm Width- 61cm Platform-Non slip rubber stoppers Maximum weight support- 100KG Should be With extra foam over the wooden material to prevent injury
23	Plyometric Box	Height- 60cm Length- 61cm Width- 61cm Platform-Non slip rubber stoppers Maximum weight support- 100KG Should be With extra foam over the wooden material to prevent injury
24	Hurdles for training	 Should be Simple and have light frame made of tube profiles bent at a 90 degree angle. Should be easy to store Should be Powder painted, permanent counterweights and aluminium telescope tubes Should have Spring-loaded button system of height adjustment. Adjustable Height levels: 686mm, 762mm, 838mm, 914mm, 991mm, 1067mm Weight- 3 to 6 kg
25	Take off board	The Take-off board for long and triple jump should have White gloss wood, fixed on an aluminium frame with levelling bolts for perfect alignment with the level of the track. It should be equipped with a red foul board for a good visibility by the athlete. Should be Delivered with screw extractors for board ease of handling. IAAF-certified Dimensions: 122 x 30 x 10 cm
26	Weight jacket	2 KG
27	Weight jacket	3 KG

		Material -LDPE, Vinyl
28	Training	Colour- Red, Blue ,Green ,Orange, Yellow
	marker	Should be Made from strong vinyl
		Should be Light weight cones with square base for stability
		Dimensions: 6.0m x 4m x 71cm
		Handles and straps: Handles: 2 inch 3500 T.C. nylon webbing encased in
		vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap.
		Triple reinforced. Should have very high tear resistance strength.
		<u>Seams and hems</u> : Double stitched, double folded and double stitched again
		with high tenacity 232 polyester thread, with at least 5 stitches to the inch
	High jump	and no more than 6 stitches
29	mat	FoampolyuConstruction: honeycomb urethane foam/ PU foam core
29	IIIat	combining three densities and three compressions in lattice configuration.
		Foam covered with weatherproof material, with a PVC cover. Equipped with Spike resistant breather fabric on both sides. Additional wear
		and tear resistant layer on top.
		2 inch Foam Top Pad to hold entire pit securely in place. Provides safe
		comfortable landings. Prevents landing between the units.
		The mat should have a rain cover also and a fully aluminium bar frame. The
		aluminium bar frame raises the mat to make sure it is not exposed to water.
		Compliant to IAAF Specifications
30	Iron shoe	Size:5
	(Pair)	5120.5
31	Iron shoe	Size: 6
31	(Pair)	3126. 0
32	Iron shoe	Size: 7
32	(Pair)	Size. 7
33	Iron shoe	Size: 8
33	(Pair)	Size. o
34	Iron shoe	Size: 9
34	(Pair)	3126. 3
		It should be a Set of 8, made of the finest aluminium alloy which conforms to
	Relay baton	the IAAF standards and rules.
		Should be ideal for senior athletes and should be extremely light, strong, and
35		durable.
		Should be a Set of 8 Anodized batons in multiple colours
		Should Meet IAAF standards and regulations.
		(Nelco or equivalent)
		Should be Super heavy duty block especially designed for top athletes. All
		Aluminium block with centre rail 100 mm wide x 900 mm long and slotted
	Starting	angles to firmly grip Pedals.
36		Should be Adjustable at four different angles. All Pedals should be fitted with
		special thick rubber to take in spikes. It Should be a Suitable block for
	block	synthetic track and should Come with steel plates. Should be Flushed to
		centre rail.
		IAAF Certified**
		(NELCO/ ASICS or equivalent)
	Body	This Sit n' Reach Trunk Flexibility Box should be used to perform sit and
37	flexibility	reach flexibility tests
	пехіопіту	Todal Homolity toda

	tester: sit	Standard box test scales should include: fitness, program, Cooper
	and reach	Institute/YMCA, AAHPERD
	box	Results should be read in inches and centimeters
		Should be Made of sturdy Powder-coated metal with a built-in foot plate
		and a maximum stretch indicator that keeps results visible until reset
		Start point should be easily modified per the individual.
		Sit and Reach Test Box Specifications
		Dimensions: 30" x 4" x 13"
		Weight: 7.25 kg (BASELINE STANDARD FLEXIBILITY TESTER or equivalent)
		Should be of top quality fibreglass.
		which should ensures that they will not sag.
20	High jump	, -
38	cross bar	The High Jump Cross bar should be 4 metres in length and should be
		IAAF CERTIFIED**
		(Nelco or equivalent)
		It should be Anodized uprights with built-in levelling system.
		The principal section should be fabricated out of o purpose designed Semi-
		Hollow extruded aluminium profile. (140mm x 59mm x 5.5mm thickness)
	High jump	Telescopic tube should be made out of 41 .5mm square aluminium profile of
39	upright set	3mm thickness and copped with high quality plastic.
	aprignt set	Should be Zinc-Plated steel Crossbar peg holders.
		Should have Heavy duty powder coated steel base with wheels and levellers.
		Sleeve should be welded on base to provide stability to uprights.
		(Nelco/Stag or equivalent)
		Should be made of heavy duty steel frame and springs. Frame should be
		powder coated for durability.
	Spring board	Features:
40		Aimed more at the lighter build (40 -75 Kg).
	Doard	With 5 springs. Weight = 23 Kg. Standardised 120 x 60 cm size board in curved multiply timber and carbon
		fibre covered in carpet.
		Height = 23 cm
		Should be a Pair of Adjustable Standard Solid Steel Squat Stands Barbell Free
		Bench Press Stands
		Should be STURDY & DURABLE : Kobo dumbbell stands should be made of
41	Bench press	high quality steel, load capacity up to 180 Kg
41	stand	Should have ADJUSTABLE HEIGHT & SPOTTERS: Adjustable barbell rack makes it suitable for height, and adjustable spotters for your safety.
		-rubber end caps protect the individual and the floor from scratching.
		• SPECIFICATIONS : 17.71"(L) x 20.1"(W) x 40.55"-66.14" (H),Adjustable
		Height:41"-66",Max Capacity weight: 180 Kg
		Latex-free, burst-resistant material
		180 day limited warranty
42	Bosu Balance trainer	Home use only
		6 rubberized feet
		• Holds up to 136 kg (300 lbs.)
		• Weight: 9 kg (13 lbs.)
		Diameter: 65 cm
		Height: 25.4 cm (10") when fully inflated
	Agility ring	These FLAT rings should be 19" (48 cm) in diameter and should be one-piece
43		construction rings with no joints
	<u> </u>	

		Different patterns could be created for improving body balancing and controlling. Should be available in assorted colours.
44	Agility pole	 Strong PVC with powder coated metal spike and connector in middle. Different colour combinations and sizes 1.25dia x 68length. Colour-Any Material-PVC, Plastic Size -Standard Application-For Training Agility Slalom Poles - Basic Spiked

SAI-STC Sundergarh

SN	Item Name	SAI-STC Sundergarn Specifications
1 1	Goalkeeper Kit high rebound	-It Should be As per FIH guidelines, -Helmet standard quality (Made of Fiber / Poly Carbonate Material) -Neck Guard -standard quality -Chest with Arm Guard Thickness-30mm -Padded Shorts Thickness -25mm -Abdominal Guard- standard -Leg guard Thickness MUST INCLUDE: Hockey Leg Guard Hockey Kicker Hockey Chest Cum Arm Guard Hockey Gloves Hockey Helmet Hockey Neck Guard Hockey Abdominal Guard Hockey Abdominal Guard Hockey Over T-Shirts Hockey Over Nicker Hockey Goalie Stick Composite Hockey Trolley Kit Bag With Wheel Hockey Kicker Strap Professional
2	Hockey Ball	Size: Small It Should have 500 ball carrying capacity Metal Frame Steel / Iron
3	Carry cart Lacrosse sticks	Should have Long handle, Netted Sac at the bottom Material- Synthetic
4	Green Band	Elastic / Rubber Band Level of resistance: 15kg
5	Yellow Band	Elastic / Rubber Band Level of resistance: 25kg
6	Red Band	Elastic / Rubber Band Level of resistance: 45kg
7	Black Band	Elastic / Rubber Band Level of resistance: 60kg
8	Teeth Guard	As per FIH Guidelines Material- Mouldable
9	Hockey Goal Post (1 pair)	Should be Made of Aluminium to increase ease of portability of the goal post75MM X 50MM Aluminium profile Uprights and crossbars The front profile should feature the inbuilt net slots system the meeting FIH

		requirements. It Should hold the net tightly and neatly in place without the requirement of the net clips.
		-There Should be 38mm diameter Anodized Tubes at back with net hanging
		freely as per FIH requirements.
		- Solid 38mm Wheels made of highly durable plastic Should be strongly
		welded at back of the Goal Post for easy portability.
		- Backboard should be made of thick aluminium check red anodized sheet
		and all inside faces are padded with thick rubber granules coating allowing
		noise reduction.
		- Should have a Foldable design that reduces the transportation and storage cost.
		- All major joints should be strongly welded for superior strength and added safety.
		- Should have 5mm thick Braided Polypropylene Net.
		As per FIH guidelines
		The Goal post and cross-bar should be white, rectangular in cross section,
		50mm wide and between 50mm and 75mm deep.
		The distance between the inner edges of the goal-posts should be 3.66
		meters and the distance from the lower edge of the cross-bar to the ground
		should be 2.14 meters.
		Side-boards and backboard should be a minimum of 0.90 metres deep at the
		cross-bar and a minimum of 1.20 metres deep at ground-level.
12	Small Goal	- Should be in 4feet height, 6feet width, depth 3feet and Board height 1 feet -Cross bars and Uprights should be made of Aluminium 75mm x 50mmBack board and side board should be made of wood
10	Post (1pair)	-Thickness of board should be 45mm.
		-Should be made of Solid 38mm Wheels, highly durable plastic strongly
		welded at back of the Goal Post for easy portability.
		-Fibre board,
		-Length- 16 inches
11	Tactics board	-Tall- 12 inches
11		-Dry Erase Board
		-Front side Full Hockey Ground
		-Back side Half Ground
		Type- Hockey shin guard
12	Shin Guard	Material- Hard Plastic / Washable and Velcro strap shell with a protective
		Foam
		Material- Poly Carbonate
	Face Mask	Grill- No
13	(Player)	Straps- Yes
	, ,-,	Colour- Transparent Size: Small
14	Hand	Type Hockey Material- Lycra
	Protective	Three Fingered- Yes
	Gloves	for left hand
		Should be made of Aluminium Structure
4-	Rebound Board	Covered with polyurethane foam encased in a weatherproof PVC cover
15		Width-200cm
		Height-35cm
	1	

16	Agility Ladder	Strap Material- PVC, Polypropylene 8 Meter
17	Agility Hurdles	Material- PVC Height- 6 inch Width- 45cm
18	Agility Hurdles	Material- PVC Height- 12 inch Width- 45cm
19	Agility Hurdles	Material- PVC Height- 18 inch Width- 45cm
20	Plyometric Box	Height- 15 cm Length- 61cm Width- 61cm Platform-Non slip rubber stoppers Maximum weight support- 100KG Should be With extra foam over the wooden material to prevent injury
21	Plyometric Box	Height- 30 cm Length- 61cm Width- 61cm Platform-Non slip rubber stoppers Maximum weight support- 100KG Should be With extra foam over the wooden material to prevent injury
22	Plyometric Box	Height- 45 cm Length- 61cm Width- 61cm Platform-Non slip rubber stoppers Maximum weight support- 100KG Should be With extra foam over the wooden material to prevent injury
23	Plyometric Box	Height- 60cm Length- 61cm Width- 61cm Platform-Non slip rubber stoppers Maximum weight support- 100KG Should be With extra foam over the wooden material to prevent injury
24	Training marker	 Material -LDPE, Vinyl Colour- Red, Blue ,Green ,Orange, Yellow Should be Made from strong vinyl Should be Light weight cones with square base for . stability
25	High jump mat	Dimensions: 6.0m x 4m x 71cmll Handles and straps: Handles: 2 inch 3500 T.C. nylon webbing encased in vinyl knife coated fabric. Handles are sewn to side of pit below zipper flap. Triple reinforced. Should have very high tear resistance strength. Seams and hems: Double stitched, double folded and double stitched again with high tenacity 232 polyester thread, with at least 5 stitches to the inch and no more than 6 stitches FoampolyuConstruction: honeycomb urethane foam/ PU foam core

		combining three densities and three compressions in lattice configuration. Foam covered with weatherproof material, with a PVC cover.
		Equipped with Spike resistant breather fabric on both sides. Additional wear
		and tear resistant layer on top.
		1
		2 inch Foam Top Pad to hold entire pit securely in place. Provides safe
		comfortable landings. Prevents landing between the units.
		The mat should have a rain cover also and a fully aluminium bar frame. The
		aluminium bar frame raises the mat to make sure it is not exposed to water.
		Compliant to IAAF Specifications
	Iron shoe	
26	(pair)	Size:5
27	Iron shoe	Size: 6
27	(pair)	Size: 6
20	Iron shoe	Sizo. 7
28	(pair)	Size: 7
20	Iron shoe	Cina. Q
29	(pair)	Size: 8
20	Iron shoe	Sino. O
30	(pair)	Size: 9

Note: Before issuance of Work order, the successful Bidder may be required to submit or demonstrate samples of the items which can be easily carried at the consignee location. In case of heavy items, the successful bidder is required to showcase and demonstrate the samples which are commissioned by the Bidder at nearby convenient location. The expenses for attending the demonstration shall be borne by SAI.

PART-3 CONTRACT SECTION - VII

GENERAL CONDITIONS OF CONTRACT (GCC) TABLE OF CLAUSES

Sl No.	Торіс			
1	Application	75		
2	Use of contract documents and information			
3	Patent Rights			
4	Country of Origin	75		
5	Performance Security	76		
6	Technical Specifications and Standards	77		
7	Packing and Marking	77		
8	Inspection, Testing and Quality Control	77		
9	Terms of Delivery	78		
10	Insurance	79		
11	Spare Parts	79		
12	Incidental Services	80		
13	Dispatch Documents for goods imported from abroad	80		
14	Warranty	80		
15	Assignment	81		
16	Prices	81		
17	Taxes, Duties & Octroi	82		
18	Terms and mode of Payment	82		
19	Delay in the supplier's performance	83		
20	Liquidated Damages	85		
21	Termination for default	85		
22	Notice	86		
23	Termination for insolvency	86		
24	Force Majeure	86		
25	Termination for convenience	86		
26	Fall Clause	87		
27	Withholding and lien in respect of sums claimed	87		
28	Resolution of disputes	87		
29	Applicable Law			
30	Additional Factors and Parameters for Evaluation and Ranking of Responsive Tenders	88		

SECTION - VII - A

GENERAL CONDITIONS OF CONTRACT (GCC)

1. Application

a) The General Conditions of Contract incorporated in this section shall be applicable for this purchase to the extent the same is not superseded by Schedule of Requirements under Section V and Technical Specification under Section VI of this document.

2. Use of contract documents and information

- a) The supplier shall not, without the purchaser's prior written consent, disclose the contract or any provision thereof including any specification, drawing, sample or any information furnished by or on behalf of the purchaser in connection therewith, to any person other than the person(s) employed by the supplier in the performance of the contract emanating from this TE document. Further, any such disclosure to any such employed person shall be made in confidence and only so far as necessary for the purpose of such performance for this contract.
- b) Further, the supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC sub clause 2.1 above except for the sole purpose of performing this contract.
- c) Except the contract issued to the supplier, each and every other document mentioned in GCC sub clause 2 (a) above shall remain the property of the purchaser and if advised by the purchaser, all copies of all such documents shall be returned to the purchaser on completion of the supplier's performance and obligation under this contract.

3. Intellectual Property Rights/Patent Rights

a) The supplier shall, at all times, fully indemnify and keep indemnified the purchaser, free of cost, against all claims which may arise in respect of goods & services to be provided by the supplier under the contract for infringement of any intellectual property rights or any other right protected by patent, registration of designs or trademarks, copyright etc. Being made against the purchaser, the purchaser shall notify the supplier of the same and the supplier shall, at his own expense take care of the same for settlement and if required, duly represent the purchaser before any courts/forums in this regard, without any cost liability to the purchaser.

4. Country of Origin

a) All goods and services to be supplied and provided for the contract shall have the origin in India.

- b) The word "origin" incorporated in this clause means the place from where the goods are mined, cultivated, grown, manufactured, produced or processed or from where the services are arranged.
- c) The country of origin may be specified in the price schedule.

5. Performance Security

- a) As guarantee for the due performance, observance and fulfillment of all obligations, terms, conditions, representations, warranties and covenants of the Supplier under the Bidding Documents within 21days from the date of the issue of notification of award by the purchaser, the Supplier shall furnish Performance guarantee to the Purchaser for an amount equivalent to three per cent (03%) of the total value of the contract prior signing of this contract.
- b) Performance Security should remain valid for a period of sixty days beyond the date of completion of all contractual obligations of the supplier including warranty period of 1 year from the date of acceptance of the items by the consignee(s).
- c) Supplier may furnish performance guarantee in the form of an account payee Demand Draft, Fixed Deposit Receipt from a commercial bank, Bank Guarantee from a Commercial bank in an acceptable form in the format at **Section VIII (B)**, safeguarding the Purchaser's interest in all respects in favour of:

" SAI Public Account"

- d) In the event of any amendment issued to the contract regarding extension of delivery period, the supplier shall, within 15 days of issue of the amendment, furnish the corresponding amendment to the Performance Security (as necessary), rendering the same valid in all respects in terms of the amended contract.
- e) The Purchaser will release the Performance Security without any interest to the supplier on completion of the supplier's all contractual obligations including the warranty obligations subject to adjustment of all amounts/losses/damages/recoveries/penalties payable to the Purchaser and claims of Purchaser, there from.
- f) The Performance Security shall be denominated in Indian Rupees in any one of the forms namely Account Payee Demand Draft or Fixed Deposit Receipt drawn from any Scheduled bank in India or Bank Guarantee issued by a Scheduled bank in India, in the prescribed form as provided in **Section-VIII(B)** of this document in favor of the Purchaser.
- g) Performance Security shall be forfeited and credited to the accounts of SAI, in the event of a breach of contract by the supplier, in terms of the relevant contract clauses. Without prejudice to its other rights and remedies under any contract, law or equity (including without limitation Purchaser's right to terminate the Agreement for breach and claim for losses and damages),
- h) Supplier agrees that the decision of Purchaser in respect of any forfeiture/invocation/adjustment of the Performance Security will be final and binding on the Supplier. Purchaser shall be entitled, without any limitation or interference, to forfeit/invoke/adjust the Performance Security, as set out in this Section. Upon forfeiture/invocation/adjustment of the Performance Security as aforesaid, the Supplier shall replenish the Performance Security to their original amounts within 7 days from the date of such forfeiture/invocation/ adjustment. In case of any delay or failure in replenishing the Performance Securities as set forth in the foregoing sentence,

Purchaser reserves its rights to terminate the Bidding Documents without any further notice/intimation and or any explanation to the Supplier at the cost and liability of the Supplier.

6. Technical Specifications and Standards

The Goods & Services to be provided by the supplier under this contract shall conform to the technical specifications mentioned in 'Technical Specifications' under Sections-VI of this document.

7. Packing and Marking

- a) The packing for the goods to be provided by the supplier should be strong and durable enough to withstand transit hazards, without limitation, the entire journey during transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. As and if necessary, the size, weights and volumes of the packing cases shall also take into consideration, the remoteness of the final destination of the goods and availability or otherwise of transport and handling facilities at all points during transit up to final destination as per the contract.
- b) Unless otherwise mentioned in the Technical Specification under Section VI, the supplier shall make separate packages for each consignee (in case there is more than one consignee mentioned in the contract) and mark each package on three sides with the following with indelible paint of proper quality:-
 - (i) Contract number and date
 - (ii) Brief description of the goods including quantity
 - (iii)Packing list reference number
 - (iv)Country of origin of the goods
 - (v) Consignee's name and full address and
 - (vi)Supplier's name and address

8. Inspection, Testing and Quality Control

- (i) The Contractor should satisfy himself that the stores/goods are in accordance with the terms of the Contract and fully conform to the required specification by carrying out a thorough pre-inspection of each lot of the stores/goods before actually delivering the same to the consignee.
- (ii) In normal course the Stores/goods will be supplied by the contractor on the basis of Manufacturers own Pre-dispatch Inspection Certificate. However, purchased goods accepted by the purchaser/consignee and/or its authorized representative during inspection in terms of the contract shall in no way dilute purchaser's/consignee's right to reject the same later, if found deficient in terms of the Warranty Clause -14 of GCC.
- (iii)The Purchaser and/or its nominated representative(s) may, without any extra cost to the purchaser, inspect and/or test the ordered goods and the related services to confirm their conformity to the contract specifications incorporated in the contract. The Purchaser shall inform the supplier in advance, in writing, the purchaser's programme for such inspection and, also the identity of the officials to be deputed for this purpose. The cost towards the transportation, boarding & lodging of Purchaser and/or its nominated representative(s) will be borne by the Purchaser and/or its nominated representative(s). However, if no pre-inspection has been carried out by the purchaser, it shall have the right to inspect the same at its own premises as provided provisions mentioned herein below.

- (iv)For such inspections and tests which are conducted in the premises of the supplier or its subcontractor(s), all reasonable facilities and assistance, including access to relevant drawings, design details and production data, shall be furnished by the supplier to the purchaser's inspector at no charge to the purchaser.
- (v) If during such inspections and tests the contracted goods fail to conform to the required specifications and standards, the purchaser's inspector may reject them and the supplier shall either replace the rejected goods or make all alterations necessary to meet the specifications and standards, as required, free of cost to the Purchaser and resubmit the same to the purchaser's inspector for conducting the inspections and tests again.
- (vi) If the supplier tenders the goods to the purchaser's inspector for inspection at the last moment without providing reasonable time to the inspector for completing the inspection within the contractual delivery period, the inspector may carry out the inspection and complete the formality beyond the contractual delivery period at the risk, cost and expense of the supplier. The fact that the goods have been inspected after the contractual delivery period will not have the effect of keeping the contract alive and this will be without any prejudice to the legal rights and remedies available to the Purchaser under the terms and conditions of the contract.
- (vii) The purchaser's contractual right to inspect, test and, if necessary, reject the goods after the goods' arrival at the final destination shall have no bearing of the fact that the goods have previously been inspected and cleared by purchaser's inspector during pre-dispatch inspection mentioned above.
- (viii) The purchaser reserves the right to call for Latest lab-test report from authorized/accredited lab not later than a year old from Government or Government approved lab of each item quoted conforming to specifications as mentioned in Section VI. (If not applicable in the case of bidder firm from foreign country, lab-test report not later than a year old from accredited lab of the Authorized International Agency. Their in-house lab of each item quoted conforming to specification as mentioned in section VI.

9. Terms of Delivery

- i. Goods shall be delivered by the supplier in accordance with the terms of delivery specified in the contract.
- ii. The supplier/contractor is required to complete the supplies within the stipulated delivery period. Time shall be the essence of the Contract. However, in case contractor fails to complete the entire/ part quantity of supplies within the stipulated delivery period, the purchaser, at its discretion, may grant extension in delivery period for unsupplied quantity. Such extension in delivery if granted shall be subject to the following:
 - a) The supplier/Contractor shall pay and purchaser will recover liquidated damages from the contractor as per contract or as may be indicated by the purchaser as per its prevailing policies.
 - b) No increase in price on account of any statutory increase in or fresh imposition of GST and freight charges/demurrage charges or on any

account of any other taxes, levies or duty leviable in respect of the equipment specified in the contract, which takes place after the date of delivery period stipulated in the said contract, shall be admissible on such of the equipment as are delivered after said date.

- c) Notwithstanding any stipulation in the contract for increase in price on any other ground no such increase which takes place after the delivery date stipulated in the contract shall be admissible on such of the equipment as are delivered after the said date.
- d) The purchaser shall be entitled to the benefit of any decrease in price on account of deduction in statutory levies, GST and duties or on account of any other ground which takes place during the currency of the contract and/ or after the expiry of the delivery date stipulated in the contract.
- e) Deleted being N/A

10. Insurance:

- (i) Unless otherwise instructed, the supplier shall make arrangements for insuring the goods against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the following manner:
 - a) As the Agreement is a case of supply of domestic goods on Consignee site basis, the supplier shall be responsible till the entire stores contracted for arrival in good condition at destination. The transit risk in this respect shall be covered by the Supplier by getting the stores/goods duly insured for an amount equal to 110% of the value of the goods from ware house to ware house (consignee site) on all risk basis. The insurance cover shall be obtained by the Supplier and should be valid till 3 months after the receipt of goods by the Consignee.
 - b) Deleted being N/A
 - c) If the equipment is not commissioned and handed over to the consignee within 3 months, the insurance will be got extended by the supplier at their cost till the successful installation, testing, commissioning and handing over of the goods to the consignee. In case the delay in the installation and commissioning is due to handing over of the site to the supplier by the consignee without any reason, such extensions of the insurance will still be done by the supplier, but the insurance extension charges at actual will be reimbursed.

11. Spare Parts

Bidder should confirm adequate availability of spare parts and ensure it to make available to the purchaser as and when requirement is raised by the purchaser and after sales service in India for a period of **10 years** after the date of delivery of the stores.

12. Incidental services:

Subject to the stipulation, if any, in Schedule of Requirements (Section - V) and the Technical Specification (Section - VI), the supplier shall be required to perform the following services.

- i) Installation and Demonstration of the goods
- ii) On Site Training of Purchaser's Staff to start immediately but not later than 15 days after successful installation of the equipment.
- iv) Supplying required number of operation & maintenance manual for the goods as may be updated from time to time.
- v) Providing comprehensive maintenance

13. Dispatch Documents for Goods:

The supplier shall send all the relevant dispatch documents well in time to the purchaser/consignee to enable the purchaser/consignee clear or receive (as the case may be) the goods in terms of the contract. Unless otherwise specified in the SCC, the usual documents involved and the drill to be followed in general for this purpose are as follows:-

- a) For Domestic Goods, including goods already imported by the supplier under its own arrangement. Within 24 hours of dispatch, the supplier shall notify the purchaser, consignee, and other concerned if mentioned in the contract, the complete details of dispatch and also supply the following documents to them by e-mail/speed post (or as instructed in the contract):
 - 1) Four copies of supplier's invoice showing contract number, goods description, quantity, unit price and total amount;
 - 2) Consignee Receipt Certificate as per Section VIII C in original issued by the authorised representative of the consignee.
 - 3) Two copies of packing list identifying contents of each package;
 - 4) Inspection certificate issued by the designated inspection agency, if any
 - 5) Certificate of origin;
 - 6) Insurance Certificate as per GCC Clause.
 - 7) Manufacturers/Supplier's warranty certificate & In-house inspection certificate.
- b) For Goods imported from abroad: Deleted- N/A

14. Warranty

(i) The supplier warrants comprehensively that the goods supplied under the contract is/are new, unused and incorporate all recent/latest improvements in design and materials unless prescribed otherwise by the Purchaser in the contract. The supplier further warrants that the goods supplied under the contract shall have no defect arising from design, materials or workmanship or from any act or omission of the supplier that

may develop under normal use of the supplied goods under the conditions prevailing in India.

- (ii) The warranty shall remain valid for 1 year from the date of installation, commissioning and acceptance. If, Comprehensive Annual Maintenance Contract (CAMC) is required to be done as per contract, it shall be for a period of 1+2= 3years for all the equipment after the goods or any portion thereof, as the case may be, have been delivered to the final destination and installed and commissioned at the final destination and accepted by the purchaser/consignee in terms of the contract. The supplier shall promptly repair or replace the defective goods or parts thereof, free of cost, at the ultimate destination. The supplier shall take over the replaced parts/goods after providing their replacements and no claim, whatsoever shall lie on the Purchaser for such replaced parts/goods thereafter on any account whatsoever.
- (iii)If the supplier, having been notified, fails to rectify/replace the defect(s) promptly, the Purchaser may proceed to take such remedial action(s) as deemed fit by the purchaser, at the risk and expense of the supplier and without prejudice to other contractual rights and remedies, which the Purchaser may have against the supplier.
- (iv)Supplier shall carry sufficient inventories at site to assure ex-stock supply of consumable spares for the goods so that the same are supplied to the Purchaser promptly on receipt of order from the purchaser.
- (v) The purchaser/consignee reserves the rights to enter into Comprehensive Annual Maintenance Contract between Consignee and the Supplier for the period as mentioned in Section VIII (A) (II). Technical specification after the completion of warranty period.
- (vi)The supplier and the CAMC provider shall ensure continued supply of the spare part for the machines and equipment supplied by them to the purchaser for **three** years including warranty period.
- (vii) An UPTIME warranty of 95% during the warranty should be provided. Down time above 5% per year will extend the warranty period by double the down time period.

15. Assignment

The supplier shall not assign, either in whole or in part, its contractual duties, responsibilities and obligation to perform the contract, except with the Purchaser's prior written permission.

16. Prices

Prices to be charged by the supplier for supply of goods in terms of the contract shall not vary from the corresponding prices quoted by the supplier in its Bid and incorporated in the contract.

17. Taxes and Duties.

Supplier shall be entirely responsible for all taxes, duties, levies etc. incurred until delivery of the contracted goods to the purchaser. Only statutory variations on finished product if stipulated in Contract shall be allowed to the extent of actual payment by the Supplier. Local Duties& Terminal Taxes etc.:

Normally, goods to be supplied to government departments against government contracts are exempted from levy of town duty, terminal tax and other levies of local bodies. However, on some occasions, the local bodies (like town body, municipal body etc.) as per their regulations allow such exemptions only on production of certificate to this effect from the concerned government department. Keeping this in view, the supplier shall ensure that the stores to be supplied by the supplier against the contract placed by the Purchaser are exempted from levy of any such duty or tax and, wherever necessary, obtain the exemption certificate from the purchaser. However, if a local body still insists upon payment of such local duties and taxes, the same should be paid by the supplier to the local body to avoid delay in supplies and possible demurrage/detention charges and obtain a receipt for the same. The purchaser shall in no event be liable for any detention/demurrage charges. The supplier should forward the receipt obtained for such payment to the Purchaser to enable the Purchaser reimburse the supplier and take other necessary action in the matter.

18. Terms and Mode of Payment

(i) Payment Terms

Payment shall be made subject to recoveries, if any, by way of liquidated damages or any other charges as per terms & conditions of contract in the following manner:

<u>Payment shall be made in Indian Rupees as specified in the contract in the following manner:</u>

Hundred percent (100%) payment of the contract price subject to recoveries / liquidated damages/shortages etc., if any, shall be paid on receipt and inspection of goods in good condition (including installation & commissioning) and upon submission of the following documents:

- (i) Suppliers certificate that the amount shown in the invoice are correct in terms of the contract and that all terms and conditions of the contract have been complied with.
- (ii) Four copies of Supplier's invoice showing contract number, goods description, quantity, unit price and total amount;
- (iii) Acceptance Certificate, as per Section VIII (C) in original issued by the authorized representative of the consignee;
- (iv) Two copies of Packing list identifying contents of each package;
- (v) Inspection Certificate issued by the nominated inspection agency, if any.
- (vi) Insurance certificate as per GCC Clause 10.
- (vii) Certificate of origin

a) Payment for Imported Goods on DDP terms: Deleted- NA

(ii) Payment for Comprehensive Annual Maintenance Contract Charges:

The Purchaser/Consignee will enter into Comprehensive Maintenance Contract with the supplier at the rates as stipulated in the Contract. The payment of CAMC charges will be made on quarterly basis after satisfactory completion of said period, duly certified by the consignee. An UPTIME warranty of 95% during the CAMC should be provided. Down time above 5% per year will extend the warranty period and CAMC period by double the down time period. The Supplier will provide at-least quarterly pre-maintenance services in the year in addition to attending to the emergency breakdown calls during the CAMC period.

The Service Provider shall attend the complaint within 24 hours failing which penal provisions under the contract shall be invoked.

- (i) The supplier shall not claim any interest on payments under the contract.
- (ii) Where there is a statutory requirement for tax deduction at source, such deduction towards income tax and other taxes as applicable will be made from the bills payable to the Supplier at rates as notified from time to time.
- (iii) The payment shall be made in INR only.
- (iv) While claiming payment, the supplier is also to certify in the bill that the payment being claimed is strictly in terms of the contract and all the obligations on the part of supplier for claiming that payment has been fulfilled as required under the contract.
- (v) While claiming reimbursement of taxes etc. From the purchaser/consignee, as and if permitted under the contract, the supplier shall also certify that, in case it gets any refund out of such taxes and duties from the concerned authorities at a later date, if (the supplier) shall refund to the Purchaser/Consignee forthwith.
- (vi) The supplier shall send its claim for payment in writing, when contractually due, along with relevant documents etc., duly signed with date, to the Purchaser.
- (vii) All payments in Indian Rupee will be made through National Electronic Fund Transfer (NEFT)/RTGS systems as per the NEFT Mandate From attached as per Section-IV (F).
- (viii) Deleted being N/A

19. Delay in the supplier's performance.

- (i) The supplier shall deliver the goods and perform the services under the contract within the time schedule specified by the Purchaser as incorporated in the contract. The time for and the date of delivery of the goods stipulated in the schedule shall be deemed to be of the essence of the contract and the delivery must be completed not later than the date (s) as specified in the contract.
- (ii) In cases where Delivery Period is linked with date of opening of Letter of Credit, and in case the Letter of Credit is amended to make Letter of Credit as per contract, then in such cases the Delivery Period will be calculated from the date of amendment of Letter of Credit.

- (iii)Subject to the provision of Force Majeure under GCC clause 24, any delay by the supplier in maintaining its contractual obligations towards delivery of goods and performance of services shall render the supplier liable to any or all of the following actions:
- (iv) (i) Imposition of Liquidated Damages,
 - (ii) Forfeiture of its Performance Security and
 - (iii) Termination of the Contract for default.
- (v) If at any time during the currency of the contract, the supplier encounters conditions hindering timely delivery of the goods and performance of services, the supplier shall promptly inform the Purchaser in writing about the same and its likely duration and make a request to the Purchaser for extension of the delivery schedule accordingly. On receiving the supplier's communication, the Purchaser shall examine the situation as soon as possible and at its own discretion, may agree to extend the delivery schedule, with or without liquidated damages for completion of supplier's contractual obligations by issuing an amendment to the contract.
- (vi)In case, Performa Invoice submitted by supplier is found to be deficient, because of which purchaser is unable to open the letter of credit, delay shall be to the account of supplier & purchaser shall deduct liquidated damages as per clause 20 of General Condition of Contract.
- (vii) When the period of delivery is extended due to unexcused delay by the supplier, the amendment letter extending the delivery period shall, inter-alia contains the following conditions:
 - (a) The Purchaser shall recover from the supplier, under the provisions of the clause 20 of the General Conditions of Contract, liquidated damages on the goods and services, which the Supplier has failed to deliver within the delivery period stipulated in the contract.
 - (b) That no increase in price on account of any ground, whatsoever, including any stipulation in the contract for increase in price on any other ground and, also including statutory increase in or fresh imposition of Goods and Service Tax and Works Contract Tax or on account of any other tax or duty/levy which may be levied in respect of the goods and services specified in the contract, which takes place after the date of delivery stipulated in the contract shall be admissible on such of the said goods and services as are delivered and performed after the date of the delivery stipulated in the contract.
 - (c) But nevertheless, the Purchaser shall be entitled to the benefit of any decrease in price on account of reduction in or remission of Goods and Service Tax and Works Contract Tax or any other duty or tax or levy or on account of any other grounds, which takes place after the expiry of the date of delivery stipulated in the contract.
- (viii) The supplier shall not dispatch the goods after expiry of the delivery period. The supplier is required to apply to the Purchaser for extension of delivery period and obtain the same before dispatch. In case the supplier dispatches the goods without obtaining an extension, it would be doing so at its own risk and no claim for payment for such supply and / or any other expense related to such supply shall lie against the purchaser.

(ix)Passing of Property

- a) The property in the goods shall not pass to the purchaser unless and until the goods have been delivered to the consignee and thereafter inspected and accepted in accordance with the conditions of the contract.
- b) Where there is a contract for sale of specific goods and the supplier is bound to do something to the goods for the purpose of putting them into a deliverable state the property does not pass until such thing is done.
- c) Unless otherwise agreed, the goods remain at supplier's risk until the property therein is transferred to the purchaser.

20. Liquidated damages

- (i) Subject to the provision of Force MajeureunderGCCclause24, if the supplier fails to deliver any or all of the goods or fails to perform the services within the time frame(s) incorporated in the contract, the Purchaser shall, without prejudice to other rights and remedies available to the Purchaser under the contract, deduct from the contract price, as liquidated damages, a sum equivalent to 0.5% per week of delay or part thereof on delayed supply of goods and/or services until actual delivery or performance subject to a maximum of 10% of the contract price. Once the maximum is reached purchaser/consignee may consider termination of the contract as per 21 of GCC and initiate remedies available under law for the loss and damage caused to the purchaser.
- (ii) In the event of delay in submission of proforma Invoice, the delay shall be to the account of supplier & Purchaser shall deduct Liquidated damages as per Clause 20 of General Condition of Contract. Proforma Invoice should be strictly as per the terms &conditions mentioned in Notification of Award/Tender Conditions.
- (iii) Proforma Invoice submitted by supplier is found to be deficient, because of which purchaser is unable to open the letter of credit, delay shall be to the account of supplier & purchaser shall deduct liquidated damages as per clause 20 of GCC.

21. Termination for default

- (i) The purchaser, without prejudice to any other contractual rights and remedies available to it (the purchaser), may, by written notice of default sent to the supplier, terminate the contract in whole or in part, if the supplier fails to deliver any or all of the goods or fails to perform any other contractual obligation(s) within the time period specified in the contract, or within any extension thereof granted by the Purchaser.
- (ii) In the event of Purchaser/Consignee terminating the contract in whole or in part, pursuant to GCC sub clause 21 above, the Purchaser/Consignee may procure goods and / or services similar to those cancelled with such terms and conditions and in such manner as it deems fit and the supplier shall be liable to the Purchaser/Consignee for the extra expenditure and costs, if any incurred by the purchaser/consignee for arranging such procurement.
- (iii)Unless otherwise instructed by the purchaser, the supplier shall continue to perform the contract to the extent not terminated.

22. Notice

- (i) Notice, if any, relating to the contract given by one party to the other, shall be sent in writing or by e-mail/speed post and confirmed in writing. The procedure will also provide the sender of the notice, the proof of receipt of the notice by the receiver. The addresses of the parties for exchanging such notices will be the addresses as incorporated in the contract.
- (ii) The effective date of a notice shall be either the date when delivered to the recipient or the effective date specifically mentioned in the notice, whichever is later.

23. Termination for insolvency

If the supplier becomes bankrupt or otherwise insolvent, the Purchaser reserves the right to terminate the contract at any time, by serving written notice to the supplier without any compensation, whatsoever, to the supplier, subject to further condition that such termination will not prejudice or affect the rights and remedies which have accrued and / or will accrue thereafter to the purchaser.

24. Force Majeure

- (i) The supplier shall not be liable for imposition of any such sanction so long the delay and/or failure of the supplier in fulfilling its obligations under the contract is the result of an event of Force Majeure.
- (ii) For purposes of this clause, Force Majeure means an event beyond the control of the supplier and not involving the supplier's fault or negligence and which is not foreseeable and not brought about at the instance of , the party claiming to be affected by such event and which has caused the non performance or delay in performance. Such events may include, but are not restricted to, acts of the Purchaser either in its sovereign or contractual capacity, wars or revolutions, hostility, acts of public enemy, civil commotion, sabotage, fires, floods, explosions, epidemics, pandemics, quarantine restrictions, strikes excluding by its employees, lockouts excluding by its management, and freight embargoes.
- (iii)If a Force Majeure situation arises, the supplier shall promptly notify the Purchaser in writing of such conditions and the cause thereof within twenty-one days of occurrence of such event. Unless otherwise directed by the Purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.
- (iv) If the performance in whole or in part or any obligation under this contract is prevented or delayed by any reason of Force Majeure for a period exceeding sixty days, either party may at its option terminate the contract without any financial repercussion on either side.
- (v) In case due to a Force Majeure event the Purchaser is unable to fulfill its contractual commitment and responsibility, the Purchaser will notify the supplier accordingly and subsequent actions taken on similar lines described in above sub-paragraphs.

25. Termination for convenience

(i) The Purchaser reserves the right to terminate the contract, in whole or in part for its (purchaser's) convenience, by serving written notice on the supplier at any time during

the currency of the contract. The notice shall specify that the termination is for the convenience of the purchaser. The notice shall also indicate inter-alia, the extent to which the supplier's performance under the contract is terminated, and the date with effect from which such termination will become effective.

(ii) The goods and services which are complete and ready in terms of the contract for delivery and performance at the earliest but not later than three (03) days after the supplier's receipt of the notice of termination shall be accepted by the Purchaser following the contract terms, conditions and prices.

26. Fall Clause

- a) The Supplier undertakes that he has not supplied/is not supplying similar products/system or sub-systems to any department of Govt. of India i.e. Central Government/State Government, Statutory Undertakings of Central/State Governments/Local Bodies etc. and as well as to private purchaser, domestic or foreign at a price lower than that offered in the present bid.
- b) If it is found at any stage that similar product/systems or sub systems was supplied by the Supplier to any of the above Organizations as well as to private purchaser, domestic or foreign, at a lower price, then that very price, with due allowance for elapsed time, will be applicable to the present case and the difference in the cost would be refunded by the Supplier to the Purchaser, if the contract has already been concluded.

27. Withholding and lien in respect of sums claimed

Whenever any claim or claims for payment of a sum of money arises out of or under the contract against the Supplier/Contractor, the Purchaser shall be entitled to invoke the performance security or withhold and also have a lien to retain such sum or sums in whole or in part from the security, if any, deposited by the Supplier//Contractor and for the purpose aforesaid, the Purchase shall be entitled to withhold the said cash security deposit or the security, if any, furnished as the case may be and also have a lien over the same pending finalization or adjudication of any such claim. In the event of the security being insufficient to cover the claimed amount or amounts or if no security has been taken from the Contractor, the Purchaser shall be entitled to withhold and have lien to retain to the extent of the such claimed amount or amounts referred to supra, from any sum or sums found payable or which at any time thereafter may become payable to the Supplier under the same contract or any other contract with the Purchaser or the Government, pending finalization or adjudication of any such claim and that The Supplier/Contractor shall have no claim for interest or damages whatsoever on this account or on any other ground in respect of any sum of money withheld or retained under this clause and duly notified as such to the Contractor.

28. Resolution of disputes

- (i) If dispute or difference of any kind shall arise between the Purchaser and the supplier in connection with or relating to the contract, the parties shall make every effort to resolve the same amicably by mutual consultations.
- a) If the parties fail to resolve their dispute or difference by such mutual consultation within twenty-one days of its occurrence, then, either the Purchaser or the supplier may give notice to the other party of its intention to commence arbitration, as hereinafter provided the applicable arbitration procedure will be as per the Arbitration and Conciliation Act, 1996 of India. In the case of a dispute or difference arising between

the Purchaser and a Supplier relating to any matter arising out of or connected with the contract, such dispute or difference shall be referred to the sole arbitration to be appointed by the Director General (Sports Authority of India) in accordance with the provisions of the Arbitration and Conciliation Act, 1996 as amended in 2015. The award of the arbitrator will be final and binding upon the parties to the Contract. The procedure and fee of the arbitrators shall be in accordance with the prevalent procedure and policies of SAI.

- (ii) Venue of Arbitration: The venue of arbitration shall be the place from where the contract has been issued, i.e., Kolkata, West Bengal, India.
- (iii)The courts of Kolkata will have the exclusive jurisdiction to try the disputes.

29. Applicable Law

The contract shall be governed by and interpreted in accordance with the laws of India for the time being in force.

30. Additional Factors and Parameters for Evaluation and Ranking of Responsive Tenders:

The purchaser will take into account also the additional factors, if any, incorporated in tender document in the manner and to the extent indicated therein

- (i) Further to Section II- A (g) Scrutiny & Evaluation of Bids above, the purchaser's evaluation of a tender will include and take into account the following:
- (ii) In the case of goods manufactured in India or goods of foreign origin already located in India, Goods and Services Tax, Works Contract Tax etc which will be contractually payable (to the bidder), on the goods and services; and
- (iii)The Purchaser reserves the right to give the price preference / purchase preference as per the instruction in vogue while evaluating, comparing and ranking the responsive bids. The Bidders claiming the same should enclose the concerned Notification of Govt. of India along with other relevant documents so as to establish their claim for such preferences.
- (iv)All conditions as per <u>DPIIT order dated 16.09.2020</u> will be applicable and shall for all purposes be considered a part of the contract and the main points for participation are as defined below:

As per 3 (b) of this circular, only Class I Local Supplier & Class II Local Supplier will be eligible to bid in this IFB.

As defined in the order,

Class I Local Supplier means a supplier or service provider whose goods, services or works offered for procurement has local content equal to or more than 50% &

Class II Local Supplier means a supplier or service provider whose goods, services or works offered for procurement has local content more than 20% but less than 50%.

As per 9 (a) of the above order, the Class I & II local supplier are required to indicate percentage of local content and provide self-certification that the item offered meets the local

content requirement for Class I/II local supplier as the case may be. They shall also give details of locations at which the local value addition is made.

In case the procurement is above 10 cr. Certification as per 9(b) of the order will be applicable.

Purchase Preference as per 3(A) (b) of the above order:

- (i) If L1(Lowest Responsive Bidder) is Class I Local Supplier, the contact for full quantity will be awarded to L1.
- (ii) If L1 bid is not a 'Class-I local supplier', 50% of the order shall be awarded to L1. Thereafter, the lowest bidder among the Class-I local supplier will be invited to match the L1 price for remaining 50% quantity, subject to the Class -I local supplier's price falling within the margin of purchase preference (20%), and contract for that quantity will be awarded to such Class-I local supplier subject to matching the L1 price. In case such lowest eligible L1 Class -I local supplier fails to match the L1 price or accepts less than the offered quantity, the next higher Class -I local supplier within 20% of the L1 price will be invited to match the L1 price for remaining quantity and so on, and the contract will be awarded accordingly. In case some quantity is still left uncovered on Class-I local suppliers, then such balance quantity will also be ordered on the L1 bidder.
- (v) The condition of prior turnover and prior experience may be relaxed for Start-ups (Rule 173 (i) of GFR, 2017) (As defined by Department of Industrial Policy and Promotion) subject to meeting of quality and technical specification and making suitable provisions in the bidding document. The quality and technical parameters are not to be diluted.

31. Variation of Quantities at the Time of Award/ Currency of Contract

- 31.1 At the time of awarding the contract, the purchaser reserves the right to increase or decrease by up to twenty five (25) per cent, the quantity of goods and services mentioned in the schedule(s) in the "Supply Requirements" (rounded off to next whole number) without any change in the unit price and other terms & conditions quoted by the tenderer.
- 31.2 If the quantity has not been increased to the maximum of 25% of the tendered quantity at the time of awarding the contract, the purchaser reserves the right to increase the quantity further by up to the balance available twenty five (25) per cent of the tendered quantity of goods and services (rounded off to next whole number) without any change in the unit price and other terms & conditions mentioned in the contract during the currency of the contract.

SECTION – VIII (A) (I) CONTRACT AGREEMENT SPORTS AUTHORITY OF INDIA,

Contr	act 1	No_								Da	ited		
This No				inuatio			office's ted			of	Award	of	Contract
1.	Na	me &	& addr	ess of	the Sup	plier (h	older): _						
2.											d by the p		subsequent aser.
3.	Supplier's Bid No dated and subsequent communication(s No dated (if any), exchanged between the supplier and the												
4.	In the	addi doc d be	tion to ument read a	this Cas ment	ioned u	Form, nder pa	, the follo aragraphs ral part o	2 and 3					ncluded in led to form
rep	(i (ii (iv (v (v (v Some	i) So i) Te v) Bi) Pri i) M ii) P e te uced	chedulechnic d Fornce Schanufac urchas rms,	e of Re al Spec m furni nedule(seturers' ser's No condition w for re	Autho otifications, steady ref	ents; ons; othe su shed by rization on of A ipulation ference:	pplier; y the supp n Form (in Award of ons etc.	f application factoring fa	able for the abo	ove-	referred		ments are
(1)	, 1		_		e as un		una serv	ices wi	iicii siidi	ıı be	виррис	PI	ovided by
-	Sche N	dule					s Accou	_	Unit Price		Cerms of	deliv	ery
Any o	othe	r add	litiona	l servic	ces (if a	pplicab	ole) and c	ost ther	eof:				_ _
(iii) P (ii) D	rice etail	es: ls of	valid Perfo	rmanc	e Secu	rity:							
(vi) P	ayn	nent	terms	::									

(Signature, name and address

of the purchaser's authorized official)

For and on behalf of
Sports Authority of India

Received and accepted this Contract

[Signature with date, name and designation]

for and on behalf of Messrs

[Name & address of the manufacturers]

(Seal of the supplier)

Date:

Place:

SECTION – VIII (A) (II) CONTRACT AGREEMENT

SPORTS AUTHORITY OF INDIA

Annual CM	I Contract No.							d	ated
Between _		(Name	and	Add	ress c	of Pu	rchas	er)	
And	(Name and	Address of	the S	Suppl	lier)_				
Contract f		tallation, co							ntract No. & date of run, and training of
	ition to the abo								
The Contra	ct of Annual C	omprehensi	ve M	<u>lainte</u>	enanc enanc	e is h	ereb	y concluded	l as under:
1	2	3			<u>4</u>			5	6
Schedule No.	Brief Description of goods	Quantity (Nos.)	Con Ma Con Eac	inten ntrac	chensinance t C Unit Rupe	ost Y	for Year	Taxes (in Rupees.)	Total Annual Comprehensive Maintenance Contract Cost for 5 Years* {3
			a	В	c	D	E		
*illustration	n only (actual 1	no. Of years	for	whic	h CA	MC i	is to l	be got done	may be stipulated in
a) Tot	al value (in fig	ure)				(ir	ı wor	rds)	
i.e.		(date of				_	-	_	on under warranty on (date
pre- con quo	ventive mainto nplaints, labour	enance and and spares,	ons afte _yea	site r sati rs as	main sfacto	tenan	ice i ompl	n case of etion of wa	MC) which includes breakout or other tranty period may be referred contract on

d)	(days) basis, with penalty, to extend CAMC period by double the downtime period.
e)	During CAMC Period, the supplier shall visit at each consignee's site for preventive maintenance including testing and calibration as per the manufacture's service/technical/operational manual. The supplier shall visit each consignee site as recommended in the manufacturer's manual, but at least once inmonths commencing from the date of the successful completion of warranty period preventive maintenance of the goods.
f)	All software updates should be provided free of cost during CAMC.
g)	The bank guarantee valid till [(fill the date) 2 months after expiry of entire CAMC period] for an amount of Rs [(fill amount) equivalent to 2.5 % of the cost of the equipment as per contract] shall be furnished in the prescribed format given in Section of the TE document, along with the signed copy of Annual CAMC within a period of 15 (fifteen) days of issue of Annual CAMC failing which the proceeds of performance security shall be payable to the purchaser.
h)	If there is any lapse in the performance of the CAMC as per contract, a penalty of 0.25% of the amount of performance security per incidence/per day subject to a maximum of 10 incidents shall be imposed, failing which the purchases/consignee reserves the right to terminate the contract.
i)	Payment terms: The payment of Annual CAMC will be made against the bills raised to the consignee by the supplier on quarterly basis after satisfactory completion of said period, duly certified by the HOD concerned. The payment will be made in Indian Rupees.
	(Signature, name and address of the Purchaser) For and an babelf of Sports Authority of India
(Signa	For and on behalf of Sports Authority of India red and accepted this contract ture, name and address of the supplier's executive uthorized to sign on behalf of the supplier)
For an	d on behalf of and address of the supplier)
Date: _	of the supplier)

SECTION – VIII (B)

BANK GUARANTEE FORM FOR PERFORMANCE SECURITY/ CAMC SECURITY

To Regional Director (In-Charge), Sports Authority of India, Netaji Subhas Eastern Centre, Salt Lake City, Sector III, Kolkata – 700106 WHEREAS ______ (Name and address of the supplier) (Hereinaster called "the supplier") has undertaken, in pursuance of contract no______ dated_____ to supply (description of goods and services) (herein after called "the contract"). AND WHEREAS it has been stipulated by you in the said contract that the supplier shall furnish you with a bank guarantee by a scheduled commercial bank recognized by you for the sum specified therein as security for compliance with its obligations in accordance with the contract; AND WHEREAS we have agreed to give the supplier such a bank guarantee; NOW THEREFORE we hereby affirm that we are guarantors and responsible to you, on behalf of the supplier, up to a total of. _____ (Amount of the guarantee in words and figures), and we undertake to pay you, upon your first written demand declaring the supplier to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein. We hereby waive the necessity of your demanding the said debt from the supplier before presenting us with the demand. We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and the supplier shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification. This guarantee shall be valid up to sixty days beyond the date of expiry of period of

CAMC.

(Signature with date of the authorized officer of the				
Bank)				
Name and designation of the				
officer				
Seal, name & address of the Bank and address of the				
Branch				

SECTION – VIII (C)

INSPECTION & ACCEPTANCE CERTIFICATE

Certified that the following store(s) has/have been received in full & good condition as per the terms & conditions of Supply Order and Contract specifications and Terms & Conditions:

1)	Contract No. & Date	:		
2)	Name and Address of Purchaser	:		
3)	Supply order No. and Date	:		
4)	Supplier's Name & Address	:		
5)	Consignee	:		
6)	Description of the item supplied	:		
7)	Quantity Supplied	<u>:</u>		
8)	Stock Entry Reference at Consigne	ee Stock Register	<u>:</u>	
9)	Delivery date-(As per supply order	r) :		
10)		:		
11)	Date of actual Receipt of goods by	the Consignee	:	
12)	Delay in supplies beyond original	delivery date(sl.1	no.8-refers):
13)	Damages/Shortages/recoveries for l	late supplies etc.,	if any :_	
13)	Remarks, if any	:		
() ()	()
	g: ,	CT	0 4	C M 1
	Signatu	res of Inspection	& Accepta	nce Committee Members
		C	ounter sigr	ned by Head of the Centre
			Ι	Date:
				Place:
				(Seal)

SECTION – VIII (D) CHECKLIST

Name of the Bidder:

Name of the Manufacturer

S1.	Activity	Yes/No/NA	Page No. in the TE	Remarks
N	Activity	105/110/11/A	Document	Kemarks
O.			Document	
1.a	Have you enclosed Bid Securing declaration as per			
1.a	Section IV (D).			
1				
1.	Self-certification that the item offered meets the local			
b.	content requirement for Class I/II local supplier as the			
	case may be along with details of locations at which			
	the local value addition is made.			
	Approximate percentage of local content may be			
	clearly mentioned for each item.			
1.c	Declaration as per New GFR Clause, 144 (ix) 'I have			
	read the clause regarding restrictions on procurement			
	from a bidder of a country which shares a land border			
	with India; I certify that this bidder is not from such a			
	country or, if from such a country, has been registered			
	with the Competent Authority. I hereby certify that			
	this bidder fulfils all requirements in this regard and is			
	eligible to be considered. [Where applicable, evidence			
	of valid registration by the Competent Authority shall			
	be attached.]"			
2.a	Have you enclosed duly filled Tender Form as per			
	format in Section IV (A)?			
2.	Have you enclosed power of attorney/board resolution			
b.	in favor of signatory?			
3.	Are you a SSI/MSE unit, if yes, have you enclosed			
	certificate of registration issued by Directorate of			
	Industries/NSIC/relevant authority?			
4.a	Have you enclosed clause-by-clause technical			
1.4	compliance statement for the quoted goods vis-à-vis			
	the Technical specification?			
	Against each item Make and Model of the quoted			
	item and Compliance to the tender specifications			
	needs to be submitted			
4.	In case of Technical deviations in the compliance			
_	statement, have you identified and marked the			
b.	deviation?			
	deviation:			
C.	Hore you submitted actisfactors and			
5.a	Have you submitted satisfactory performance			
	certificate/ installation Reports as per the proforma for			
	performance statement in Section III (B) of TE			
<u> </u>	document in respect of all orders?			
b.	Have you submitted copy of the order (s) and end user			
	certificate/installation Reports?			
6.	Have you submitted manufacturer's authorization as			
	per Section IV (E)?			
7.	Have you submitted prices of goods, CAMC etc. in			
	the price schedule as per Section IV (C)?			
			·	•

8.	Have you kept validity of days from the Techno	
0.	· · · · · · · · · · · · · · · · · · ·	
	Commercial Tender Opening date as per the TE	
	Document?	
9.a	Have you submitted self-attested PAN card and GST	
	registration certificate?	
10	Have you intimated the name and full address of your	
	Banker (s) along with your account Number as per	
	Section IV (F)	
11	Have you fully accepted payment terms as per TE	
	document? (Attach Self Declaration)	
12	Have you fully accepted delivery period as per TE	
	Document? (Attach Self Declaration)	
13	Have you submitted the certificate of incorporation?	
14	Have you accepted the warranty as per TE Document?	
	(Attach Self Declaration)	
15	Have you accepted terms and conditions of TE	
	document and signed and stamped all the pages?	
16	Have you furnished documents establishing your	
	eligibility &qualification criteria as per the TE	
	document?[As mentioned in Section III(A)]	
17	Have you enclosed the Affidavit as per Section IV (J)	
	of the TE Document?	

N.B

- 1. All pages of the Tender should be page numbered and indexed.
- 2. The tenderer may go through the checklist and ensure that all the documents/confirmations listed above are enclosed in the tender and no column is left blank. If any column is not applicable, it may fill up as NA.
- 3. It is responsibility of tendered to go through the TE document to ensure furnishing all required documents in addition to above, if any.

(Signature with date)

(Full name, designation & address of the person duly authorized sign on behalf of the tenderer)

For and on behalf of

(Name, address and stamp of the tendering firm)

SECTION – VIII (E) CONSIGNEE LIST

SN	CENTRE / CONSIGNEE	ADDRESS : Details of delivery Location
1	NSEC KOLKATA	The Regional Director (In-Charge), Sports Authority of India, Netaji Subhas Eastern Centre, Salt Lake City, Sector III, Kolkata - 700106.
2	STC AGARTALA	Sh. Ravinder Dev, Centre-In-charge, SAI Sports training centre, Dashrath Deb State Sports Complex ,Badharghat , Agartala , Tripura (W), Landmark: Sri nagar Kaali baadi, District: West Tripura 799003, incharge.sagagt@gmail.com Contact No: 0381-237-4367, 9774573758
3	STC CUTTACK	Sh. Srikant Kumar Nayak, Centre-In-charge, STC CUTTACK, Sports Training Centre, Barabati Stadium, CUTTACK, Odisha 753001, saistccuttack@gmail.com Contact No: 8895124984, 06712953829
4	STC HAZARIBAGH	Sh. Santanu Majumder, Centre-In-charge, STC Hazaribag, Sports Training Centre, Sports Authority of India, Padma Hazaribag, Jharkhand Near Padma police training center, Hazaribag, Jharkhand, 825411 saistcpadmahazaribag@gmail.com, Contact No: 8136035718
5	STC JALPAIGURI	Sh. Wasim Ahmad, Centre-In-charge, SAI Sports Training Centre, Sports Complex, Raikat Para Jalpaiguri, West Bengal 735101, stcslg@gmail.com Contact No: 9434426611, 03561-222188

6	STC PATNA	Sh. Om prakash Makhania, Centre-In-charge, SAI STC PATNA BIHAR, Swarna Jayati Khel CHHATRAWAS, Moinul Haque Stadium Rajendra Nagar Patna, Patna, Bihar 800016, saistcpatna@gmail.com Contact No: 9010007553, 06122691878
7	STC RANCHI	Sh. Binod Kumar Singh, Centre-In-charge, STC RANCHI, Shahid Birsa Munda Football Stadium, Gate no 16, Morhabadi, Ranchi 834008, saisagrnc@gmail.com, Contact No: 9801659145, 0651-2552590
8	STC SUNDERGARH	Sh. Abraham Kispotta, Centre-In-charge, STC Sundergarh, Bhawanipur Sports Complex, Sankra, Sundergarh, Odisha 770020 raoumaprasad@gmail.com Contact No: 06622 273885, 9777712716

N.B:- The purchaser/consignee will ensure timely issue of CDEC, Road Permits & Entry Tax Exemption Certificates, **wherever applicable to the suppliers**.