SPORTS AUTHORITY OF INDIA NETAJ I SUBHAS EASTERN CENTRE,

Sector - III, Salt Lake City, Kolkata, West Bengal - 700106 Telephone:+91-033-23350277

Website:

http://sports authority of india.nic. in/&www.eprocure.gov. in/epublish/app E-mail: rckolkata-sai@nic. in

Bidding Document

for

Procurement of -Gymnova-Make Gymnastics Consumable Equipment for NCOE Kolkata under Sports Authority of India

Ref: 23-12002/4/2023-RC Kolkata - NCOE Division

Receipt of Bids:	The bids from the bidder should be in English and should
	consist of the documents stated below in Clause 6.1 and are to be submitted in password protected compressed folders at
	rckolkata-sai@nic.in

Closing date & time for receipt of Bid	05:00 PM on 22 nd May, 2024
Place of receipt of Bid	SAI NSEC Kolkata, Salt Lake City, Kolkata – 700 106
Time and date of opening of Bid	10:00 AM on 23rd May, 2024

INDEX

C	U.	N	$\Gamma \mathbf{E}$	N	ΓS

SECTION-I- INVITATION FOR BID (IFB)	3
PART-1 - BIDDING PROCEDURE	4
SECTION - II - INSTRUCTIONS TO BIDDERS (ITB)	5
SECTION– III -QUALIFICATION CRITERIA	13
SECTION – IV-(A) BID SUBMISSION FORM	14
SECTION – IV -(B) PRICE SCHEDULE	15
(I) PRICE SCHEDULE FOR GOODS AVAILABLE IN INDIA IN RUPEES	15
(II) PRICE SCHEDULE FOR GOODS TO BE IMPORTED FROM ABROAD	16
(III) PRICE SCHEDULE FOR COMPREHENSIVE ANNUAL MAINTENANCE(CAMC)	17
SECTION – IV-(C)- BID SECURING DECLARATION FORM	18
SECTION –IV-(D) -MANUFACTURER'S AUTHORISATION FORM	19
SECTION – IV-(E)- NEFT MANDATE FORM	20
SECTION – V- SCHEDULE OF REQUIREMENTS	22
SECTION – VI- TECHNICAL SPECIFICATIONS	24
PART-3- CONTRACT	26
SECTION – VII- GENERAL CONDITIONS OF CONTRACT (GCC)	27
SECTION – VIII (A)-(I)- CONTRACT AGREEMENT	38
SECTION – VIII (A)- (II)- CONTRACT AGREEMENT SPORTS AUTHORITY OFINDIA	39
SECTION – VIII- (B)-BANK GUARANTEE FORM FOR PERFORMANCE	41
SECTION – VIII- (C) - INSPECTION & ACCEPTANCE CERTIFICATE	42

SECTION-I- INVITATION FOR BID (IFB)

SPORTS AUTHORITY OF INDIANETAJISUBHASEASTERNC ENTRE,

Sector - III, Salt Lake City, Kolkata, West Bengal - 700106 Telephone: +91-033-23350277

Website:

http://sportsauthorityofindia.nic.in/&www.eprocure.gov.in/epublish/appE-mail: rckolkata-sai@nic.in

Bid Reference: 23-12002/4/2023-RC Kolkata - NCOE Division

INVITATION FOR BID (IFB)

1. Sports Authority of India, NSEC, Kolkata, for and on behalf of the Executive Director, Sports Authority of India, NSEC, Kolkata invites sealed Bid for supply of following Goods:

S.	Name of Equipment/Items	Amount of Bid Security/EMD in
No.		Rs. (or equivalent Foreign
		Currencies)
1	High/Horizontal Bar Safety Pad	Replaced with Bid securing
2	Balancing Beam Safety Pad	Declaration as per Annexure IV (C)
3	Vault Table Hand Placement Mat	in line with Ministry of Finance,
4	Vaulting Table Safety Collar	Department of Expenditure O.M.
5	Parallel Bar Safety Pads	dated 12th November, 2020
6	Spring Board Hard	
7	Spring Board Soft	
8	Pommel Horse Handles	
9	Parallel Bar Rails	
10	Uneven Bar Rails	

- 2. The sealed bid may be submitted to Executive Director, Sports Authority of India, Sector III, Salt Lake City, Kolkata 700106 (India) on or 05:00 PM on 22rd May 2024) on mail id: rckolkatasai@nic.in
- 3. The Bid will be opened on 10:00 AM on 23rd May 2024
- 4. In the event of any of the above-mentioned dates being declared as a holiday / closed day for the purchase organisation, the Bids will be sold/received/opened on the next working day at the appointed time.
- 5. The Bidding Documents are not transferable.

Executive Director (SAI NSEC Kolkata)

To:-

M/s Gymnova 45 rue Gaston de Flotte 13375 Marseille Cedex 12 - France

PART-1 - BIDDING PROCEDURE

SECTION - II - INSTRUCTIONS TO BIDDERS (ITB)

SECTION	- II - INSTRUCTIONS TO BIDDERS (ITB)	5
1.	Introduction	6
2.	Language of Bid	6
3.	Content of Bidding Documents	6
4.	Amendments to Bidding Documents	6
5.	Clarification of Bidding Documents	6
6.	Documents Comprising the Bid	6
7.	Bid Currencies	7
8.	Bid Prices	7
9.	Firm Price	9
10.	Alternative Bid-NA	9
11.	Documents Establishing Bidder's Eligibility and Qualifications	9
12.	Bid Security	9
13.	Bid Validity	9
14.	Signing and Sealing of Bid	10
15.	Submission of Bid	10
16.	Late Bid: Not Applicable.	10
17.	Opening of Bids	10
18.	Preliminary Scrutiny of Bid	10
19.	Qualification Criteria – "Deleted"	11
20.	Conversion of Bid currencies to Indian Rupees	11
21.	Evaluation for total requirement	11
22.	Comparison of Bids and Award Criteria "NOT APPLICABLE"	11
23.	Purchaser's Right to accept any Bid and to reject any or all Bids	11
24.	Variation of Quantities at the Time of Award/ Currency of Contract	11
25.	Notification of Award	11
26.	Issue of Contract	11
27.	Non-receipt of Performance Security and Contract by the Purchaser	12
28.	Corrupt or Fraudulent Practices	12

SECTION - II

INSTRUCTIONS TO BIDDER (ITB)

A. PREAMBLE

1. Introduction

- 1.1. The Purchaser/SAI has issued these Bidding Documents for purchase of goods and related services as mentioned in Section V "Schedule of Requirements", which also indicates, interalia, the required delivery schedule, terms and place of delivery.
- 1.2. This section (Section II "Instruction to Bidder") provides the relevant information as well as instructions to assist the prospective Bidder in preparation and submission of Bids. It also includes the mode and procedure to be adopted by the Purchaser for receipt and opening as well as scrutiny and evaluation of Bid and subsequent placement of contract.
- 1.3. Before formulating the Bid and submitting the same to the purchaser, the Bidder should read and examine all the terms, conditions, instructions etc. contained in the Bidding Documents. Failure to provide and/or comply with the required information, instructions etc. incorporated in these Bidding Documents may result in rejection of its Bid.

2. Language of Bid

2.1. The Bid submitted by the Bidder and all subsequent correspondence and documents relating to the Bid exchanged between the Bidder and the purchaser, shall be written in the English language. However, the language of any printed literature furnished by the Bidder in connection with its Bid may be written in any other language provided the same is accompanied by an English translation and, for purposes of interpretation of the Bid, the English translation shall prevail.

B. BIDDING DOCUMENTS

3. Content of Bidding Documents

- 3.1. In addition to Section I "Invitation for Bid" (IFB), the Bidding Documents include:
 - > Section II Instructions to Bidders (ITB)
 - ➤ Section III NA
 - ➤ Section IV Bidding Form
 - > Section V Schedule of Requirements (SOR)
 - ➤ Section VI Technical Specifications
 - > Section VII General Conditions of Contract (GCC)
 - ➤ Section VIII Contract Forms

4. Amendments to Bidding Documents

4.1. At any time prior to the deadline for submission of Bid, the Purchaser may, for any reason deemed fit, modify the Bidding Documents by issuing suitable amendment(s) to it.

5. Clarification of Bidding Documents

5.1. A Bidder requiring any clarification or elucidation on any issue of the Bidding Documents may take up the same with the Purchaser in writing. The Purchaser will respond in writing to such request provided the same is received by the Purchaser not later than fifteen days prior to the prescribed original date of submission of Bid.

C. PREPARATION OF BIDS

6. Documents Comprising the Bid

6.1. The Bid is being invited on Single Bid System with both Technical & Financial Bid to be opened together for evaluation of technically & commercial responsiveness of the offer. Bid shall comprise the following:

Technical Bid:

- a) Scanned copy of Bid Securing Declaration as per Section IV (C).
- b) Scanned copy of Bid Submission Form as per section IV (A) and Power of Attorney in favour of signatory of Bidding Documents.
- c) Bidder/ Agent who quotes for goods manufactured by other manufacturer shall furnish scanned copy of Manufacturer's Authorisation Form from manufacturer/authorised distributor of quoted goods, as per Section IV (D) (copy of authorisation to be enclosed).
- d) Scanned copy of Technical Specifications of quoted goods along with relevant documents like Technical Data, Literature, Corrigendum Drawing etc. and clause-by-clause commentary on the technical specifications the Bid Document (Section-VI) vis-a-vis of quoted goods, clearly stating compliance or any variation.
- e) Scanned copy of Pan and TAN Registration No.
- f) Scanned copy of GST Registration No.
- g) Scanned copy of Income Tax Return for the last three years.
- h) Scanned copy of Certificate/Undertaking indicating that the rates quoted for supply of said Items/Items by the firm are not higher than the rate of the item supplied by the firm in any other Government Organisation/Institutions/PSU etc.
- i) The bidder should not have been black-listed by Central/ State Governments/ PSUs at any point of time. There should not be any criminal proceedings/conviction against the bidder at any point of time any other information considered necessary but not included above.
- j) Scanned copy of National Electronic Fund transfer (NEFT) Form as per Section IV (E) for payment in Indian Rupee, if applicable.
- k) Price Schedule(s) as per Form in Section-IV (B) filled up with all the details including Make, Model etc. of the goods offered.
- Declaration as per New GFR Clause, 144 (xi) 'I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; I certify that this bidder is not from such a country or, if from such a country, has been registered with the Competent Authority. I hereby certify that this bidder fulfils all requirements in this regard and is eligible to be considered. [Where applicable, evidence of valid registration by the Competent Authority shall be attached.]"
- m) Proforma invoice from OEM with price.
- 6.2. It is the responsibility of Bidder to go through the Bidding Document to ensure furnishing of all required documents in addition to above, if any.
- 6.3. All pages of the Bid should be page numbered and indexed.
- 6.4. The authorized signatory of the Bidder must sign the Bid duly stamped at appropriate places and initial all the remaining pages of the Bid.
- 6.5. A Bidder, who does not fulfil any of the above requirements and/or gives evasive information/reply against any such requirement, shall be liable to be ignored and rejected.

7. Bid Currencies

- 7.1. The Bidder supplying indigenous goods or already imported goods shall quote only in Indian Rupees.
- 7.2. For goods offered from abroad, prices shall be quoted in any freely convertible currency say US Dollar, Euro, GBP, Yen etc. As regards price(s) for allied services, if any required with the goods, the same shall be quoted in Indian Rupees, only if such services are to be performed /undertaken in India. Commission for Indian Agent, if any and if payable shall be indicated in the space provided for in the Price Schedule and will be payable in Indian Rupees only.

8. Bid Prices

8.1. The Bidder shall indicate on the Price Schedule provided under Section IV (B) all the specified components of prices shown therein. All the columns shown in the price schedule should be filled up as required. If any column does not apply to a Bidder, same should be clarified as "NA" (means Not Applicable) by the Bidder.

- 8.2. The bidder shall be required to quote for all items along with quantity indicated in the Schedule.
- 8.3. The quoted prices for goods offered for domestic goods or goods of foreign origin located within India shall be quoted in the Price Schedule given under Section IV (B) (I). The quoted prices for goods to be imported from abroad, shall be quoted in the Price Schedule given under Section IV (B) (II).
- 8.4. While filling up the columns of the Price Schedule, the following aspects should be noted for compliance:
 - 8.4.1. For domestic goods or goods of foreign origin located within India, the prices under column 5 in the corresponding Price Schedule in at section IV (B) (I) shall be entered separately in the following manner:

Column 5(a): The price of the goods, quoted ex-factory/ ex-showroom/ ex-warehouse/ off-the-shelf, as applicable, including all taxes and duties like GST CENVAT, Custom Duty, Excise Duty etc. already paid or payable on the components and raw material used in the manufacture or assembly of the goods quoted ex-factory etc. or on the previously imported goods of foreign origin quoted ex-showroom etc;

Column 5(b &c): Any GST (% and corresponding value), which will be payable on the goods in India if the contract is awarded;

- Column 5(d): Sum of the above two (5 (a)+5(c)) and will be the onsite price of the item(s) quoted.
 - 8.4.2. For goods offered from abroad, the prices in the corresponding Price Schedule (IV (B) (II)) shall be entered separately in the following manner:
- Column (e): The price of goods quoted FOB/FCA at port/airport of loading as indicated in the Schedule of Requirements. (inclusive of Indian agency Commission)
- Column (f): The price for Freight, Insurance, etc. till named port of destination for goods quoted indicated in the Schedule of Requirements.
- Column (g): The CIP price of goods quoted CIP at port/airport of entry in India as indicated in the Schedule of Requirements and Price Schedule;
- Column (h): The charges for Custom clearance and handling; (Custom duty will be exempted as mentioned above)
- Column (i): The charges for Loading/Unloading, Inland transportation, Insurance and other local costs, Incidental cost to delivery of the goods from the port of entry in India to Purchaser Site, as specified in the Schedule of Requirements and Price Schedule;
- Column (1): IGST % as applicable as for quoted Item during Custom clearance as per HSN code of the item.

The Customs Duty Exemption Certificate (CDEC) for imported sports goods/equipment as per Performa Invoice submitted in the tender will be provided by Sports Authority of India as per Govt. Of India Notification No. 146/94-Customs dated 13.07.1994 read with Notification No. 5/2010-Customs dated 19.01.2010, amended from time to time.

8.5. Additional information and instruction on Duties and Taxes

8.5.1. If the Bidder desires to ask for Excise Duty, GST/ Sales Tax/CST / VAT/ CENVAT, Custom Duty, Service Tax, Works Contract Tax etc. to be paid extra, the same must be specifically stated. In the absence of any such stipulation the price will be taken inclusive of such duties and taxes and no claim for the same will be entertained later. Only statutory variations on finished product taking place after Bid submission shall be allowed to the extent of actual quantum paid by the supplier.

8.5.2. Octroi Duty and Local Duties & Taxes

Normally, goods to be supplied to government departments against government contracts are exempted from levy of town duty, Octroi duty, terminal tax and other levies of local bodies. However, on some occasions, the local bodies (like town body, municipal body etc.) as per their regulations allow such exemptions only on production of certificate to this effect from the concerned government department. Keeping this in view, the supplier shall ensure that the stores to be supplied by the supplier against the contract placed by the Purchaser are exempted from levy of any such duty or tax and, wherever necessary, obtain the exemption certificate from the purchaser.

However, if a local body still insists upon payment of such local duties and taxes, the same should be paid by the supplier to the local body to avoid delay in supplies and possible demurrage charges and obtain a receipt for the same. The supplier should forward the receipt obtained for such payment to the Purchaser to enable the Purchaser reimburse the supplier and take other necessary action in the matter.

8.5.3. Customs Duty

Whole of the duty of custom and whole of the additional duty of sports goods, sports equipment, sports requisites are exempted as per custom notification No. 146/94 -Customs dated 13.07.1994 and as amended by Notification No. 146/94-Cus., dated 13.7.1994 as amended by Notification No. 101/95-Cus., dated 26.5.1995; No. 132/95-Cus., dated 28.8.1995, No. 48/96-Cus., dated 23.7.1996, No. 24/2002 dated 01.03.2002 and No. 88/2002-Cus dated 28.8.2002 and No. 5/2010-Cus., dated 19.01.2010. Any subsequent amendment may also be considered. Accordingly, Custom Duty Exemption Certificate (CDEC) applicable on CIF on goods to be imported will be provided by Sports Authority of India.

- 8.6. Unless otherwise specifically indicated in this Bidding Document, the terms FCA, FOB, CIF, CIP, DDP etc., shall be governed by the current edition of International Commercial Terms (INCOTERMS), published by the International Chamber of Commerce, Paris.
- 8.7. The need for indication of all such price components by the Bidders, as required in this clause (viz., ITB clause 8) is for the purpose of comparison of the Bids by the Purchaser and will no way restrict the purchaser's right to award the contract on the selected Bidder on any of the terms offered.

9. Firm Price

- 9.1. The prices quoted by the Bidder shall remain firm and fixed during the currency of the contract and not subject to variation on any account.
- 9.2. However, as regards taxes and duties, if any, chargeable on the goods and payable, the conditions stipulated in ITB Clause 8 will apply.

10. Alternative Bid-NA

11. Documents Establishing Bidder's Eligibility and Qualifications

- 11.1. Pursuant to ITB clause 6, the Bidder shall furnish, as part of its Bid, relevant details and documents establishing its qualifications to perform the contract if its Bid is accepted.
- 11.2. The documentary evidence needed to establish the Bidder's qualifications shall fulfil the following requirements:
- a) In case the Bidder offers to supply goods, which are manufactured by some other firm, the Bidder has been duly authorised by the goods manufacturer to quote for and supply the goods to the purchaser. The Bidder shall submit the manufacturer's authorization letter to this effect as per the standard form provided under Section IV-A in this document.
- b) The Bidder and manufacturer meet the qualification criteria incorporated in the Section III.

12. Bid Security

Bid Security/Earnest Money Deposit (EMD) is replaced with Bid Securing declaration as per Ministry of Finance, Department of Expenditure O.M. dated 12th November, 2020.

All bidders are required to upload along with the technical bid, a duly signed and sealed copy of Bid Securing declaration as per Section IV (C).

13. Bid Validity

- 13.1. The Bid shall remain valid for acceptance for a period of 90 days (Ninety days) after the date of Bid opening prescribed in the Bidding Document. Any Bid valid for a shorter period shall be treated as unresponsive and rejected.
- 13.2. In exceptional cases, the Bidders may be requested by the Purchaser to extend the validity of their Bids up to a specified period. The Bidders, who agree to extend the Bid validity, are to extend the same without any change or modification of their original Bid.
- 13.3. In case the day up to which the Bids are to remain valid falls on or subsequently declared a holiday or closed day for the purchaser, the Bid validity shall automatically be extended up to the next working day.

14. Signing and Sealing of Bid

- 14.1. The Bidder shall submit their Bid as per the instructions contained in ITB Clause 6.
- 14.2. Bid shall either be typed or written in indelible ink and the same shall be signed by the Bidder or by a person(s) who has been duly authorized to bind the Bidder to the contract.
- 14.3. The Bid shall be duly signed at the appropriate places as indicated in the Bidding Documents and all other pages of the Bid. The Bid shall not contain any erasure or overwriting, except as necessary to correct any error made by the Bidder and, if there is any such correction; the person signing the Bid shall initial the same. The letter of authorization shall be by a written power of attorney, which shall also be furnished along with the Bid.

D. SUBMISSION OF BIDS

15. Submission of Bid

- 15.1. The bids from the bidder should be in English and should consist of the documents stated below in Clause 6.1 and are to be submitted in password protected compressed folders at rekolkata-sai@nic.in.
- 15.2. The password of the bid document Proposal shall not be mentioned anywhere in the email.
- 15.3. The password shall be required on the date of opening of Proposal which shall be communicated separately by the Applicants via email/Phone.

16. Late Bid: Not Applicable.

E. BID OPENING

17. Opening of Bids

- 17.1. The Purchaser will open the Bid at the specified date and time and at the specified place as indicated in the IFB in Section-I.
- 17.2. In case the specified date of Bid opening falls on or is subsequently declared a holiday or closed day for the purchaser, the Bid will be opened at the appointed time and place on the next working day.
- 17.3. Authorized representatives of the Bidder, who has submitted Bid on time may attend the Bid opening provided they bring with them letters of authority from the corresponding Bidder.

F. SCRUTINY AND EVALUATION OF BIDS

18. Preliminary Scrutiny of Bid

- 18.1. The Purchaser will examine the Bid to determine whether the same is complete, whether the documents have been properly signed, stamped and whether the Bid is generally in order.
- 18.2. Prior to the detailed evaluation of Price Bid, the Purchaser will determine the substantial responsiveness of Bid to the Bidding Document. For purposes of these clauses, a substantially responsive Bid is one, which conforms to all the terms and conditions of the Bidding Documents including Technical Specifications without material deviations. However minor deviation and /or minor irregularity and/or minor non-conformity in the Bid, the Purchaser may waive the same.
- 18.3. If a Bid is not substantially responsive, it will be rejected by the Purchaser.
 - 19. Qualification Criteria "Deleted"
 - 20. Conversion of Bid currencies to Indian Rupees
- 20.1. In case the Bidding Document permits the Bidders to quote their prices in different currencies, all such quoted prices of the responsive Bidders will be converted to a single currency viz., Indian Rupees for the purpose of equitable comparison and evaluation, as per the exchange rates of Reserve Bank of India available on their website available on the website, as on the date of 'Price Bid' opening.

21. Evaluation for total requirement

- 21.1. The bidder shall be required to quote for all items along with quantity in a set and also for the total number of sets required.
 - 22. Comparison of Bids and Award Criteria "NOT APPLICABLE"

G. AWARD OF CONTRACT

- 23. Purchaser's Right to accept any Bid and to reject any or all Bids
- 23.1. The Purchaser reserves the right to accept in part or in full any Bid, or reject any or more Bid(s) without assigning any reason or to cancel the Biding process and reject the Bid at any time prior to award of contract, without incurring any liability, whatsoever to the affected Bidder.
 - 24. Variation of Quantities at the Time of Award/ Currency of Contract
- 24.1. At the time of awarding the contract or during the currency of the Contract, the Purchaser reserves the right to increase or decrease by up to twenty-five (25) per cent, the quantity of goods and services mentioned in the schedule (s) in the "Schedule of Requirements" (rounded off to next whole number) without any change in the unit and other terms & conditions quoted by the Bidder.

25. Notification of Award

- 25.1. Before expiry of the Bid validity period, the Purchaser will notify the successful Bidder(s) in writing, by registered / speed post or by fax/ email (to be confirmed by registered / speed post) that its Bid for goods & services, which have been selected by the purchaser, has been accepted, also briefly indicating therein the essential details like description, quantity of the goods & services, and delivery period, corresponding prices accepted. The successful Bidder must furnish to the Purchaser the required Performance Security within five days from the date of despatch of this notification, failing which SAI reserves the right to cancel the award. Relevant details about the Performance Security have been provided under GCC Clause 3 under Section VII.
- 25.2. The Notification of Award shall constitute the conclusion of the Contract.

26. Issue of Contract

- 26.1. Promptly after Notification of award, the Purchaser will mail the Contract Agreement as per Section VIII (A), duly completed and signed, in duplicate, to the successful Bidder by registered / speed post.
- 26.2. The successful Bidder shall return the original copy of the contract, duly signed and dated, to the Purchaser by registered/speed post within five days from the date of issue of the contract.
- 26.3. The Purchaser reserves the right to issue the Notification of Award Purchaser wise and schedule wise.

27. Non-receipt of Performance Security and Contract by the Purchaser

27.1. Failure of the successful Bidder in providing Performance Security and / or returning contract copy duly signed in terms of ITB clauses 25 and 26 above shall make the Bidder liable for further actions by the Purchaser against it as per the clause 17 of GCC – Termination of default in Section - VII.

28. Corrupt or Fraudulent Practices

- 28.1. It is required by all concerned namely the Consignee/Bidders/Suppliers etc to observe the highest standard of ethics during the procurement and execution of such contracts. In pursuance of this policy, the Purchaser: -
 - (a) will reject a proposal for award if it determines that the Bidder recommended for award has engaged in corrupt or fraudulent or collusion or coercive practices in competing for the contract in question;
 - (b) will declare a firm ineligible or blacklist, either indefinitely or for a stated period of time, to be awarded a contract by the Purchaser if it at any time determines that the firm has engaged in corrupt or fraudulent or collusion or coercive practices in competing for, or in executing the contract.
 - (c) The Purchaser reserves the right not to conclude Contract and in case Contract has been issued, terminate the same, if, found to be obtained by any misrepresentation, concealment and suppression of material facts by the Bidder. In addition, Bid Security/Performance Security (as the case may be) deposited by the Bidder shall be forfeited and legal as well as administrative action for such misrepresentation, concealment & suppression of material facts shall be initiated.

SECTION-III -QUALIFICATION CRITERIA

Not Applicable

SECTION – IV-(A) BID SUBMISSION FORM

Date
Sports Authority of India Sector - III, Salt Lake City, Kolkata -700106 Ref: Your Bidding Document Nodated
Te, the undersigned have examined the above-mentioned Bidding Document, including nendment/corrigendum No, dated (if any), the receipt of which is hereby onfirmed. We now offer to supply and deliver the equipment mentioned herein in conformity with you have referred document for the sum as shown in the price schedule(s), attached herewith and made part of this Bid.
The further confirm that, if our Bid is accepted, we shall provide you with a performance security of quired amount in an acceptable form in terms of GCC clause 3, in Section - VII for due performance of the contract.
The agree to keep our Bid valid for acceptance for 90 days or for subsequently extended period, if any greed to by us. We also accordingly confirm to abide by this Bid up to the aforesaid period and this Bid asy be accepted any time before the expiry of the aforesaid period. We further confirm that, until a simulation contract is executed, this Bid read with your written acceptance thereof within the aforesaid period all constitute a binding contract between us.
e agree to all terms and conditions of General Conditions of Contract as per Section-VII.
e agree to clause Fall Clause at S. No. 21 of General Conditions of Contract as per Section VII.
e further understand that you are not bound to accept our Bid, you may receive against your above ferred Bid Reference.
e confirm that we do not stand deregistered/banned/blacklisted by any Govt. Authorities in India.
Te confirm that we fully agree to the terms and conditions specified in above mentioned Bidding ocument, including amendment/ corrigendum if any
[Signature with date, name and designation
Duly authorised to sign Bid for and on behalf of Messrs

[Name & address of the manufacturers]

<u>SECTION – IV -(B)</u> <u>PRICE SCHEDULE</u>

(I) PRICE SCHEDULE FOR GOODS AVAILABLE IN INDIA IN RUPEES

1	2	3	4			5		6
					Pric	e per unit (Rs.)		
Schedule	Brief Description of Goods	Quantity (Nos)	Country of Origin	Ex - factory/ Ex - warehouse /Ex- showroom /Off - the shelf	GST %	GST value	Price on Free delivery at Consignee site	Total Price on Free Delivery at Consignees site.
				(a)	(b)	(c)	(d) =a+c	

Total Bid price in Rupees: _ In words:	
The above prices quoted are	for supply, with warranty period of Two-year from the date of acceptance by Purchaser.
Delivery Period: Contract.	(Insert earliest delivery period) from the date of signing of the Contract. The Time and Delivery Period shall be essence of
	Signature of Bidder
	Name & Designation
Place:	Business Address
Date:	Seal of the Bidder

Note: If there is a discrepancy between the unit price and total price the unit PRICE shall prevail.

Bidder has to provide Performa Invoice of OEM along with Price bid

(II) PRICE SCHEDULE FOR GOODS TO BE IMPORTED FROM ABROAD

					(F	<u>Price per unit</u> oreign Currency)		Pr	rice per unit (INR)**		Total	
Sched ule/ S. No.	Brief Description of Goods	HSN Code	Qty (Nos)	Country of Origin	FOB /FCA price at port/ airport of Loading	Freight, Insurance, etc. till named port of destination	CIP Price	Customs Clearance & Handling	Loading/ Unloading, Inland transportation, inland Insurance and Incidental costs till Purchaser's site	Total CIP Price	Pricequote d in INR (excluding IGST)	Applicable IGST% Indicate %
	(a)	(b)	(c)	(d)	(e)	(f)	(g)=e+f	(h)	(i)	(j)=g*c	(k)=(i+h)*c	(l)

Indian Agency Commission - ______% of FOB (to be included in above quoted prices) [Indian Agency Commission will be payable in INR]

Total Price on DDP basis at Consignee's site in INR for each item will be calculated as below for evaluation:

Qty (c) * {[(g)-Indian Agency Commission]*(Forex Rate as on the date of bid opening)*(1+Applicable IGST%) + h + i + Indian agency Commission payable in INR}

- * The bidders may quote CIP final destination (Purchaser Site) as per INCOTERMS ® 2010. However, Customs Duty Exemption Certificate (CDEC) for imported sports goods/equipment as per Performa Invoice submitted in the tender will be provided as per Govt. Of India Notification No. 146/94-Customs dated 13.07.1994 read with Notification No. 5/2010-Customs dated 19.01.2010, amended from time to time.
- ** To be paid in Indian Currency (Rs.)

Total Bid price (CIP Price) in f In words:	oreign currency:	
Total price of allied services at In words:	(i) & (h) quoted in INR(exclusive of IGST which will be paid at actuals):	
Delivery Period:	e for supply of equipment with warranty period of Two Year from the date of a (Insert earliest delivery period) from the date of opening of L/C as per	
	(if any):	
PANNo. of Indian Agent:		G: 4 CD:11
		Signature of Bidder
		Name & Designation
Place:		Business Address
Date:		Seal of the Bidder

Note: - If there is a discrepancy between the unit price and total price the unit PRICE shall prevail. Bidder has to provide Performa Invoice of OEM along with Price bid

(III) PRICE SCHEDULE FOR COMPREHENSIVE ANNUAL MAINTENANCE(CAMC)

Sl.N o.	N	Item No.	Brief description of item	QT Y	Unit CAMC cost for year	Taxes for 03 years 5[A+B+C]	Per unit CAMC for 3 years with taxes (5[A+B+C] + 6)	Total CAMC Cost (7X4)	
	1	2	3	4	5	6	7	8	
					1 st Year 2 nd Year 3 rd Year				

Signature &Name of the bidder
Designation
Business Address Seal of the Bidder

Note:-

a) Total value (in figure) (in words)

Place:

- b) The CAMC commence from the date of expiry of all obligation under warranty (2 years from the date of installation) and will expire on after
- c) The cost of Annual Comprehensive Maintenance Contract (CAMC) which includes preventive maintenance, labour and spares, after satisfactory completion of warranty period may be quoted for next 03 years as contained in the above referred contract on yearly basis for complete equipment.
- d) There will be 95% uptime warranty during CAMC period on 24 (hrs) x 7 (days) x 365 (days) basis, with penalty, to extend CAMC period by double the downtime period.
- e) During CAMC Period, the supplier shall visit at each consignee's site for preventive maintenance including testing and calibration as per the manufacture's service/technical/operational manual. The supplier shall visit each consignee site as recommended in the manufacturer's manual, but at least once in 03 months commencing from the date of the successful completion of warranty period preventive maintenance of the goods.
- f) All software updates/upgradation should be included in CAMC.
- g) The bank guarantee valid till 2 months after expiry of entire CAMC period for an amount equivalent to 2.5 % of the cost of the equipment as per contract] shall be furnished in the prescribed format given in the TE document, along with the signed copy of CAMC within a period of 21 (twenty one) days of issue of CAMC failing which the proceeds of performance security shall be payable to the purchaser/consignee.
- h) If there is any lapse in the performance of the CAMC as per contract, a penalty of 0.25% of the amount of performance security per incidence/per day subject to a maximum of 10 incidents shall be imposed, failing which the purchases/consignee reserves the right to terminate the contract.
- i) Payment terms: The payment of CAMC will be made against the bills raised to the consignee by the supplier on quarterly basis after satisfactory completion of said period, duly certified by the HOD concerned. **The payment will be made in Indian Rupees.**
- j) Total 3-year CAMC charges will be included in the total cost of the equipment for evaluation/ranking purpose.

SECTION – IV-(C)- BID SECURING DECLARATION FORM

Date: _	Tender No
То	Executive Director Sports Authority of India Sector - III, Salt Lake City, Kolkata -700106
I/We ı Declar	anderstand that, according to your conditions, bids must be supported by a Bid Securing ation.
	ccept that I/We may be disqualified from bidding for any contract with you for a period of one om the date of notification if I am /We are in a breach of any obligation under the bid conditions w:
a)	withdraws/modifies/amends the submitted bid against this tender, impairs or derogates from the tender, during the period of bid validity specified in this tender.; or
b)	having been notified of the acceptance of our Bid by the purchaser during the period of bid validity (i) fail or refuse to execute the contract, or (ii) fail or refuse to furnish the Performance Security, in accordance with the terms of this tender document.
	required Performance Security, in accordance with the terms of this tender document; or
in the o	: (insert signature of person whose name and capacity are shown) capacity of: (insert legal capacity of person signing the Bid Securing Declaration) on day of (insert date of signing)

Corporate Seal (where appropriate)

SECTION –IV-(D) -MANUFACTURER'S AUTHORISATION FORM

To

Sports Authority of India Sector - III, Salt Lake City, Kolkata -700106

Dear Sirs,

	Ref. Your B	idding Refe	erence No		, dat	ed			
We,				vho ar	e prove	n and	l reputabl	le manuf	acturers
of		(na	ame and desc	ription	of the	goods	offered in	the Bid)) having
factories	at						hereby		uthorise
Messrs			(name a	ınd ada	tress of t	he age	nt) to sub	nit a Bid,	process
			act with you as				nt as conta	ained in th	ne above
referred Bidd	ing Documen	ts for the ab	ove goods ma	ınufactı	ured by t	ıs.			
Messrsa Bid, process	s the same furt	ther and ente	o supplier(name and cer into a contra	<i>address</i> act with	of the al	bove ag inst yo	gent) is au our require	thorised to	o submit
	by extend our General Cond		nty of two year ontract.	ar from	accepta	nce of	goods by	Purchase	er as per
								Yours fa	ithfully,
				[S	lignature	with c	late, name	and desig	gnation]
			for and on b	ehalf c	of Messrs	S			
					[Nam	e & aa	ldress of th	ne manufa	icturers]

- **Note:** 1. This letter of authorisation should be on the letter head of the manufacturing firm and should be signed by a person competent and having the power of attorney to legally bind the manufacturer.
 - 2. Original letter may be enclosed.

SECTION – IV-(E)- NEFT MANDATE FORM

From: M/s.	Date:
To Executive Director Sports Authority of India Sector - III, Salt Lake City, Kolkata -700106	
Sub: NEFT PAYMENTS	
scheme, our payments may be made through the	For remittance of our payments using RBI's NEFT e above scheme to us under noted account. UNDS TRANSFER MANDATAE FORM
Name of City	
Bank Code No.	
Bank 's name	
Branch Address	
Branch Telephone / Fax no.	
Supplier's Account No.	
Type of Account	
IFSC code for NEFT	
IFSC code for RTGS	
Supplier's name as per Account	
Telephone no. of supplier	
Supplier's E-mail ID	
For and Confirmed by Bank Enclosed a copy of Crossed Cheque	[Signature with date, name and designation] I on behalf of Messrs [Name & address of the manufacturers]
1,	

PART-2 SUPPLY REQUIREMENTS

SECTION - V- SCHEDULE OF REQUIREMENTS

Part I:

S. No.	Description of Article	Quantity	Warranty
1	High/Horizontal Bar Safety Pad	02	02 years
2	Balancing Beam Safety Pad	02	02 years
3	Vault Table Hand Placement Mat	02	02 years
4	Vaulting Table Safety Collar	02	02 years
5	Parallel Bar Safety Pads	02	02 years
6	Spring Board Hard	02	02 years
7	Spring Board Soft	02	02 years
8	Pommel Horse Handles	02	02 years
9	Parallel Bar Rails	02	02 years
10	Uneven Bar Rails	02	02 years

Part II: Required Delivery Schedule:

a) For goods available in India.

Stores are required to be delivered and installed at the consignee's site within 30 days from the date of issue of award letter. Time is essence of Contract. The bidders may please note that goods are to be delivered to the consignee latest within the date specified. Date of delivery at Consignee site will be considered as the actual date of delivery.

b) For goods to be imported from abroad with terms of delivery of DDP Purchaser site Incoterms ® 2010.

Stores are required to be delivered and installed to the consignees mentioned within 60 days. Time is essence of Contract. The bidders may please note that goods are to be delivered to the consignee latest within the date specified. Date of delivery at Consignee site will be considered as the actual date of delivery.

Part III: Required Terms of Delivery.

a) For domestics goods or goods of foreign origin located in India

Free Delivery at Consignee Site.

b) For goods to be imported from abroad

The foreign Bidders are required to quote their rates on DDP at Consignee site basis as per Incoterms ® 2010giving breakup of the price as per the Proforma prescribed in the Price Schedule in section IV. However, Customs Duty Exemption Certificate (CDEC) for imported sports goods/equipment as per Performa Invoice submitted in the tender will be provided by Sports Authority of India as per Govt. Of India Notification No. 146/94-Customs dated 13.07.1994 read with Notification No. 5/2010-Customs dated 19.01.2010, amended from time to time.

Part-IV: Consignee Details:

 Kolkata 	Sports Authority of India,
	Netaji Subhash Eastern Centre,
	Salt Lake City, Section III,
	Kolkata 700 106,
	E-mail: rckolkata-sai@nic.in

SECTION-VI TECHNICAL SPECIFICATIONS

SECTION - VI- TECHNICAL SPECIFICATIONS

S. No. Description of Article with Specification 1 High Horizontal Bar Safety Pad For hand-rails on high bars. Thickness: 2 cm (0: 83 mm. L: 59.5 cm. 2 Balancing Beam Safety Pad Removable guards for beam bodies. Very easy to fit using hook and-loop strips; highly impact-absorbing foam. Thickness: 15 mm. L: 2.50 m. 3 Vault Table Hand Placement Mat The upper surface must be horizontal and even. The mat for hands can be laid on the run-up area to cushion the hand contact during round-off entries onto the vaulting board. Length in direction of the run-up: 120 cm *+10 cm, Width: 100 cm *+1 cm, Height of the mat for hands: 3 cm *+10,5 cm 4 Vault Table Safety Collar The safety collar is "u-shaped" and surrounds the vaulting board at the sides and the front toward the vaulting table. At the sides of the vaulting board is upper surface rises in an arched form in the same level as the vaulting board. At the front side of the vaulting board the surface of the safety collar is horizontal and even. 2.2. The whole surface of the safety collar and the corresponding surface of the vaulting board need to be of the same height level. Overall length: 120 cm (±20 cm) Minimal width at the side of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm (±0,5 cm) Maximal Difference between the height of the safety collars and the boards' surface (respecting the arched form): ±1 cm Maximal 2 pa between the safety collar and the vaulting board on all three sides: 0,5 cm 5 Parallel Bars Safety Pads Dimensions: 150x90 cm (LXW) Farm polyethylene foam - I ersey top cover - leather loop under side with reinforcement - Removable cover - With one carrying handle 6 Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts si	C NI-	SECTION – VI- TECHNICAL SPECIFICATIONS Description of Auticle with Specification
For hand-rails on high bars. Thickness: 2 cm Ø: 83 mm. L: 59.5 cm. 2 Balancing Beam Safety Pad Removable guards for beam bodies. Very easy to fit using hook and-loop strips; highly impact-absorbing foam. Thickness: 15 mm. L: 2.50 m. 3 Vault Table Hand Placement Mat The upper surface must be horizontal and even. The mat for hands can be laid on the run-up area to cushion the hand contact during round-off entries onto the vaulting board. Length in direction of the run-up: 120 cm * +10 cm, Width: 100 cm * ±1 cm, Height of the mat for hands: 3 cm * ±0,5 cm 4 Vault Table Safety Collar The safety collar is "u-shaped" and surrounds the vaulting board at the sides and the front toward the vaulting table. At the sides of the vaulting board its upper surface rises in an arched form in the same level as the vaulting board. At the front side of the vaulting board the surface of the safety collar is horizontal and even. 2.2. The whole surface of the safety collar and the corresponding surface of the vaulting board need to be of the same height level. Overall length: 120 cm (±20 cm) Minimal width at the side of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm (±0,5 cm) Maximal Difference between the height of the safety collars' and the boards' surface (respecting the arched form): ±1 cm Maximal app between the safety collar and the vaulting board on all three sides: 0,5 cm 5 Parallel Bars Safety Pads Dimensions: 150x90 cm (LxW) Farm polyethylene foam — Jersey top cover — leather loop under side with reinforcement - Removable cover — With one carrying handle 6 Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The careful		
1.: 59.5 cm. 2 Balancing Boam Safety Pad Removable guards for beam bodies. Very easy to fit using hook and-loop strips; highly impact-absorbing foam. Thickness: 15 mm. L: 2.50 m. 3 Vault Table Hand Placement Mat The upper surface must be horizontal and even. The mat for hands can be laid on the run-up area to cushion the hand contact during round-off entries onto the vaulting board. Length in direction of the run-up: 120 cm * +10 cm , Width: 100 cm * ±1 cm , Height of the mat for hands: 3 cm * ±0.5 cm 4 Vault Table Safety Collar The safety collar is "u-shaped" and surrounds the vaulting board at the sides and the front toward the vaulting table. At the sides of the vaulting board its upper surface rises in an arched form in the same level as the vaulting board. At the front side of the vaulting board the surface of the safety collar is horizontal and even. 2.2. The whole surface of the safety collar and the corresponding surface of the vaulting board need to be of the same height level. Overall length: 120 cm (±20 cm) Minimal width at the side of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board on all three sides: 0,5 cm 5 Parallel Bars Safety Pads Dimensions: 150x90 cm (LxW) Farm polyethylene foam Jersey top cover Leather loop under side with reinforcement Removable cover With one carrying handle 5 Spring Board Hard (1	
L: 59.5 cm. 2 Balancing Beam Safety Pad Removable guards for beam bodies. Very easy to fit using hook and-loop strips; highly impact-absorbing foam. Thickness: 15 mm. L: 2.50 m. 3 Vault Table Hand Placement Mat The upper surface must be horizontal and even. The mat for hands can be laid on the run-up area to cushion the hand contact during round-off entries onto the vaulting board. Length in direction of the run-up: 120 cm * +10 cm, Width: 100 cm * ±1 cm, Height of the mat for hands: 3 cm * ±0,5 cm 4 Vault Table Safety Collar The safety collar is "u-shaped" and surrounds the vaulting board at the sides and the front toward the vaulting table. At the sides of the vaulting board its upper surface rises in an arched form in the same level as the vaulting board. At the front side of the vaulting board the surface of the safety collar is horizontal and even. 2.2. The whole surface of the safety collar and the corresponding surface of the vaulting board need to be of the same height level. Overall length: 120 cm (±20 cm) Minimal width at the side of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 30 cm (±0,5 cm) Maximal Difference between the height of the safety collars' and the boards' surface (respecting the arched form): ±1 cm Maximal gap between the safety collar and the vaulting board on all three sides: 0,5 cm 5 Parallel Bars Safety Pads Dimensions: 150x90 cm (LxW) Farm polyethylene foam — Jersey top cover — leather loop under side with reinforcement — Removable cover — With one carrying handle 6 Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower e		
Removable guards for beam bodies. Very easy to fit using hook and-loop strips; highly impact-absorbing foam. Thickness: 15 mm. L: 2.50 m. 3 Vault Table Hand Placoment Mat The upper surface must be horizontal and even. The mat for hands can be laid on the run-up area to cushion the hand contact during round-off entries onto the vaulting board. Length in direction of the run-up: 120 cm *+10 cm, Width: 100 cm *±1 cm, Height of the mat for hands: 3 cm *±0.5 cm 4 Vault Table Safety Collar The safety collar is "u-shaped" and surrounds the vaulting board at the sides and the front toward the vaulting table. At the sides of the vaulting board its upper surface rises in an arched form in the same level as the vaulting board. At the firont side of the vaulting board the surface of the safety collar is horizontal and even. 2.2. The whole surface of the safety collar and the corresponding surface of the vaulting board need to be of the same height level. Overall length: 120 cm (±20 cm) Minimal width at the side of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the round part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the round part of the vaulting board: 20 cm Length at the round part of the vaulting board on all three sides: 0,5 cm 5 Parallel Bars Safety Pads Dimensions: 150x90 cm (LxW) Farm polyethylene foam Jersey top cover Leather loop under side with reinforcement Removable cover With one carrying handle 6 Spring Board Hard (8 Springs) Top competition springboard with 8 sp		
Removable guards for beam bodies. Very easy to fit using hook and-loop strips; highly impact-absorbing foam. Thickness: 15 mm. 1: 2.50 m. 3 Vault Table Hand Placement Mat The upper surface must be horizontal and even. The mat for hands can be laid on the run-up area to cushion the hand contact during round-off entries onto the vaulting board. Length in direction of the run-up: 120 cm * +10 cm, Width: 100 cm * ±1 cm, Height of the mat for hands: 3 cm * ±0,5 cm 4 Vault Table Safety Collar The safety collar is "u-shaped" and surrounds the vaulting board at the sides and the front toward the vaulting table. At the sides of the vaulting board its upper surface rises in an arched form in the same level as the vaulting board. At the front side of the vaulting board the surface of the safety collar is horizontal and even. 2.2. The whole surface of the safety collar and the corresponding surface of the vaulting board need to be of the same height level. Overall length: 120 cm (±20 cm) Minimal width at the side of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm (± 0,5 cm) Maximal Difference between the height of the safety collars' and the boards' surface (respecting the arched form): ±1 cm Maximal par between the safety collar and the vaulting board on all three sides: 0,5 cm 5 Parallel Bars Safety Pads Dimensions: 150x90 cm (L.W) Farm polyethylene foam Jersey top cover leather loop under side with reinforcement Removable cover With one carrying handle 6 Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire s		
Very easy to fit using hook and-loop strips; highly impact-absorbing foam. Thickness: 15 mm. 1: 2.50 m. 3 Vault Table Hand Placement Mat The upper surface must be horizontal and even. The mat for hands can be laid on the run-up area to cushion the hand contact during round-off entries onto the vaulting board. Length in direction of the run-up: 120 cm * +10 cm, Width: 100 cm * ±1 cm, Height of the mat for hands: 3 cm *±0,5 cm 4 Vault Table Safety Collar The safety collar is "u-shaped" and surrounds the vaulting board at the sides and the front toward the vaulting table. At the sides of the vaulting board its upper surface rises in an arched form in the same level as the vaulting board. At the front side of the vaulting board the surface of the safety collar is horizontal and even. 2.2. The whole surface of the safety collar and the corresponding surface of the vaulting board need to be of the same height level. Overall length: 120 cm (±20 cm) Minimal width at the side of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm (±0,5 cm) Maximal Difference between the height of the safety collars' and the boards' surface (respecting the arched form): ±1 cm Maximal gap between the safety collar and the vaulting board on all three sides: 0,5 cm 5 Parallel Bars Safety Pads Dimensions: 150x90 cm (LxW) Farm polyethylene foam Jersey top cover leather loop under side with reinforcement Removable cover With one carrying handle 6 Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard been improv	2	
Thickness: 15 mm. 1: 2.50 m. 3 Vault Table Hand Placement Mat The upper surface must be horizontal and even. The mat for hands can be laid on the run-up area to cushion the hand contact during round-off entries onto the vaulting board. Length in direction of the run-up: 120 cm * +10 cm, Width: 100 cm * ±1 cm, Height of the mat for hands: 3 cm * ±0,5 cm 4 Vault Table Safety Collar The safety collar is "u-shaped" and surrounds the vaulting board at the sides and the front toward the vaulting table. At the sides of the vaulting board its upper surface rises in an arched form in the same level as the vaulting board. At the front side of the vaulting board the surface of the safety collar is horizontal and even. 2.2. The whole surface of the safety collar and the corresponding surface of the vaulting board need to be of the same height level. Overall length: 120 cm (±20 cm) Minimal width at the side of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm (±0,5 cm) Maximal Difference between the height of the safety collars' and the boards' surface (respecting the arched form): ±1 cm Maximal apa between the safety collar and the vaulting board on all three sides: 0,5 cm 5 Parallel Bars Safety Pads Dimensions: 150x90 cm (LxW) Farm polyethylene foam — Jersey top cover — leather loop under side with reinforcement - Removable cover — leather loop under side with reinforcement - Removable cover — With one carrying handle 6 Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard with 5 springs F		
The upper surface must be horizontal and even. The mat for hands can be laid on the run-up area to cushin the hand contact during round-off entries onto the vaulting board. Length in direction of the run-up: 120 cm * +10 cm, Width: 100 cm * ±1 cm, Height of the mat for hands: 3 cm * ±0,5 cm 4 Vault Table Safety Collar The safety collar The safety collar is "u-shaped" and surrounds the vaulting board at the sides and the front toward the vaulting table. At the sides of the vaulting board its upper surface rises in an arched form in the same level as the vaulting board. At the front side of the vaulting board the surface of the safety collar is horizontal and even. 2.2. The whole surface of the safety collar and the corresponding surface of the vaulting board need to be of the same height level. Overall length: 120 cm (±20 cm) Minimal width at the side of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm (±0,5 cm) Maximal Difference between the height of the safety collars' and the boards' surface (respecting the arched form): ±1 cm Maximal gap between the safety collar and the vaulting board on all three sides: 0,5 cm 5 Parallel Bars Safety Pads Dimensions: 150x90 cm (LxW) Farm polyethylene foam Jersey top cover leather loop under side with reinforcement - Removable cover With one carrying handle 6 Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revo		
The upper surface must be horizontal and even. The mat for hands can be laid on the run-up area to cushion the hand contact during round-off entries onto the vaulting board. Length in direction of the run-up: 120 cm *+10 cm , Width: 100 cm *±1 cm , Height of the mat for hands: 3 cm *±0,5 cm 4 Vault Table Safety Collar The safety collar is "u-shaped" and surrounds the vaulting board at the sides and the front toward the vaulting table. At the sides of the vaulting board its upper surface rises in an arched form in the same level as the vaulting board. At the front side of the vaulting board the surface of the safety collar is horizontal and even. 2.2. The whole surface of the safety collar and the corresponding surface of the vaulting board need to be of the same height level. Overall length: 120 cm (±20 cm) Minimal width at the side of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Maximal Difference between the height of the safety collars' and the boards' surface (respecting the arched form): ±1 cm Maximal gap between the safety collar and the vaulting board on all three sides: 0,5 cm 5 Parallel Bars Safety Pads Dimensions: 150x90 cm (LxW) Farm polyethylene foam Jersey top cover leather loop under side with reinforcement Removable cover With one carrying handle 5 Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard with 5 springs FIG soft version FIG certified. Acco		
cushion the hand contact during round-off entries onto the vaulting board. Length in direction of the run-up: 120 cm * +10 cm , Width: 100 cm * ±1 cm , Height of the mat for hands: 3 cm *±0,5 cm 4 Vault Table Safety Collar The safety collar is "u-shaped" and surrounds the vaulting board at the sides and the front toward the vaulting table. At the sides of the vaulting board its upper surface rises in an arched form in the same level as the vaulting board. At the front side of the vaulting board the surface of the safety collar is horizontal and even. 2.2. The whole surface of the safety collar and the corresponding surface of the vaulting board need to be of the same height level. Overall length: 120 cm (±20 cm) Minimal width at the side of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm (± 0,5 cm) Maximal Difference between the height of the safety collars' and the boards' surface (respecting the arched form): ±1 cm Maximal gap between the safety collar and the vaulting board on all three sides: 0,5 cm 5 Parallel Bars Safety Pads Dimensions: 150x90 cm (LxW) Farm polyethylene foam Jersey top cover leather loop under side with reinforcement - Removable cover With one carrying handle 5 Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Sp	3	
run-up: 120 cm * +10 cm , Width: 100 cm * ±1 cm , Height of the mat for hands: 3 cm *±0,5 cm 4 Vault Table Safety Collar The safety collar is "u-shaped" and surrounds the vaulting board at the sides and the front toward the vaulting table. At the sides of the vaulting board its upper surface rises in an arched form in the same level as the vaulting board. At the front side of the vaulting board the surface of the safety collar is horizontal and even. 2.2. The whole surface of the safety collar and the corresponding surface of the vaulting board need to be of the same height level. Overall length: 120 cm (±20 cm) Minimal width at the side of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm (±0,5 cm) Maximal Difference between the height of the safety collars' and the boards' surface (respecting the arched form): ±1 cm Maximal par between the safety collar and the vaulting board on all three sides: 0,5 cm Parallel Bars Safety Pads Dimensions: 150x90 cm (LxW) Farm polyethylene foam — Jersey top cover — leather loop under side with reinforcement — Removable cover — With one carrying handle Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. 7 Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available	ı	
The safety collar is "u-shaped" and surrounds the vaulting board at the sides and the front toward the vaulting table. At the sides of the vaulting board its upper surface rises in an arched form in the same level as the vaulting board. At the front side of the vaulting board the surface of the safety collar is horizontal and even. 2.2. The whole surface of the safety collar and the corresponding surface of the vaulting board need to be of the same height level. Overall length: 120 cm (±20 cm) Minimal width at the side of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm (± 0,5 cm) Maximal Difference between the height of the safety collars' and the boards' surface (respecting the arched form): ±1 cm Maximal gap between the safety collar and the vaulting board on all three sides: 0,5 cm 5 Parallel Bars Safety Pads Dimensions: 150x90 cm (LxW) Farm polyethylene foam — Jersey top cover — leather loop under side with reinforcement — Removable cover — With one carrying handle 6 Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary "Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. 7 Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary "Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical o		
The safety collar is "u-shaped" and surrounds the vaulting board at the sides and the front toward the vaulting table. At the sides of the vaulting board its upper surface rises in an arched form in the same level as the vaulting board. At the front side of the vaulting board the surface of the safety collar is horizontal and even. 2.2. The whole surface of the safety collar and the corresponding surface of the vaulting board need to be of the same height level. Overall length: 120 cm (±20 cm) Minimal width at the side of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm Maximal Difference between the height of the safety collars' and the boards' surface (respecting the arched form): ±1 cm Maximal gap between the safety collar and the vaulting board on all three sides: 0,5 cm Parallel Bars Safety Pads Dimensions: 150x90 cm (LxW) Farm polyethylene foam — Jersey top cover — leather loop under side with reinforcement — Removable cover — With one carrying handle Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. Spring Board Soft (6 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully	<u> </u>	
vaulting table. At the sides of the vaulting board its upper surface rises in an arched form in the same level as the vaulting board. At the front side of the vaulting board the surface of the safety collar is horizontal and even. 2.2. The whole surface of the safety collar and the corresponding surface of the vaulting board need to be of the same height level. Overall length: 120 cm (±20 cm) Minimal width at the side of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm (±0,5 cm) Maximal Difference between the height of the safety collars' and the boards' surface (respecting the arched form): ±1 cm Maximal gap between the safety collar and the vaulting board on all three sides: 0,5 cm 5 Parallel Bars Safety Pads Dimensions: 150x90 cm (LxW) Farm polyethylene foam — Jersey top cover — leather loop under side with reinforcement - Removable cover — With one carrying handle 6 Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. 7 Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound	4	
level as the vaulting board. At the front side of the vaulting board the surface of the safety collar is horizontal and even. 2.2. The whole surface of the safety collar and the corresponding surface of the vaulting board need to be of the same height level. Overall length: 120 cm (±20 cm) Minimal width at the side of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm (± 0,5 cm) Maximal Difference between the height of the safety collars' and the boards' surface (respecting the arched form): ±1 cm Maximal gap between the safety collar and the vaulting board on all three sides: 0,5 cm 5 Parallel Bars Safety Pads Dimensions: 150x90 cm (LxW) Farm polyethylene foam — Jersey top cover — leather loop under side with reinforcement — Removable cover — With one carrying handle 6 Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. 7 Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface		
horizontal and even. 2.2. The whole surface of the safety collar and the corresponding surface of the vaulting board need to be of the same height level. Overall length: 120 cm (±20 cm) Minimal width at the side of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm (± 0,5 cm) Maximal Difference between the height of the safety collars' and the boards' surface (respecting the arched form): ±1 cm Maximal gap between the safety collar and the vaulting board on all three sides: 0,5 cm Parallel Bars Safety Pads Dimensions: 150x90 cm (LxW) Farm polyethylene foam — Jersey top cover — leather loop under side with reinforcement — Removable cover — With one carrying handle Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. 7 Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire spring board have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire	ı	
2.2. The whole surface of the safety collar and the corresponding surface of the vaulting board need to be of the same height level. Overall length: 120 cm (±20 cm) Minimal width at the side of the vaulting board: 20 cm (±0,5 cm) Maximal Difference between the height of the safety collars' and the boards' surface (respecting the arched form): ±1 cm Maximal gap between the safety collar and the vaulting board on all three sides: 0,5 cm 5 Parallel Bars Safety Pads Dimensions: 150x90 cm (LxW) Farm polyethylene foam — Jersey top cover — leather loop under side with reinforcement — Removable cover — With one carrying handle 6 Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. 7 Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface		
be of the same height level. Overall length: 120 cm (±20 cm) Minimal width at the side of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm (± 0,5 cm) Maximal Difference between the height of the safety collars' and the boards' surface (respecting the arched form): ±1 cm Maximal gap between the safety collar and the vaulting board on all three sides: 0,5 cm 5 Parallel Bars Safety Pads Dimensions: 150x90 cm (LxW) Farm polyethylene foam Jersey top cover leather loop under side with reinforcement Removable cover With one carrying handle 5 Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface	ı	
Overall length: 120 cm (±20 cm) Minimal width at the side of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm (± 0,5 cm) Maximal Difference between the height of the safety collars' and the boards' surface (respecting the arched form): ±1 cm Maximal gap between the safety collar and the vaulting board on all three sides: 0,5 cm 5 Parallel Bars Safety Pads Dimensions: 150x90 cm (LxW) Farm polyethylene foam — Jersey top cover — leather loop under side with reinforcement - Removable cover — With one carrying handle 6 Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. 7 Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface		
Minimal width at the side of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm (± 0,5 cm) Maximal Difference between the height of the safety collars' and the boards' surface (respecting the arched form): ±1 cm Maximal gap between the safety collar and the vaulting board on all three sides: 0,5 cm 5 Parallel Bars Safety Pads Dimensions: 150x90 cm (LxW) Farm polyethylene foam - Jersey top cover - leather loop under side with reinforcement - Removable cover - With one carrying handle 6 Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. 7 Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface		be of the same neight level.
Minimal width at the side of the vaulting board: 20 cm Length at the front part of the vaulting board: 20 cm (± 0,5 cm) Maximal Difference between the height of the safety collars' and the boards' surface (respecting the arched form): ±1 cm Maximal gap between the safety collar and the vaulting board on all three sides: 0,5 cm 5 Parallel Bars Safety Pads Dimensions: 150x90 cm (LxW) Farm polyethylene foam - Jersey top cover - leather loop under side with reinforcement - Removable cover - With one carrying handle 6 Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. 7 Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface		Overall langth: 120 cm (+20 cm)
Length at the front part of the vaulting board: 20 cm (± 0,5 cm) Maximal Difference between the height of the safety collars' and the boards' surface (respecting the arched form): ±1 cm Maximal gap between the safety collar and the vaulting board on all three sides: 0,5 cm 5 Parallel Bars Safety Pads Dimensions: 150x90 cm (LxW) Farm polyethylene foam Jersey top cover leather loop under side with reinforcement Removable cover With one carrying handle 5 Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. 7 Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface	ı	
Maximal Difference between the height of the safety collars' and the boards' surface (respecting the arched form): ±1 cm Maximal gap between the safety collar and the vaulting board on all three sides: 0,5 cm 5 Parallel Bars Safety Pads Dimensions: 150x90 cm (LxW) Farm polyethylene foam Jersey top cover leather loop under side with reinforcement Removable cover With one carrying handle 5 Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. 7 Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface	ı	
arched form): ±1 cm Maximal gap between the safety collar and the vaulting board on all three sides: 0,5 cm 5 Parallel Bars Safety Pads Dimensions: 150x90 cm (LxW) Farm polyethylene foam Jersey top cover leather loop under side with reinforcement Removable cover With one carrying handle 6 Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. 7 Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface		
Maximal gap between the safety collar and the vaulting board on all three sides: 0,5 cm 5 Parallel Bars Safety Pads Dimensions: 150x90 cm (LxW) Farm polyethylene foam Jersey top cover leather loop under side with reinforcement Removable cover With one carrying handle 5 Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. 7 Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface		
5 Parallel Bars Safety Pads Dimensions: 150x90 cm (LxW) Farm polyethylene foam Jersey top cover leather loop under side with reinforcement Removable cover With one carrying handle 5 Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. 7 Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface		
Dimensions: 150x90 cm (LxW) Farm polyethylene foam — Jersey top cover — leather loop under side with reinforcement — Removable cover — With one carrying handle 6 Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. 7 Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface	5	
Farm polyethylene foam — Jersey top cover — leather loop under side with reinforcement — Removable cover — With one carrying handle 6 Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. 7 Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface		
 Jersey top cover leather loop under side with reinforcement Removable cover With one carrying handle Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface 		
 leather loop under side with reinforcement Removable cover With one carrying handle Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface 		
 - Removable cover - With one carrying handle 6 Spring Board Hard (8 Springs) Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. 7 Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface 		
Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface	ı	
Top competition springboard with 8 springs FIG hard version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface		- With one carrying handle
Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. 7 Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface	6	Spring Board Hard (8 Springs)
gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. 7 Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface		
springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. 7 Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface	ı	Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to
special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface of the springboard. Furthermore this new generation springboard is also low-noise. 7 Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface		
surface of the springboard. Furthermore this new generation springboard is also low-noise. 7 Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface		
7 Spring Board Soft (5 Springs) Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface	ı	
Top competition springboard with 5 springs FIG soft version FIG certified. According to the latest FIG Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface		
Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface	7	
gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface	ı	
springboard have been improved. The carefully calculated positions of the conical of a tempered special high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface	ı	Apparatus Norms. Equipped with the revolutionary 'Whisper Spring System®' (WSS) and available to
high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface	ı	gymnasts since the 2004 Athens Olympic Games. The dynamic properties on the lower end of the
high tech steel springs allow forward and backward vaults with a precise rebound on the entire surface		springboard have been improved. The carefully calculated positions of the conical of a tempered special
of the springboard. Furthermore this new generation springboard is also low-noise	ı	
of the springeoute. I dedictinote this new generation springeoute is also fow noise		of the springs said. I distinction this new generation springsound is this low house
	ı	

S. No.	Description of Article with Specification
8	Pommel Horse Handles
	Pommels: Inner vertical diameter ≥ 7cm Width at base 31cm * 05cm Height 12cm * 05cm Profile
	diameter (at the nearly horizontal part) 34cm * 01cm Span of the nearly Horizontal part 15 cm * 02cm
	Distance between Pommels: Minimum ≤ 40cm Maximum ≥ 45cm
9	Parallel Bar Rails
	Measurements Bars: Length 350cm *1cm Vertical axis of profile 5 cm * 0.1cm Horizontal axis of
	profile 4 cm * 0.1cm
10	Uneven Bar Rails
	Diameter 40 cm 392 ≤ x ≤ 404cm Length 240cm * 10cm Distance between the sockets min 200cm *
	10cm

PART-3- CONTRACT

SECTION – VII- GENERAL CONDITIONS OF CONTRACT (GCC) TABLE OF CLAUSES

SECTION -	- VII- GENERAL CONDITIONS OF CONTRACT (GCC)	27
1.	Application	29
2.	Country of Origin	29
3.	Performance Security	29
4.	Technical Specifications and Standards	29
5.	Packing and Marking	29
6.	Inspection, Testing and Quality Control	30
7.	Terms of Delivery	30
8.	Insurance:	30
9.	Incidental services:	31
10.	Despatch Documents for Goods Imported from abroad:	31
11.	Warranty	32
12.	Prices	32
13.	Taxes, Duties and Octroi.	32
14.	Terms and Mode of Payment	32
15.	Delay in the supplier's performance.	34
16.	Liquidated damages	35
17.	Termination for default	35
18.	Termination for insolvency	35
19.	Force Majeure	35
20.	Termination for convenience	36
21.	Fall Clause	36
22.	Withholding and lien in respect of sums claimed	36
23.	Resolution of disputes	37
24.	Applicable Law	37

SECTION – VII-GENERAL CONDITIONS OF CONTRACT (GCC)

SECTION - VII

GENERAL CONDITIONS OF CONTRACT (GCC)

1. Application

1.1. The General Conditions of Contract incorporated in this section shall be applicable for this purchase to the extent the same is not superseded by Schedule of Requirements under Section V and Technical Specification under Section - VI of this document.

2. Country of Origin

2.1. The word "origin" incorporated in this clause means the place from where the goods are manufactured, produced or processed.

3. Performance Security

- 3.1. As security for the due performance, observance and fulfilment of all obligations, terms, conditions, representations, warranties and covenants of the Supplier under the Bidding documents, the Supplier shall furnish within 10 (10) days from date of the issue of Notification of Award by the Purchaser, the Supplier, shall furnish performance security to the Purchaser for an amount equal to three percent (3%) of the total value of the contract, valid up to sixty days after warranty period of (02) **two year** from the date of acceptance of the goods by the consignee.
- 3.2. The Performance security shall be denominated in Indian Rupees or in the currency of the contract in any one of the forms namely Account Payee Demand Draft or Fixed Deposit Receipt drawn from any Scheduled bank in India or Bank Guarantee issued by a Scheduled bank in India, in the prescribed form as provided in Section VIII (B) of this document in favour of the Purchaser.
- 3.3. In the event of any amendment issued to the contract, regarding extension of Delivery Period, the supplier shall, within five (05) days of issue of the amendment, furnish the corresponding amendment to the Performance Security (as necessary), rendering the same valid in all respects in terms of the contract, as amended.
- 3.4. The Purchaser will release the Performance Security without any interest to the supplier on completion of the supplier's all contractual obligations including the warranty obligations subject to adjustment of all amounts/losses/damages/recoveries/penalties payable to the Purchaser and claims of Purchaser, there from.
- 3.5. Without prejudice to its other rights and remedies under any contract, law or equity (including without limitation Purchaser's right to terminate the Agreement for breach),
- 3.6. Purchaser shall be entitled to forfeit/invoke or otherwise adjust the Performance Security without notice to the Supplier, if the Supplier fails to perform or commits breach of any of its obligations or the terms and conditions of the Bidding Documents. For the avoidance of doubt, Purchaser may draw from the Performance Securities any costs, expenses, losses, damages or compensation arising out of any such breach/damage or failure.

4. Technical Specifications and Standards

4.1. The Goods & Services to be provided by the supplier under this contract shall conform to the technical specifications mentioned in 'Technical Specifications' under Sections-VI of this document.

5. Packing and Marking

5.1. The packing for the goods to be provided by the supplier should be strong and durable enough to withstand transit hazards, without limitation, the entire journey during transit

including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. As and if necessary, the size, weights and volumes of the packing cases shall also take into consideration, the remoteness of the final destination of the goods and availability or otherwise of transport and handling facilities at all points during transit up to final destination as per the contract.

6. Inspection, Testing and Quality Control

- 6.1. The Supplier should satisfy himself that the stores are in accordance with the terms of the Contract and fully conform to the required specification by carrying out a thorough pre-inspection of each lot of the stores before actually delivering the same to the Supplier.
- 6.2. In normal course the Stores will be supplied by the Supplier on the basis of Manufacturers own Pre- despatch Inspection Certificate. However, purchased goods accepted by the Purchaser/consignee and/or its authorized representative during inspection in terms of the contract shall in no way dilute Purchaser's/consignee's right to reject the same later, if found deficient in terms of the Warranty Clause -11 of GCC.
- 6.3. The Purchaser and/or its nominated representative(s) will, without any extra cost to the Purchaser, inspect and/or test the ordered goods and the related services to confirm their conformity to the contract specifications incorporated in the contract. The Purchaser shall inform the Supplier in advance, in writing, the Purchaser's programme for such inspection and, also the identity of the officials to be deputed for this purpose. The cost towards the transportation, boarding & lodging of Purchaser and/or its nominated representative(s) will be borne by the Purchaser and/or its nominated representative(s).
- 6.4. For such inspections and tests which are conducted in the premises of the Supplier or its subcontractor(s), all reasonable facilities and assistance, including access to relevant drawings, design details and production data, shall be furnished by the supplier to the Purchaser's inspector at no charge to the purchaser.
- 6.5. If during such inspections and tests the contracted goods fail to conform to the required specifications and standards, the Purchaser's inspector may reject them and the Supplier shall either replace the rejected goods or make all alterations necessary to meet the specifications and standards, as required, free of cost to the Purchaser and resubmit the same to the Purchaser's inspector for conducting the inspections and tests again.
- 6.6. If the Supplier tenders the goods to the Purchaser's inspector for inspection at the last moment without providing reasonable time to the inspector for completing the inspection within the contractual delivery period, the inspector may carry out the inspection and complete the formality beyond the contractual delivery period at the risk and expense of the Supplier. The fact that the goods have been inspected after the contractual delivery period will not have the effect of keeping the contract alive and this will be without any prejudice to the legal rights and remedies available to the Purchaser under the terms & conditions of the contract.
- 6.7. The Purchaser's contractual right to inspect, test and, if necessary, reject the goods after the goods' arrival at the final destination shall have no bearing of the fact that the goods have previously been inspected and cleared by Purchaser's inspector during pre-despatch inspection mentioned above.

7. Terms of Delivery

7.1. Goods shall be delivered by the Supplier in accordance with the terms of delivery specified in the contract. The required delivery schedule is mentioned at Part II of Section V

8. Insurance:

8.1. Unless otherwise instructed, the Supplier shall make arrangements for insuring the goods against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the following manner:

- i) Wherever necessary, the goods supplied under the contract shall be fully insured in a freely convertible currency in the manner specified in the contract. If considered necessary, the insurance may be done for coverage on "all risks" basis including war risks and strike clauses. The amount to be covered under insurance should be sufficient to take care of the overall expenditure, which may be incurred due to any such damage, loss etc.
- ii) where delivery of imported goods offered from abroad is required by the Purchaser on CIF/CIP/DDP basis, the supplier shall arrange for insurance for an amount equal to one hundred and ten percent of the CIF or CIP value of the goods from "warehouse to warehouse" (final destination) on "all risks" basis including war risks and strikes and pay for the insurance, making the Purchaser as the beneficiary.
- iii) The Insurance related to Terms & Conditions of Contract will be as per INCOTERMS 2010.

9. Incidental services:

- 9.1. Subject to the stipulation, if any, in Schedule of Requirements (Section V) and the Technical Specification (Section VI), the Supplier shall be required to perform the following services.
- i) Installation and Demonstration of the goods
- ii) On Site Training of Purchaser's Staff.
- iii) Supplying required number of operation & maintenance manual for the goods
- 9.2. Where the Supplier is required to perform any of the services at a Purchaser's Site, the Supplier shall ensure that after the performance of the services at the Purchaser's site is reinstated to the condition prevailing on the date on which the services in question commenced.
- 9.3. Upon installation at the Purchaser's site the Supplier shall ensure that it leaves the site in good and its original condition. The Supplier shall ensure that any necessary repairs are completed within 48 hours of completion of the installation and in accordance with Good industry practice. If the Supplier fails to comply with this clause, the Purchaser shall be entitled to organize for the necessary repairs to be carried out by a Third Party and the Supplier shall indemnify the Purchaser in respect of any costs reasonably incurred by it under this clause.
- 9.4. The Supplier will extend to the Purchaser the benefit of any guarantee or warranty which may have been given to the Supplier in respect of the Goods which it supplies.

10. Despatch Documents for Goods Imported from abroad:

- 10.1. The Supplier shall send all the relevant despatch documents well in time to the Purchaser to enable the Purchaser clear or receive (as the case may be) the goods in terms of the contract.
- 10.2. Within 24 hours of despatch, the Supplier shall notify the Purchaser, consignee, and others concerned if mentioned in the contract, the complete details of despatch and also supply the following documents/information to them by registered post / speed post (or as instructed in the contract):
- (i) Four copies of supplier's invoice showing contract number, goods description, quantity, unit price and total amount;
- (ii) Original negotiable clean on-board Bill of Lading/Airway bill, marked freight pre-paid and four copies of non-negotiable Bill of Lading/Airway bill;
- (iii) Four Copies of packing list identifying contents of each package;
- (iv) Insurance Certificate;
- (v) Manufacturer's/Supplier's warranty certificate;
- (vi) Manufacturer's own factory inspection report;
- (vii) Certificate of origin
- (viii) Name of Port of Loading;

- (ix) Name of Port of Discharge and
- (x) Expected date of arrival.

11. Warranty

- 11.1. The Supplier warrants comprehensively that the goods supplied under the contract is new, unused and incorporate all recent/latest improvements in design and materials unless prescribed otherwise by the Purchaser in the contract. The Supplier further warrants that the goods supplied under the contract shall have no defect arising from design, materials or workmanship or from any act or omission of the supplier that may develop under normal use of the supplied goods under the conditions prevailing in India.
- 11.2. This warranty shall remain valid for Two (02) year after the goods have been delivered at the final destination and accepted by the Purchaser in terms of the contract.
- 11.3. The Supplier shall, promptly repair or replace the defective goods or parts thereof, free of cost, at the ultimate destination. The Supplier shall take over the replaced parts/goods after providing their replacements and no claim, whatsoever shall lie on the Purchaser for such replaced parts/goods thereafter.
- 11.4. If the supplier, having been notified, fails to rectify/replace the defect(s) promptly, the Purchaser may proceed to take such remedial action(s) as deemed fit by the Purchaser, at the risk and expense of the supplier and without prejudice to other contractual rights and remedies, which the Purchaser may have against the supplier.
- 11.5. Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spares for the goods so that the same are supplied to the Purchaser promptly on receipt of order from the purchaser.

12. Prices

12.1. Prices to be charged by the Supplier for supply of goods in terms of the contract shall not vary from the corresponding prices quoted by the supplier in its Bid and incorporated in the contract.

13. Taxes, Duties and Octroi.

- 13.1. Supplier shall be entirely responsible for all taxes, duties, levies etc. incurred until delivery of the contracted goods to the purchaser. Only statutory variations on finished product if stipulated in Contract shall be allowed to the extent of actual payment by the Supplier.
- 13.2. Octroi Duty, Local Duties& Terminal Taxes etc.:

Normally, goods to be supplied to government departments against government contracts are exempted from levy of town duty, octroi duty, terminal tax and other levies of local bodies. However, on some occasions, the local bodies (like town body, municipal body etc.) as per their regulations allow such exemptions only on production of certificate to this effect from the concerned government department. Keeping this in view, the supplier shall ensure that the stores to be supplied by the supplier against the contract placed by the Purchaser are exempted from levy of any such duty or tax and, wherever necessary, obtain the exemption certificate from the purchaser.

However, if a local body still insists upon payment of such local duties and taxes, the same should be paid by the supplier to the local body to avoid delay in supplies and possible demurrage/detention charges and obtain a receipt for the same. The supplier should forward the receipt obtained for such payment to the Purchaser to enable the Purchaser reimburse the supplier and take other necessary action in the matter.

14. Terms and Mode of Payment

14.1. Payment Terms

Payment shall be made subject to recoveries, if any, by way of liquidated damages or any other charges as per terms & conditions of contract in the following manner:

A) Payment for Domestic Goods or Goods of Foreign Origin located in India.

Payment shall be made in Indian Rupees as specified in the contract in the following manner:

Hundred percent (100%) payment of the contract price subject to recoveries / liquidated damages/shortages etc., if any, shall be paid on receipt of goods in good condition (including installation & commissioning) and upon submission of the following documents:

- (i) Supplier's invoice showing contract number, goods description, quantity, unit price and total amount;
- (ii) Inspection & Acceptance Certificate, as per Section VIII (C) in original issued by the authorized representative of the consignee;
- (iii) Packing list identifying contents of each package;

B) Payment for Imported Goods on DDP terms:

Payment for foreign currency portion shall be made in the currency as specified in the contract in the following manner:

a) On Shipment

Eighty Five (85)% of the net CIF/CIP/DDP price (CIF/CIP/DDP price less Indian Agency commission) of the goods despatched shall be paid through irrevocable, non-transferable Letter of Credit (LC) opened in favour of the Foreign Principal in a bank in his country and upon submission of documents specified hereunder:

- (i) Four copies of supplier's invoice showing contract number, goods description, quantity, unit price and total amount;
- (ii) Original negotiable clean on-board Bill of Lading/Airway Bill, marked freight prepaid and four copies of non-negotiable Bill of Lading/Airway Bill;
- (iii) Four Copies of Packing List identifying contents of each package;
- (iv) Manufacturer's warranty certificate;
- (v) Inspection certificate issued by the nominated inspection agency, if applicable as per contract;
- (vi) Manufacturer's own factory Inspection Report;
- (vii) Certificate of origin by the chamber of commerce of the concerned country;
- (viii) Insurance Certificate.

The above documents shall also be received by the Purchaser promptly before arrival of goods at the Port/Airport of arrival and, if not received, the Supplier will be responsible for any consequent expenses.

b) On Acceptance:

Balance Fifteen (15)% payment would be made against 'Final Inspection and Acceptance Certificate' of goods after installation & commissioning, issued by the consignee, through irrevocable, non-transferable Letter of Credit (LC) opened in favour of the Foreign Principal in a bank in his country, subject to recoveries, if any.

c) Payment of Indian Agency Commission:

Indian Agency Commission will be paid to the Foreign Principal's Indian Agent in the local currency for an amount in Indian Rupees indicated in the relevant Price Schedule (as per prevailing rate of exchange ruling on the date of Contract as on website of RBI.) and shall not be subject to further escalation / exchange variation. Payment shall be made in Indian Rupees to the Indian Agent after receipt of "Inspection and Acceptance Certificate' from the consignee.

14.2. The Supplier shall not claim any interest on payments under the contract.

- 14.3. Where there is a statutory requirement for tax deduction at source, such deduction towards income tax and other taxes as applicable will be made from the bills payable to the Supplier at rates as notified from time to time.
- 14.4. Irrevocable & non transferable LC shall be opened by the Sports Authority of India. However, if the Supplier requests specifically to open confirmed LC, the extra charges would be borne by the supplier. If LC is required to be extended and/or amended for reasons not attributable to the Purchaser/consignee, the charges thereof shall be borne by the supplier. However, if the LC is amended to make LC as per Contract the charges thereof shall be borne by the purchaser.
- 14.5. The payment shall be made in the currency / currencies authorised in the contract.
- 14.6. The Supplier shall send its claim for payment in writing, when contractually due, along with relevant documents etc., duly signed with date, to the Purchaser.
- 14.7. All payments in Indian Rupee will be made through National Electronic Fund Transfer (NEFT)/RTGS systems as per the NEFT Mandate From attached as per Section-IV (E).
- 14.8. The Letter of Credit will be opened consignee/destination-wise if specifically desired by the supplier. The Letter of Credit charges will be borne by the purchaser as specified in clause 14.5 of the Bidding Document.

15. Delay in the supplier's performance.

- 15.1. The supplier shall deliver the goods and perform the services under the contract within the time schedule specified by the Purchaser as incorporated in the contract. The Supplier shall off load the goods as directed by the Purchaser.
- 15.2. In cases where Delivery Period is linked with date of opening of Letter of Credit, and in case the Letter of Credit is amended to make Letter of Credit as per contract, then in such cases the Delivery Period will be calculated from the date of amendment of Letter of Credit.
- 15.3. Subject to the provision of Force Majeure under GCC clause 19, any unexcused delay by the supplier in maintaining its contractual obligations towards delivery of goods and performance of services shall render the supplier liable to any or all of the following sanctions:
 - (i) Imposition of Liquidated Damages,
 - (ii) Forfeiture of its Performance Security and
 - (iii) Termination of the Contract for default.
- 15.4. If at any time during the currency of the contract, the Supplier encounters conditions hindering timely delivery of the goods and performance of services, the Supplier shall promptly inform the Purchaser in writing about the same and its likely duration and make a request to the Purchaser for extension of the delivery schedule accordingly. On receiving the supplier's communication, the Purchaser shall examine the situation as soon as possible and, at its discretion, may agree to extend the delivery schedule, with or without liquidated damages for completion of supplier's contractual obligations by issuing an amendment to the contract.
- 15.5. When the period of delivery is extended due to unexcused delay by the supplier, the amendment letter extending the delivery period shall, interalia contain the following conditions:
- (a) The Purchaser shall recover from the Supplier, under the provisions of the clause 16 of the General Conditions of Contract, liquidated damages on the goods and services, which the Supplier has failed to deliver within the delivery period stipulated in the contract.
- (b) That no increase in price on account of any ground, whatsoever, including any stipulation in the contract for increase in price on any other ground and, also including statutory increase in or fresh imposition of customs duty, excise duty, sales tax/CST/VAT/CENVAT, Service Tax and Works Contract Tax or on account of any other tax or duty which may be levied in respect of the goods and services specified in the contract, which takes place after the date of delivery stipulated in the contract shall

- be admissible on such of the said goods and services as are delivered and performed after the date of the delivery stipulated in the contract.
- (c) But nevertheless, the Purchaser shall be entitled to the benefit of any decrease in price on account of reduction in or remission of customs duty, excise duty, sales tax/CST/VAT/CENVAT, Service Tax and Works Contract Tax or any other duty or tax or levy or on account of any other grounds, which takes place after the expiry of the date of delivery stipulated in the contract.
 - 15.6. The Supplier shall not despatch the goods after expiry of the delivery period. The Supplier is required to apply to the Purchaser for extension of delivery period and obtain the same before despatch. In case the Supplier dispatches the goods without obtaining an extension, it would be doing so at its own risk and no claim for payment for such supply and / or any other expense related to such supply shall lie against the Purchaser.

16. Liquidated damages

16.1. Subject to the provision of Force MajeureunderGCC clause 19, if the Supplier fails to deliver any or all of the goods or fails to perform the services within the time frame(s) incorporated in the contract, the Purchaser shall, without prejudice to other rights and remedies available to the Purchaser under the contract, deduct from the contract price, as liquidated damages, a sum equivalent to 0.5% per week of delay or part thereof on delayed supply of goods and/or services until actual delivery or performance subject to a maximum of 10% of the contract price.

17. Termination for default

- 17.1. The Purchaser, without prejudice to any other contractual rights and remedies available to it (the purchaser), may, by written notice of default sent to the supplier, terminate the contract in whole or in part, if the supplier fails to deliver any or all of the goods or fails to perform any other contractual obligation(s) within the time period specified in the contract, or within any extension thereof granted by the Purchaser pursuant to GCC sub-clauses 15.3 and 15.4.
- 17.2. Unless otherwise instructed by the purchaser, the supplier shall continue to perform the contract to the extent not terminated.

18. Termination for insolvency

18.1. If the supplier becomes bankrupt or otherwise insolvent, the Purchaser reserves the right to terminate the contract at any time, by serving written notice to the supplier without any compensation, whatsoever, to the supplier, subject to further condition that such termination will not prejudice or affect the rights and remedies which have accrued and / or will accrue thereafter to the purchaser.

19. Force Majeure

- 19.1. Notwithstanding the provisions contained in GCC clauses 16, 17 and 18, the supplier shall not be liable for imposition of any such sanction so long the delay and/or failure of the supplier in fulfilling its obligations under the contract is the result of an event of Force Majeure.
- 19.2. For purposes of this clause, Force Majeure means an event beyond the control of the supplier and not involving the supplier's fault or negligence and which is not foreseeable and not brought about at the instance of, the party claiming to be affected by such event and which has caused the non performance or delay in performance. Such events may include, but are not restricted to, acts of the Purchaser either in its sovereign or contractual capacity, wars or revolutions, hostility, acts of public enemy, civil commotion, sabotage,

- fires, floods, explosions, epidemics, quarantine restrictions, strikes excluding by its employees, lockouts excluding by its management, and freight embargoes.
- 19.3. If a Force Majeure situation arises, the supplier shall promptly notify the Purchaser in writing of such conditions and the cause thereof within twenty-one days of occurrence of such event. Unless otherwise directed by the Purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.
- 19.4. If the performance in whole or in part or any obligation under this contract is prevented or delayed by any reason of Force Majeure for a period exceeding sixty days, either party may at its option terminate the contract without any financial repercussion on either side.
- 19.5. In case due to a Force Majeure event the Purchaser is unable to fulfil its contractual commitment and responsibility, the Purchaser will notify the supplier accordingly and subsequent actions taken on similar lines described in above sub-paragraphs.

20. Termination for convenience

- 20.1. The Purchaser reserves the right to terminate the contract, in whole or in part for its (purchaser's) convenience, by serving written notice on the supplier at any time during the currency of the contract. The notice shall specify that the termination is for the convenience of the purchaser. The notice shall also indicate interalia, the extent to which the supplier's performance under the contract is terminated, and the date with effect from which such termination will become effective.
- 20.2. The goods and services which are complete and ready in terms of the contract for delivery and performance within thirty days after the supplier's receipt of the notice of termination shall be accepted by the Purchaser following the contract terms, conditions and prices. For the remaining goods and services, the Purchaser may decide:
- a) To get any portion of the balance completed and delivered at the contract terms, conditions and prices; and / or
- b) To cancel the remaining portion of the goods and services and compensate the supplier by paying an agreed amount for the cost incurred by the supplier towards the remaining portion of the goods and services.

21. Fall Clause

- 21.1. The Supplier undertakes that he has not supplied/is not supplying similar products/system or sub-systems to any department of Govt. of India i.e. Central Government/State Government, Statutory Undertakings of Central/State Governments/Local Bodies etc. and as well as to private purchaser, domestic or foreign at a price lower than that offered in the present bid.
- 21.2. If it is found at any stage that similar product/systems or sub systems was supplied by the Supplier to any of the above Organizations as well as to private purchaser, domestic or foreign, at a lower price, then that very price, with due allowance for elapsed time, will be applicable to the present case and the difference in the cost would be refunded by the Supplier to the Purchaser, if the contract has already been concluded.

22. Withholding and lien in respect of sums claimed

22.1. Whenever any claim or claims for payment of a sum of money arises out of or under the contract against the Contractor, the Purchaser shall be entitled to withhold and also have a lien to retain such sum or sums in whole or in part from the security, if any, deposited by the Contractor and for the purpose aforesaid, the Purchase shall be entitled to withhold the said cash security deposit or the security, if any, furnished as the case may be and also have a lien over the same pending finalization or adjudication of any such claim. In the event of the security being insufficient to cover the claimed amount or amounts or if no security has been taken from the Contractor, the Purchaser shall be

entitled to withhold and have lien to retain to the extent of the such claimed amount or amounts referred to supra, from any sum or sums found payable or which at any time thereafter may become payable to the Supplier under the same contract or any other contract with the Purchaser or the Government, pending finalization or adjudication of any such claim and that The Contractor shall have no claim for interest or damages whatsoever on this account or on any other ground in respect of any sum of money withheld or retained under this clause and duly notified as such to the Contractor.

23. Resolution of disputes

- 23.1. If dispute or difference of any kind shall arise between the Purchaser and the Supplier in connection with or relating to the contract, the parties shall make every effort to resolve the same amicably by mutual consultations.
- 23.2. If the parties fail to resolve their dispute or difference by such mutual consultation within twenty-one days of its occurrence, then, either the Purchaser or the supplier may give notice to the other party of its intention to commence arbitration, as hereinafter provided the applicable arbitration procedure will be as per the Arbitration and Conciliation Act, 1996 of India. In the case of a dispute or difference arising between the Purchaser/ Purchaser and a Supplier relating to any matter arising out of or connected with the contract, such dispute or difference shall be referred to the sole arbitration, appointed to be the arbitrator by the Executive Director (Sports Authority of India). The award of the arbitrator will be final and binding on the parties to the Contract.
- 23.3. Venue of Arbitration: The venue of arbitration shall be the place from where the contract has been issued, i.e., Kolkata, India.
- 23.4. The courts of Kolkata will have the exclusive jurisdiction to try the disputes.

24. Applicable Law

24.1. The contract shall be governed by and interpreted in accordance with the laws of India for the time being in force.

SECTION – VIII (A)-(I)- CONTRACT AGREEMENT CONTRACT FORM FOR SUPPLY

SPORTS AUTHORITY OF INDIANETAJISUBHASEASTERN CENTRE,

Sector - III, Salt Lake City, Kolkata, West Bengal - 700106

ontra	act No	dated					
his i	s in contir	nuation to this office's No	otification of Aw	ard No_	dated		
	Name &	address of the Supplier: _					
2.	Purchase No	r's Bidding Document No, dated	o dated_ _(if any), issued	by the pu	and subsequent rchaser.	Amendment	
	Supplier' No	s Bid No dated ction with this Bid.					
	documen	on to this Contract Forn ts mentioned under paragrant trued as integral part of th	raphs 2 and 3 abo				
	(ii) (iii) (iv) (v) (vi) (vi)	General Conditions of Contr Schedule of Requirements; Technical Specifications; Bid Form furnished by the st Price Schedule(s) furnished Manufacturers' Authorisatio Purchaser's Notification of A	upplier; by the supplier in it on Form (if applicab		Bid);		
rea	dy referen	conditions, stipulations eace:			_		
	Schedul e No.	Brief description of goods	Accounting unit	Unit Pric e	Quantity to be supplied	Total price	Terms of deliver
L							
	alue (in fig Delivery	Period:					
				For an	(Signature, name e purchaser's author d on behalf of Execute Received and accepted	ised official) tive Director	
			for and on behalf	of Messi			
				_		the supplier)	
					ate:		

SECTION – VIII (A)- (II)- CONTRACT AGREEMENT SPORTS AUTHORITY OFINDIA

Annual	CMC No			_		dated_	
Betwee	n	Name an	d Address	of Purcl	haser)		
And	(Name and	Address of the S	Supplier)				
	ontract No. dated ssioning, handing o						pply, installation, goods)
In conti	nuation to the above	referred contract	ct				
The Co	ntract of Annual Cor	mprehensive Ma	intenance	is hereb	y conclude	d as under:	
1	2	3		4		5	6
Schedule No.	Brief Description of goods	Quantity (Nos.)	Main Contr Each	orehensi tenance ract (Cost for t Year		Total Annual Comprehensive Maintenance Contract Cost for 3 Years* {3 X 4a+4b+4c)+5
			1st	2 nd	3rd		(in Rupees.)
			a	B	C		
,	expiry of CAMC) The cost of Annua preventive maintena labour and spares, a next contained in the about the contained in	ommence from to of expiry of war all Comprehensive and onsite after satisfactory ove referred contuptime warrant	he date of rranty) and we Maintenanty completion tract on ye	expiry of will expand the control of warly basin CAMC p	f all obligation pire on Contract (Contract (Contract (Contract (Contract)) See of breaker arranty per comparison on 24	AMC) which out or other coriod may be oblete equipme	arranty i.e. (date of initial includes omplaints, quoted foryears as int.
e) f)	(days) basis, with portion of the date of the the goods. All software update	iod, the supplied uding testing terational manule manufacturer' successful comp	er shall vis and ca al. The su s manual, pletion of	it at each libration in pplier so but at lower anty	ch consigno as per chall visit east once 0 period pre	ee's site for per the man each consign 3 months conventive main	preventive ufacture's ee site as mmencing

	23-12002/4/2023-RC Kolkata - NCOE Division							
g)	The bank guarantee valid till [(fill the date) 2 months after expiry of entire CAMC period] for an amount of Rs. [(fill amount) equivalent to 2.5 % of the cost of the equipment as per contract] shall be furnished in the prescribed format given in							
	Section of the TE document, along with the signed copy of Annual CAMC within a period of 15 (fifteen) days of issue of Annual CAMC failing which the proceeds of performance security shall be payable to the purchaser.							
h)	If there is any lapse in the performance of the CAMC as per contract, a penalty of 0.25% of the amount of performance security per incidence/per day subject to a maximum of 10 incidents shall be imposed, failing which the purchases/consignee reserve the right to terminate the contract.							
i)	i) Payment terms: The payment of Annual CAMC will be made against the bills raised to the consignee by the supplier on quarterly basis after satisfactory completion of said period, duly certified by the HOD concerned. The payment will be made in Indian Rupees.							
	(Signature, name and address of the Purchaser) For and on behalf of Sports Authority of India							
Receive	ed and accepted this contract							
supplie on beha For and	ure, name and address of the r's executive Duly authorised to sign alf of the supplier) d on behalf of and address of the supplier)							
(Seal or the supplie								
Date: Place:								

SECTION - VIII- (B) - BANK GUARANTEE FORM FOR PERFORMANCE

To

Sports Authority of India Sector - III, Salt Lake City, Kolkata -700106

[The bank, as requested by the successful Bidder, shall fill in this form in accordance with the instructions indicated]

Date: [insert date (as day, month, and year) of Notification of Av	vard
and Contract No	

Bank's Branch or Office: [insert complete name of Guarantor]

Beneficiary: Sports Authority of India, Netaji Subhas Eastern Centre, Salt Lake City, Kolkata - 700 106

PERFORMANCE GUARANTEE No.: [insert Performance Guarantee number]

We have been informed that [insert complete name of Supplier] (hereinafter called "the Supplier") has entered into Contract No. [insert number] dated [insert day and month], [insert year] with you, for the supply of [description of Goods and related Services] (hereinafter called "the Contract").

Furthermore, we understand that, according to the conditions of the Contract, a Performance Guarantee is required.

At the request of the Supplier, we hereby irrevocably undertake to pay you any sum(s) not exceeding [insert amount(s) in figures and words] upon receipt by us of your first demand in writing declaring the Supplier to be in default under the Contract, without cavil or argument, or your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

This Guarantee shall expire no later than the [insert number] day of [insert month] [insert year], and any demand for payment under it must be received by us at this office on or before that date.

This guarantee is subject to the Uniform Rules for Demand Guarantees, ICC Publication No. 458, except that subparagraph (ii) of Sub-article 20(a) is hereby excluded.

[signatures of authorized representatives of the bank and the Supplier]

SECTION - VIII- (C) - INSPECTION & ACCEPTANCE CERTIFICATE

Certified that the following store(s) has/ have been received in full & good condition as per the contract specifications and terms & conditions of contract. The equipment has been installed and commissioned and onsite training for operation of equipment has been provided by the supplier free of cost wherever applicable:

1)	Contract No. & D	Date			:			
2)	Supplier's Name	& Addres	SS		:			
3)	Consignee				:			
4)	Description of the	e items su	pplied		:			
5)	Quantity Supplie		:					
6)	Date of Receipt by the Consignee				:			
7)	Damages/Shortag		:					
8)	Remarks, if any			:			-	
9)	Ledger Entry Det (Including Page N				:			
	()	()	()	
				Signa	ntures of Inspe	ection & Accept	ance Committee Mer	nbers
						Counter sig	ned by Head of the C	entre
						Date: _		
					Place:			
							(Seal)