

Bid Corrigendum

GEM/2023/B/2988441-C4

Following terms and conditions supersede all existing “Buyer added Bid Specific Terms and conditions” given in the document or any previous corrigendum. Prospective bidders are advised to bid as per following Terms and Conditions

Buyer Added Bid Specific Additional Terms and Conditions

1. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25% bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the order quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are advised to accept the orders accordingly.
2. Buyer Added text based ATC clauses

The total quantity of 20 nos. are to be delivered at the following 20 locations (1 no.each):

Consignee Details:

1. Alleppey	Sports Authority of India, Water Sports, Avalookunu, P.O. Punnamada, Alleppey-688006, KERALA
2. Dharamshala	SAI Training Centre, Sports Authority of India, Near HPCA Cricket Stadium, District Kangra, Dharamshala-176 215, HIMACHAL PRADESH, E-Mail: hpcdharamshala@gmail.com Office No. 0189 222 4807
3. Mumbai	Akruli Road, Kandivali East, Mumbai - 400101 E-mail: saircmumbai@gmail.com Office No. 022-28876059, 28858395
4. Itanagar	Asstt. Director, NCOE Itanagar, Sangay Lhaden Sports Academy Complex, Chimpu Itanagar, Arunachal Pradesh 791113
5. Jagatpur	Water Sports Centre, Jagatpur-754021

6. I.G. Stadium New Delhi	I.G, Stadium, Indraprastha Estate, Grand Trunk Rd, near Raj Ghat, IG Indoor Stadium, ITO, IP Estate, New Delhi, Delhi 110002 Email: admnigsc@gmail.com Office No : 011-23392536
7. M.D.C.N.S New Delhi	National Stadium, India Gate Cir, National Stadium, India Gate, New Delhi, Delhi 110002 E-mail: mdcns_2012@rediffmail.com Office No. 011-23075065
8. Dr. S.P.M.S.P.C New Delhi	Dr. SPM Swimming Pool Complex is a swimming complex Mother Teresa Cres, Talkatora Garden, President's Estate, New Delhi, Delhi 110001 E-mail: spmspc.sai@gmail.com Office No : 011-23094832
9. Bhopal	Sports Complex, Gram Gora, Bishenkhedhi PO Suraj Nagar, Bhopal-462 003 E-mail rdsaibho-mp@gov.in
10. Kolkata	Sports Authority of India, Netaji Subhash Eastern Centre, Salt Lake City, Section III, Kolkata 700 098, E-mail: saieccal@rediffmail.com
11. Trivandrum	Sports Authority of India, LNCPE, Kariavattom, Post Box No.3, Thiruvananthapuram-695 581 E-Mail: saitctvm@yahoo.com
12. Guwahati	Sports Authority of India New Field Sports Complex, Mohd.Shah Road, Paltan Bazar, Guwahati-781 008 E-mail: saircggy@gmail.com
13. Sonapat	Regional Director, Northern Regional Centre, Joshi Chauhan, G.T. Road,

	P.O. Bahalgarh, Haryana, Sonepat -131021 E-mail : schemes.sonepat@gmail.com
14. Imphal	Sports Authority of India, North East Regional Centre, Takyel, Imphal, Manipur - 795001 E-mail nercimphal.sai@gmail.com
15. Gandhinagar	SAI, Netaji Subhash Western Centre, Sector-15, Sports Complex, Gandhinagar-382 016 E-mail: rd.sai.nswc@gmail.com
16. Aurangabad	Dy. Director, Sports Authority of India Western Training Centre, Dr. Babasaheb Ambedkar Marathwada University Campus, Aurangabad-431004 E-mail: saiwtcaurangabad@gmail.com
17. Rohtak	Chief Operating Officer SAI National Boxing Academy Rajiv Gandhi Sports Complex, Sector-6, rohtak, Haryana E-mail:- sainbartk@gmail.com
18. Lucknow	Dy. Director, Sports Authority of India Kanpur Road, Sarojini Nagar, Lucknow -226008 E-mail: rdsailucknow2011@gmail.com
19. Dr. KSSR, Delhi	Dr. Karni Singh Shooting Ranges, Tughlakabad, New Delhi-110 062. E-mail: drkssr.sai@gmail.com
20. Bangalore	The Director I/C ,

Sports Authority of India,
 Netaji Subhas Southern Centre,
 Mysore Road,
 Bangalore 560056.E-mail:
 sainsr@gmail.com

The pre-bid meeting will be held in Hybrid Mode; Link for online pre-bid meeting updated on due course.

Corrigendum against GeM Bid No. GEM/2023/B/2988441 for Procurement of Cryo-Compression Unit for various NCOEs of SA

S.no	RFP Clause Reference	Clause as per RFP	Read As
1	Additional Terms and Conditions - Buyer Specific Clauses. Clause B- SUPPLY REQUIREMENT AND SPECIFICATION Technical Specification, Point 1	System should be portable and should operate through main power supply of 250 V/50Hz as well as built in battery during the field application.	System should be portable should operate through main power supply of 100-240 V/50Hz as well as Separate battery pack with minimum hours of backup.
2	Additional Terms and Conditions - Buyer Specific Clauses. Clause B- SUPPLY REQUIREMENT AND SPECIFICATION Technical Specification, Point 5	System should have automatic programs of 30 mins ON 30 mins OFF and should have a minimum of 10 different preprogrammed protocols + minimum 10 free protocols, so that user can do personalize program as per their choice	System should have automatic programs of 30 mins ON 30 OFF and should have a minimum of 5-10 different preprogrammed protocols minimum one free protocol so that user can do personalize program as per their choice
3	Additional Terms and Conditions - Buyer Specific Clauses.	Wraps should consist of heat exchanger along	Wraps should consist of heat exchanger along with machine/hand washable

	<p>Clause B- SUPPLY REQUIREMENT AND SPECIFICATION Technical Specification, Point 8</p>	<p>with machine washable sleeves.</p>	<p>sleeves.</p>
4	<p>Additional Terms and Conditions – Buyer Specific Clauses.</p> <p>Clause B- SUPPLY REQUIREMENT AND SPECIFICATION Technical Specification, Point 10</p>	<p>System should have built in color display to monitor the water temperature going into the wraps.</p>	<p>System should have built in or LCD display to monitor water temperature going into wraps.</p>
5	<p>Additional Terms and Conditions – Buyer Specific Clauses.</p> <p>Clause B- SUPPLY REQUIREMENT AND SPECIFICATION Technical Specification, Point 11</p>	<p>System should have built in color display to monitor the average temperature of water going into and coming out of wraps</p>	<p>DELETED</p>
6	<p>Additional Terms and Conditions – Buyer Specific Clauses.</p> <p>Clause B- SUPPLY REQUIREMENT AND SPECIFICATION Technical Specification, Point 12</p>	<p>System should have built in color display monitor which can be selectable in degree Centigrade or degree Fahrenheit.</p>	<p>System should have built in color or LCD display monitor which can be selectable in degree Centigrade or degree Fahrenheit.</p>
7	<p>Additional Terms and Conditions – Buyer Specific Clauses.</p> <p>Clause B- SUPPLY REQUIREMENT AND SPECIFICATION</p>	<p>Should be capable of setting pressure applied minutely in the ranges of 5mm Hg., 15mm Hg., 50mm Hg. and 75mm Hg and</p>	<p>Should be capable of setting pressure applied minutely in the ranges of 5mm Hg., 15mm Hg., 50mm Hg. and 75mm Hg and beyond.</p>

	Technical Specification, Point 13	beyond.	
8	<p>Additional Terms and Conditions - Buyer Specific Clauses.</p> <p>Clause C- QUALIFICATION CRITERIA</p> <p>S.No 1</p>	<p>The bidder (manufacturer or principal of authorized representative - hereinafter referred simply as 'The Bidder') should have supplied installed (functioning satisfactorily) in last three years ending 31st March 2022, at least 40% of the quantity indicated in the bid (rounded off to next whole number) of the similar equipment meeting major parameters of technical specification.</p>	<p>The Bidder or its OEM {themselves or through seller(s)} should have supplied installed (functioning satisfactorily) in last three years ending 31st March 2022, at least 40% of the quantity indicated in the bid (rounded off to next whole number) of the similar equipment meeting major parameters of technical specification. Supply and installation outside India also be considered for evaluation.</p>
9	<p>Additional Terms and Conditions - Buyer Specific Clauses.</p> <p>Clause B- SUPPLY REQUIREMENT AND SPECIFICATION</p> <p>Technical Specification, Point 3</p>	<p>System should have manual temperature control setting available for treatment in steps of 1 Minutes.</p>	<p>System should have manual temperature control setting available for treatment in steps of 1 degree Celsius</p>
10	<p>Additional Terms and Conditions - Buyer Specific Clauses.</p> <p>Clause B- SUPPLY REQUIREMENT AND SPECIFICATION</p> <p>Technical Specification, Point 6</p>	<p>System should have built in purge mode to drain out water out of the wraps after use.</p>	<p>System should have built in purge mode to drain out water out of the wraps and maintain</p>

11	Additional Terms and Conditions – Buyer Specific Clauses. Clause C-QUALIFICATION CRITERIA sub clause e)	e) In case technical specification and rates being equal, preference will be given to such firms having relevant ISO or other equivalent certification for quality assurance. In case parameters come on equal footings, successful bidder will be the one, having highest turnover.	In case of tie in financial or the successful bidder will be selected by running auction option on GeM.
12	-	Bid End Date/Time: 08-02-2023 15:00:00	Bid End Date/Time: 23-02-2023 15:00:00
13	-	Bid Opening Date/Time:08-02-2023 15:30:00	Bid Opening Date/Time: 02-2023 15:30:00

All other terms and conditions mentioned in tender document will remain unchanged.

3. Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category restriction bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.

10. Seeking experience from specific organization / department / institute only or from foreign / export experience
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, the seller can raise their representation against the same by using the Representation window provided in the bid details field dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

*This document shall overwrite all previous versions of Bid Specific Additional Terms and Conditions.

[This Bid is also governed by the General Terms and Conditions](#)

Corrigendum



Corrigendum Details

Modified On: 2023-02-06 12:08:01 [Download](#)

Modified On: 2023-02-06 11:36:56 Bid extended to 2023-02-23 15:00:00

Bid Opening Date: 2023-02-23 15:30:00

Modified On: 2023-01-18 13:24:22 [Download](#)

Disclaimer: This corrigendum has been published by the Buyer after due approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of the above clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process owing to publication of such corrigendum due to modification of technical specification and / or terms and conditions governing the bid. Buyer has been allowed to publish this corrigendum for upfront information of prospective sellers so that bidder can respond to bid with matching catalog and conditions of bid (if modulated due to publication of the corrigendum on the GeM portal). However, it is to be noted that buyer organization is solely responsible for the corrigendum.

**SPORTS AUTHORITY OF INDIA
(EQUIPMENT SUPPORT DIVISION)**

Corrigendum-1

BID Ref No: GEM/2023/B/2988441

Sub: Corrigendum No.1 against GeM Bid No. GEM/2023/B/2988441 for Procurement of Cryo-Compression Unit for various NCOEs of SAI

S.no	RFP Clause Reference	Clause as per RFP	Read As
1	Additional Terms and Conditions – Buyer Specific Clauses. Clause B- SUPPLY REQUIREMENT AND SPECIFICATION Technical Specification, Point 1	System should be portable and should operate through main power supply of 250 V/50Hz as well as built in battery during the field application.	System should be portable and should operate through main power supply of 100-240 V/50Hz as well as Separate battery pack with minimum 3 hours of backup.
2	Additional Terms and Conditions – Buyer Specific Clauses. Clause B- SUPPLY REQUIREMENT AND SPECIFICATION Technical Specification, Point 5	System should have automatic programs of 30 mins ON 30 mins OFF and should have a minimum of 10 different preprogrammed protocols + minimum 10 free protocols, so that user can do personalize program as per their choice	System should have automatic programs of 30 mins ON 30 mins OFF and should have a minimum of 5-10 different preprogrammed protocols + minimum one free protocols , so that user can do personalize program as per their choice
3	Additional Terms and Conditions – Buyer Specific Clauses. Clause B- SUPPLY	Wraps should consist of heat exchanger along with machine washable sleeves.	Wraps should consist of heat exchanger along with machine/hand washable sleeves.

	<p>REQUIREMENT AND SPECIFICATION</p> <p>Technical Specification, Point 8</p>		
4	<p>Additional Terms and Conditions – Buyer Specific Clauses. Clause B- SUPPLY REQUIREMENT AND SPECIFICATION Technical Specification, Point 10</p>	<p>System should have built in color display to monitor the water temperature going into the wraps.</p>	<p>System should have built in color or LCD display to monitor the water temperature going into the wraps.</p>
5	<p>Additional Terms and Conditions – Buyer Specific Clauses.</p> <p>Clause B- SUPPLY REQUIREMENT AND SPECIFICATION</p> <p>Technical Specification, Point 11</p>	<p>System should have built in color display to monitor the average temperature of water going into and coming out of wraps</p>	<p>DELETED</p>
6	<p>Additional Terms and Conditions – Buyer Specific Clauses.</p> <p>Clause B- SUPPLY REQUIREMENT AND SPECIFICATION Technical Specification, Point 12</p>	<p>System should have built in color display monitor which can be selectable in degree Centigrade or degree Fahrenheit.</p>	<p>System should have built in color or LCD display monitor which can be selectable in degree Centigrade or degree Fahrenheit.</p>
7	<p>Additional Terms and Conditions – Buyer Specific Clauses.</p> <p>Clause B- SUPPLY REQUIREMENT AND SPECIFICATION</p> <p>Technical Specification, Point 13</p>	<p>Should be capable of setting pressure applied minutely in the ranges of 5mm Hg., 15mm Hg., 50mm Hg. and 75mm Hg and beyond.</p>	<p>Should be capable of setting pressure applied minutely in the ranges of 5mm Hg., 15mm Hg., 50mm Hg. and 75mm Hg or beyond.</p>

8	<p>Additional Terms and Conditions – Buyer Specific Clauses.Clause C- QUALIFICATION CRITERIAS.No 1</p>	<p>The bidder (manufacturer or principal of authorized representative – hereinafter referred simply as ‘The Bidder’) should have supplied installed (functioning satisfactorily) in last three years ending 31st March 2022, at least 40% of the quantity indicated in the bid (rounded off to next whole number) of the similar equipment meeting major parameters of technical specification.</p>	<p>The Bidder or its OEM {themselves or through re-seller(s)} should have supplied installed (functioning satisfactorily) in last three years ending 31st March 2022, at least 40% of the quantity indicated in the bid (rounded off to next whole number) of the similar equipment meeting major parameters of technical specification. Supply and installation outside India will also be considered for evaluation.</p>
9	<p>Additional Terms and Conditions – Buyer Specific Clauses.</p> <p>Clause B- SUPPLY REQUIREMENT AND SPECIFICATION</p> <p>Technical Specification, Point 3</p>	<p>System should have manual temperature control setting available for treatment in steps of 1 Minutes.</p>	<p>System should have manual temperature control setting available for treatment in steps of 1 degree Celsius</p>
10	<p>Additional Terms and Conditions – Buyer Specific Clauses.Clause B- SUPPLY REQUIREMENT AND SPECIFICATION Technical Specification, Point 6</p>	<p>System should have built in purge mode to drain out water out of the wraps after use.</p>	<p>System should have built in purge mode to drain out water out of the wraps and main unit.</p>
11	<p>Additional Terms and Conditions – Buyer Specific Clauses.</p> <p>Clause C- QUALIFICATION CRITERIA</p> <p>sub clause e)</p>	<p>e) In case technical specification and rates being equal, preference will be given to such firms having relevant ISO or other equivalent certification for quality assurance. In case parameters come on equal footings, successful</p>	<p>In case of tie in financial offer, the successful bidder will be selected by running autorun L1 option on GeM.</p>

		bidder will be the one, having highest turnover.	
12	-	Bid End Date/Time: 08-02-2023 15:00:00	Bid End Date/Time: 23-02-2023 15:00:00
13	-	Bid Opening Date/Time:08-02-2023 15:30:00	Bid Opening Date/Time: 23-02-2023 15:30:00

All other terms and conditions mentioned in tender document will remain unchanged.